

1997  
DODGE/PLYMOUTH/CHRYSLER  
(PL)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in U.S. by Chrysler Corporation. 3= Built in Mexico by Chrysler de Mexico .
2	Make	B = Dodge P = Plymouth C = Chrysler
3	Vehicle type	3 = Passenger Car
4	Passenger Safety	E = Restraint System Active Driver and Passenger Air Bag
5	Vehicle Line	S=Neon & Neon Sport
6	Series	2 = Low Line 4 = High Line 6 = Sport
7	Body Style	2 = 2 Door Pillared Hardtop (22) 7 = 4 Door Pillared Hardtop (42)
8	Engine	C = 2.0L 4 Cyl. 16V Gasoline (SFI) SOHC (ECB) Y = 2.0L 4 Cyl. 16V Gasoline (SFI) DOHC (ECC) A = 1.8L 4 Cyl. 16V SOHC Gasoline (SFI) (EBD)
9	Check Digit	
10	Model Year	V = 1997, W = 1998, X = 1999
11	Assembly Plant	T = Toluca D = Belvidere Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

# Group – 002


## Front Suspension & Drive



### GROUP 2 - Front Suspension & Drive

Illustration Title


Group-Fig. No.

<b>Front Suspension</b>	
Suspension, Front .....	Fig. 002-105
<b>Front Axle Drive Shafts</b>	
Shaft, Front Drive .....	Fig. 002-205



<div>002-100</div> <div>Front Suspension</div> <div></div>	<div>002-200</div> <div>Front Axle Drive Shafts</div> <div></div>		
---	--	--	--

Suspension, Front  
Figure 002-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code:									
[SDC]=Touring Suspension									
[SDE]=Wishbone Handling									
[SDF]= European Homologation Suspension									
[SDK]=Competition Suspension									
NOTE: Sales Code ZCC thur ZRJ=Spring Group Types Found on Individual Vehical Sales Code Listing									
1									STRUT, Front Suspension
	4626 778	2							[SDF]
	4626 835	2	D						[SDE]
	4626 681	2	D, P						[SDC]
	4656 356	2	D, P						[SDK]
2									BUMPER, Jounce
	4626 789	2							w/Firm Feel Suspension (SDC)
	4626 830	2							w/European Suspension (SDF), w/ Competition Suspension (SDK)
3	4626 098	2							SHIELD, Shock Absorber Dust
4									SPRING, Front Coil
	5273 401	1	D, P						w/Firm Feel Suspension (SDC), Tag#401 (ZCA, ZRA)
	5273 402	1	D, P						w/Firm Feel Suspension (SDC) Tag#402 (ZCB,ZRB)
	5273 403	1	D, P						w/Firm Feel Suspension (SDC), Tag# 403 (ZCC,ZRC)
	5273 404	1	D, P						w/Firm Feel Suspension (SDC), Tag#404 (ZCD,ZRD)
	5273 405	1	D, P						w/Firm Feel Suspension (SDC), Tag#405 (ZCE,ZRE)
	5273 406	1	D, P						w/Firm Feel Suspension (SDC), Tag# 406 (ZCF,ZRF)
	5273 407	1	D, P						w/Firm Feel Suspension (SDC), Tag# 407 (ZCG,ZRG)
	5273 408	1	D, P						w/Firm Feel Suspension (SDC), Tag# 408 (ZCH,ZRH)
	5273 409	1	D, P						W/Firm Feel Suspension (SDC), Tag# 409 (ZCJ,ZRJ)
	5273 411	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag # 411 (ZAA, ZNA)
	5273 412	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag #412 (ZAB,ZNB)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Front  
Figure 002-105

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5273 413	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag #413 (ZAC,ZNC)
	5273 414	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag# 414 [ZAD,ZND]
	5273 415	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag #415 (ZAE, ZNE)
	5273 416	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag #416 (ZAF, ZNF)
	5273 417	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag #417 (ZNG, ZAG)
	5273 418	1							W/European Suspension (SDF), w/ Competition Suspension (SDK),w/ Double Wishbone Handling [SDE] Tag #418 (ZAH, ZNH)
5	4626 864	2							SEAT, Spring, With Bearing
6	4626 100	2							MOUNT, Strut
7	6501 094	2							NUT, Hex Lock, M14 x 2.00, Strut to Mount
8	6101 446	6							NUT AND WASHER
9	4762 135	4							BOLT PACKAGE, Camber Adjustment, Consist: of 02 Bolt, Front Strut Mount 02 Nut, Hex Lock
10									KNUCKLE, Front
	4886 218AA	1							Right (5-Stud)
	4886 219AA	1							Left (5-Stud)
11	6501 247	2							NUT, M12x1.75
12	6501 248	2							BOLT, Hex Flange Head, M12x1. 75x57
13									ARM, Control
	4509 774	1							Right
	4509 775	1							Left
14	4449 553	1							BALL JOINT, Lower Control Arm
15	4052 509	2							SEAL, Ball Joint

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Front  
Figure 002-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6030 099	1							FITTING, Ball Joint, Zirc
17	4626 447	1							BUSHING, Lower Control Arm
18	6502 922	2							SCREW
19	6503 068	2							BOLT, Hex Head, M14
20	6502 502	2							NUT, Hex Flange Lock, M14x2
21	6503 292	2							SCREW, Hex Head, M8x1.25x50
-22	6101 695	2							NUT, Hex Flange Lock, M8x1.25, Sway Bar Mount
23	4626 762	2							CLAMP, Stabilizer Bar
24	4626 368	2							CUSHION, Sway Eliminator
25	4762 137	8							LINK PACKAGE, Sway Bar
26	4626 109	1	D, P						BAR, Front Sway, w/Firm Feel Suspension (SDC)
27	4509 719	1							BUSHING, Lower Control Arm
28	6101 695	2							NUT, Hex Flange Lock, M8x1.25, Sway Bar Shaft Link
29	4626 096	2							ISOLATOR, Spring Seat
-30	6500 615	2	D, P						NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5, w/Competition Suspension (SDK) For Strut Knuckle Upper
31	6502 715	2							SCREW, Hex Head, M8x1.25x50
-32	4668 361AA-	1							PLATE, Suspension, Retainer, Knuckle
-33	6500 544	1							SCREW, Hex Head, M8x1.25x20, Plate-Retainer Knuckle
-34	4656 080	1							KNOB KIT, Strut Self Adjustment, [SDK]
-35	4626 777	1							BAR, Rear Sway, Not Rear for Front w/Special Sport suspension (SDE) w/European suspension (SDF) w/ Competition Suspension (SDK)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DGO = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft, Front Drive  
 Figure 002-205



3



4

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code DD5= 5 Sp. Manual Trans.									
Note: Sales Code DGC= 3 Sp. Auto. Trans.									
1	4668 700	1					DD4, DD5		SHAFT, Axle Half Right with out ABS Up to 3-4-97
	4668 700AB	1					DD4, DD5		Right with out ABS After 3-4-97
	4668 701	1					DD4, DD5		Left with out ABS Up to 3-4-97
	4668 701AB	1					DD4, DD5		Left with out ABS After 3-4-97
	4668 702	1					DD4, DD5		Right with ABS Up to 3-4-97
	4668 702AB	1					DD4, DD5		Right with ABS After 3-4-97
	4668 703	1					DD4, DD5		Left with ABS Up to 3-4-97
	4668 703AB	1					DD4, DD5		Left with ABS After 3-4-97
-2	4670 280AB-	1					DGC		SHAFT, Axle Half Right with out ABS
	4670 282AB-	1					DGC		Right with ABS
	4670 605AB-	1					DGC		Left with out ABS
	4670 607AB-	1					DGC		Left with ABS
3	4762 494	1					DD4, DD5		BOOT KIT, Half Shaft, Inner with or with out ABS, Right
		1					DGC		with or without ABS, Right
	4762 495	1					DD4, DD5		with or without ABS, Left
		1					DGC		with or without ABS, Left
4	4762 496	1					DD4, DD5		BOOT KIT, Half Shaft, Outer with or without ABS
		1					DGC		with or without ABS
5	4797 704	1					DD4, DD5		CIRCLIP, Half Shaft
		1					DGC		
6	6503 595	2							NUT, Hex, M20x1.5
7	6503 596	2							WASHER, Flat, M21x38x4
8	6500 336	2							PIN, Cotter, M5x36.00



DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required   - = Non illustrated part   # = New this model year


September 15, 2005

Shaft, Front Drive  
 Figure 002-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4293 167	2							NUT AND WASHER PACKAGE, Front Hub



3



4

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year


September 15, 2005

Group – 004

Parking Brake

GROUP 4 - Parking Brake

Illustration Title	Group-Fig. No.
<b>Parking Brake Lever and Cables</b>	
Lever and Cables .....	Fig. 004-105




004-100  
Parking Brake Lever and Cables





Lever and Cables  
Figure 004-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4509 637	1							LEVER, Park Brake
2	4509 488	2							CLIP, Parking Brake Cable
3	6503 270	1							SCREW, Hex Head, M8x1.25x30, Parking Brake Att Rail
4									CABLE, Parking Brake
	5273 636	2							Rear with Disc/Disc with or with out ABS (With End)
	4509 633	2							Rear with Disc/Drum with or with out ABS . (With End)
5	5209 922	1							SWITCH, Parking Brake
6									NUT, Flex-Flg with Locking Serrations Park Brake M8x1.25, (NOT SERVICED) (Not Serviced)
7									EQUALIZER, Parking Brake Cable, (Service in Lever Assembly), (NOT SERVICED) (Not Serviced)
8									CLIP, (Service with Cable), (NOT SERVICED) (Not Serviced)
9									SCREW, Tap/Hex Flg Hd Light Switch to Parking Brake Lever Mount .190-24x.750, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

# Group – 005

## Service Brakes

**GROUP 5 - Service Brakes**

Illustration Title
 Group-Fig. No.

**Front Brakes**

Brakes, Front ..... Fig. 005-105

**Rear Brakes**

Brakes, Rear Drum ..... Fig. 005-205

Brakes, Rear Disc ..... Fig. 005-207

**Power Brake Booster**

Booster, Power Brake ..... Fig. 005-305

**Brake Master Cylinder**

Master Cylinder ..... Fig. 005-405

Anti-Lock Brake Control ..... Fig. 005-407


**Brake Lines and Hoses**







Lines and Hoses, Brake w/o Anti-Lock Brakes ..... Fig. 005-505

Lines and Hoses, Brake w/Anti-Lock Brakes ..... Fig. 005-545


**Brake Pedals**

Pedal, Brake ..... Fig. 005-605



<b>005-100</b> Front Brakes 	<b>005-200</b> Rear Brakes 	<b>005-300</b> Power Brake Booster 	<b>005-400</b> Brake Master Cylinder 
<b>005-500</b> Brake Lines and Hoses 	<b>005-600</b> Brake Pedals 		

Brakes, Front  
Figure 005-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
Note: Sales Code ACR= Competition Package									
1	4762 551	1							PISTON PACKAGE, Disc Brake
2	4364 779	1							SEAL PACKAGE, Brake Caliper, with Boot
3	4238 717	1							CAP, Bleeder
4									CALIPER, Disc Brake
	4762 548	1							Right
	4762 549	1							Left
5	4383 471	1							BUSHING, Disc Brake Caliper
6	3780 788	1							SCREW, Bleeder
7	4423 573	1							SLEEVE, Disc Brake Caliper
8	6502 527	4							BOLT, Hex Flange Head, M8-1. 25x68.50, Guide Pin
9	4762 682	1							PAD KIT, Front Disc Brake, Five Stud (BRA, BRD, BRF, BRX
10									STUD, Hub
	6501 053	5							
	6503 067	5							With [ACR]
11									HUB, Wheel
	4670 292	1							Five Stud (ACR)
	4670 287	1							Five Stud (BRA, BRD, BRF, BRX)
12	4668 361AA	1							PLATE, Suspension
-13	6500 544	1							SCREW, Hex Head, M8x1.25x20, Plate Attaching
14	6503 223	1							RING, Retaining, 81.35mm x 1. 63mm Thick, Internal
15	4641 120	1							BEARING, Wheel
16	4509 718	2							ROTOR, Brake, Five Stud (BRA, BRD, BRF, BRX)
17									SENSOR, Anti-Lock Brakes
	4509 385	1							Left
	4509 384	1							Right
18									CLIP, Anti-Lock Brake System
	4762 179	1							Left
	4762 180	1							Right (X-Mass Tree)
19									GROMMET, Speed Sensor Cable (Service with Sensor), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Brakes, Rear Drum Figure 005-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
1	4762 296	1							CYLINDER, Wheel
-2	4238 717	1							CAP, Bleeder
3	4238 728	1							SOCKET, Brake Adjusting Screw
4	4383 543	1							CLIP, Brake Shoe Hold Down
5	4762 530	1							LEVER, Park Brake Adjusting Right
	4762 531	1							Left
6	4762 537	1							SHOE KIT, Brake
7	4238 730	1							SPRING, Brake Shoe Return
8	4238 851	1							SPRING, Brake Auto Adjuster Lever
9									PLATE, Brake Backing
	4762 332AA	1							with out ABS (BRX) Right
	4762 333AA	1							with out ABS (BRX) Left
10									LEVER, Park Brake Adjusting Right
	4238 722	1							Left
	4238 723	1							Left
11	5273 983	2							DRUM, Brake, Five Stud (BRA, , BRX)
12	4509 599	2							HUB AND BEARING, Brake, Five Stud (BRA, BRX)
-13	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
14	4509 396	2							CAP, Wheel Bearing
15	6500 526	20							NUT, Wheel, M12x1.5, Standard
16	4509 544	2							SEAL, Brake Support
17	4238 716	1			D, P				CLIP, Parking Brake Pin Lever
18	4238 721	1							PLUG, Brake Adjusting Hole
19	6503 579	8							BOLT AND CONED WASHER, Hex Head, M10x1.5x30, Hex Head
20	4762 536	1			D, P				PIN, Brake Shoe Hold Down
21	4423 678	1			D, P				BOLT, Wheel Cylinder
22									ADJUSTER, Parking Brake
	4762 534	1							Right
	4762 535	1							Left
23									CABLE, Parking Brake, [Reference], (NOT SERVICED) (Not Serviced)
24	4741 674	1							SPRING, Brake Shoe Return
-25									NUT, Push Rear Drum Retainer for M12 Stud, (NOT SERVICED) (Not Serviced)
26	4238 715	1			D, P				SCREW, Rear Wheel Brake Cylinder Mounting

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Brakes, Rear Drum  
Figure 005-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27									PLATE, Anchor [Service in Backing Plate], (NOT SERVICED) (Not Serviced)
28	3766 674	1	D, P						SCREW, Bleeder
29	4746 174	2							STUD, Wheel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Brakes, Rear Disc Figure 005-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
1									CALIPER, Disc Brake
	4383 876	1							Right
	4383 877	1							Left
2	4728 133	1							PISTON PACKAGE, Disc Brake
3									BOOT, Brake Piston, (Service in Piston Package, (NOT SERVICED) (Not Serviced)
-4	4728 132	1							BOOT AND SEAL PACKAGE, Disc Brake
5	4383 471	1							BUSHING, Disc Brake Caliper
6	4423 573	1							SLEEVE, Disc Brake Caliper
7	3780 788	1							SCREW, Bleeder
8	4238 717	1							CAP, Bleeder
9	6502 527	4							BOLT, Hex Flange Head, M8-1. 25x68.50, (Pin)
10	4509 553	2							ROTOR, Brake, Five Stud w/Disc/ Disc (BRD) (w/Disc/Disc w/ABS BRF)
11	6500 526	20							NUT, Wheel, M12x1.5, Standard
-12	6502 738	20							NUT, Wheel Chrome, M12x1.5
13	4509 396	2							CAP, Wheel Bearing
14	4509 600	2							HUB AND BEARING, Brake, Five Stud w/Disc/Disc w/ABS (BRF)
-15	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
16	4509 504	1							SOCKET, Brake Adjusting Screw
17									SPRING, Park Brake Shoe Return
	4383 541	1							Upper
	4383 542	1							Lower
18	4383 543	1							CLIP, Brake Shoe Hold Down
19	4383 539	1							NUT, Parking Brake Adjusting
20									ADAPTER, Disc Brake Caliper
	4762 686	1							Right with out Sensor
	4762 687	1							Left with out Sensor
	4762 684	1							Right w/Sensor Mount
	4762 685	1							Left w/Sensor Mount
21	4238 733	1							PIN, Brake Shoe Hold Down
22	4238 721	1							PLUG, Brake Adjusting Hole
23									LEVER, Park Brake Adjusting
	4882 209	1							Left
	4882 208	1							Right
24	4509 503	1							SCREW, Parking Brake


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes, Rear Disc  
Figure 005-207




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25									SENSOR, Anti-Lock Brakes
	4509 379	1							Left
	4509 382	1							Right
26	4364 779	1							SEAL PACKAGE, Brake Caliper
27	4762 551	1							PISTON, Brake
28	6503 579	8							BOLT AND CONED WASHER, Hex Head, M10x1.5x30, Hex Hd Pilot Pt Brake Attach
29	4509 544	2							SEAL, Brake Support
30	4746 174	2							STUD, Wheel
31									SHIELD, Brake
	4728 111	1							Left
	4728 110	1							Right
32	4723 981	1							SCREW, Rear Brake Dust Shield to Adapter
33	4762 669	1							PAD, Disc Brake
34									LINK, Brake Cylinder, (Service with Lever), (NOT SERVICED) (Not Serviced)
35	4741 772	1							SHOE AND LINING, parking Brake
36									PIN, (Service with Lever), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster, Power Brake  
 Figure 005-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum Note: Sales Code BRX= Disc/Drum (Export) Note: Sales Code BRD= Disc/Disc Note Sales Code BRF= Disc/Disc w/ABS									
1									BOOSTER, Power Brake
	4509 751	1	D, P						with Disc/Disc with ABS (BRF)
	4509 788	1	D, P						with Disc/Drum (BRA, BRX) with Disc/Disc (BRD)
	4886 463AA	1	Z		42				with Disc/Drum (BRX) with Disc/Disc (BRD) with Disc/Disc w/ABS (BRF)
-2									SEAL, Master Cylinder To Booster with Disc/Disc w/ABS (BRF)
	4509 678	1	D, P						
	4886 157AA-	1	D						with Disc/Drum (BRA), with Disc/Disc (BRD), with Disc/Drum (BRX)
-3									CONNECTOR, Brake Booster Vacuum
	4324 173	1	D, P						
	4669 462	1	Z		42				
		1	D						with Calif. Only
-4	4026 117	1							CONNECTOR, Manifold Vacuum, 7 Way with Caps
5	4485 491	1	D, P						VALVE, Brake Booster Check
-6	4886 480AA-	1	Z		42				CHECK VALVE, Brake Booster
7									HOSE, Brake Booster
	4509 609	1	D, P						with 2.0L Engine Dual Overhead Cam Rear Exhaust
	4509 793	1							with 2.0L Engine Single Overhead Cam
-8	4509 695	1	Z		42				HOSE, Brake Booster Vacuum, with 2.0L Engine SOHC (Throttle Body to Booster Nipple)
-9	J812 5883	1							HOSE, Vacuum Supply, 11/32 rough stock
10	2448 761	1							CLAMP, Hose
11									GASKET, Booster To Dash
	4762 599	1	D, P						
	4886 488AA	1	Z		42				
12									GROMMET, Brake Booster Check Valve
	4485 493	1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					


AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005



Booster, Power Brake  
 Figure 005-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4886 487AA	1	Z		42				
13	6035 334	1							CLIP, Brake Push Rod
14	6502 524	2	D, P						NUT, Hex Lock, M8x1.25
-15	4897 486AA-	1	Z		42				NUT, Master Cylinder to Booster
16	6101 445	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

# Master Cylinder Figure 005-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
1									MASTER CYLINDER, Brake
	4509 681	1	D, P						with (BRA) with Reservoir
	4509 805	1	D, P						with (BRD, BRX)
	4762 594	1	D, P						with (BRA) with out Reservoir
	4886 464AA	1	Z		42				with (BRF)
	4886 465AA	1	Z		42				with (BRD, BRX)
	4762 608	1	D, P						with (BRF)
2									CAP, Master Cylinder Reservoir
	4797 187	1	D, P						
	4886 489AA	1	Z		42				
3									RESERVOIR, Brake Master Cylinder
	4762 595	1	D, P						
	4886 485AA	1	Z		42				with Switch (Brake Fluid Level)
4									VALVE, Proportioning
	4509 711	2	Z		42				
	4762 166	AR	D, P						[BRD] [BRF] Secondary
	4762 167	AR	D, P						[BRD] [BRF] Primary
	4797 185	AR	D, P						[BRA] Primary
	4797 186	AR	D, P						[BRA] Secondary
-5	4723 389	1	D, P						GROMMET, Master Cylinder Reservoir
6	4637 625	1	D, P						SWITCH, Brake Fluid Level
7									SEAL, Master Cylinder To Booster
	4509 678	1	D, P						with (BRF)
	4886 157AA	1	D						230 MM Single with (BRA , BRD, BRX) .
	4897 487AA	1	Z		42				
8	6502 524	2	D, P						NUT, Hex Lock, M8x1.25, Master Cylinder to Booster
9	4897 486AA	1	Z		42				NUT, Master Cylinder to Booster
-10	6101 695	1	Z		42				NUT, Hex Flange Lock, M8x1.25, Master Cylinder Res Bracket to Brake Booster

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Anti-Lock Brake Control  
Figure 005-407

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: HCU= Hydraulic Control Unit

1	4509 547	1							HYDRAULIC CONTROL UNIT, Anti-Lock Brake System
2	4762 178	1							BRACKET, Anti-Lock Control Unit
3									TUBE, Brake
	4509 728	1	D, P						Secondary
	4509 388	1	D, P						Primary
-4									TUBE, Master Cylinder to HCU
	4860 015	1	Z		42				Secondary
	4860 042	1	Z		42				Primary
5	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Left or Right
-6	6034 880	1	D, P						NUT, Hex, .375-24x.85, Left or Right
-7	6034 881	1							NUT, Inverted Flare, .375-24, Left
8	6101 795	2							SCREW, Tapping, M8x1.25x30, HCU to Rail Mount
9									NUT, Inverted Flare, .50-20x.625 to Master Cylinder to ABS Primary or Secondary
	6034 862	1	D, P						
		1	Z		42				
-10	6034 880	1							NUT, Hex, .375-24x.85, Master Cylinder to ABS Secondary
-11	6034 881	1							NUT, Inverted Flare, .375-24, Master Cylinder to ABS Primary
12	4762 171	1							INSULATOR, Hydraulic Control Unit, (Package)
13									VALVE, Proportioning
	4762 167	1							Primary
	4762 166	1							Secondary
14									O RING, Proportioning Valve
	4762 169	1							Secondary
	4762 168	1							Primary

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines and Hoses, Brake w/o Anti-Lock Brakes  
Figure 005-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code BRA= Disc/Drum

Note: Sales Code BRX= Disc/Drum (Export)

Note: Sales Code BRD= Disc/Disc

1	6035 098	2							BOLT, Hex Head, .437-20x.937
2	6030 084	4							GASKET, Brake Hose, Front
3	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose Intermediate
4	6101 308	1							NUT, U, M6x1, Brake Hose
5									HOSE, Brake
	4509 722	1							Right
	4509 723	1							Left
6	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose
7									HOSE, Brake
	5273 670	1							with Disc/Drum (BRA) (BRX) Right
	4509 564	1							with Disc/Disc (BRD) Right
	4509 565	1							with Disc/Disc (BRD) Left
	5273 671	1							with Disc/Drum (BRA) (BRX) Left
-8	6035 098	2							BOLT, Hex Head, .437-20x.937, Rear Disc Brake Inlet Hex Drilled
9	6035 488	4							SCREW, Hex Flange Head Tapping, M6.3 x 1.81 x 20.00, Brake Hose
10	6100 558	2							Rear Rail BOLT AND CONED WASHER, Hex Head, M6x25x14, Rear Brake Hose
11									Intermediate Att
	4495 632	3	Z				42		CLIP, Tube
		3	D, P						U/Body 4 Tube
	4495 634	1	D, P						Dash 3 Tube
		2	Z				42		Dash 3 Tube
12	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Rear Brake Right
-13									NUT, Hex, .375-24x.85
	6034 908	1	Z				42		
		1	D, P						
-14	1843 251	1							TUBE, Steel, .187 25 Foot Roll, rear Brake Left
-15	6034 880	1							NUT, Hex, .375-24x.85
-16	1843 251	1							TUBE, Steel, .187 25 Foot Roll
-17	6034 880	1							NUT, Hex, .375-24x.85
-18	4509 852AB-	1	Z				42		TUBE, Brake, Tube Assembly, Front Brake Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines and Hoses, Brake w/o Anti-Lock Brakes  
 Figure 005-505


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-19	6034 880	1							NUT, Hex, .375-24x.85
-20	6034 881	1							NUT, Inverted Flare, .375-24
21	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Front Brake Left
-22	6034 880	1							NUT, Hex, .375-24x.85
-23	4509 739	1	Z		42				TUBE, Brake
24	6034 881	1							NUT, Hex, .375-24x.85
25	6030 084	4							GASKET, Brake Hose, Rear
-26	6034 880	1	D, P						NUT, Hex, .375-24x.85
-27	4495 631	2	D, P						ISOLATOR, Tube Dash
-28	6100 266	2							BOLT AND WASHER, M6x1.0x20, Front Brake Hose to Strut or Rail
-29									VALVE, Proportioning
	4762 166	1							with Disc/Disc (BRD) Secondary
	4509 711	2	Z		42				with Disc/Disc (BRD) with Disc Drum (BRX)
	4762 167	1							with Disc/Disc (BRD) Primary
	4797 186	AR	D, P						with Disc/Drum (BRA) Secondary
	4797 185	AR	D, P						with Disc/Drum (BRA) Primary
-30	4546 674	1	Z		42				CLIP, Tube, Front Rail

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

# Lines and Hoses, Brake w/Anti-Lock Brakes Figure 005-545



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRF= Disc/Disc w/ABS									
Note: Sales Code BRJ= Disc/Drum w/ABS									
1	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Disc Brake Inlet Hex Drilled
2	6030 084	4							GASKET, Brake Hose, Front
3	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose Intermediate
4	6101 308	1							NUT, U, M6x1, Front Brake Hose
5									HOSE, Brake
	4509 722	1							Front
	4509 723	1							Left
6	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose
7									SENSOR, Anti-Lock Brakes
	4509 382	1							Right
	4509 379	1							Left
8									HOSE, Brake
	4509 564	1							with Disc/Disc (BRF) Right
	4509 565	1							with Disc/Disc Left
-9	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14, Rear Brake hose
									Intermediate Att
-10	6035 098	2							BOLT, Hex Head, .437-20x.937, RearDisc Brake Intlet Hex Drilled w/Disc/Disc w/ABS (BRF)
11	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14, Brake hose Rear Rail
12	1843 251	1							TUBE, Brake, Rear Brake Right
-13	6034 880	1							NUT, Hex, .375-24x.85
-14									NUT, Inverted Flare, .375-24
	6034 908	1	Z			42			
		1	D, P						
-15	1843 251	1							TUBE, Brake, Rear Brake Left
-16	6034 881	1							NUT, Inverted Flare, .375-24
-17	1843 251	1							TUBE, Brake, Front Brake Right
-18	6034 880	1							NUT, Hex, .375-24x.85
-19	1843 251	1							TUBE, Steel, .187 25 Foot Roll, Front Brake Left
-20	6034 880	1							NUT, Hex, .375-24x.85
21									CLIP, Tube
	4495 632	3	Z			42			U Body 4 Tube

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Lines and Hoses, Brake w/Anti-Lock Brakes**  
**Figure 005-545**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4495 636	5	Z		42				Rail /Kick Up 2 Tube
	4495 632	4	D, P						U Body 4 Tube
	4495 636	6	D, P						Rail/Kick Up 2 Tube
22	6030 084	4							GASKET, Brake Hose, Rear
-23									WIRING, Anti-lock Brake
	4793 061	1	D, P						
	4661 949	1	Z		42				
-24	4495 631	2	D, P						ISOLATOR, Tube Dash
-25	6101 451	13							SCREW AND WASHER, Hex Head, M6x1x25, Qty 02 Front Back Hose to Strut or Rail
26									SCREW, And Washer Wheel Speed Sensor Rear M8x1.00x30.00, (NOT SERVICED) (Not Serviced)
-27									TUBE, Brake
	4509 739	1	Z		42				
	4509 728	1	D, P						
-28	6034 880	1							NUT, Hex, .375-24x.85
-29									NUT, Inverted Flare, .375-24x.85
	6034 908	1	D, P						
		1	Z		42				
-30	4509 728	1	D, P						TUBE, Brake
-31									NUT, Hex, .375-24x.85
	6034 880	2	Z		42				
		2	D, P						
-32									NUT, Inverted Flare, .375-24x.85
	6034 908	1	D, P						
		1	Z		42				
-33	4762 167	AR	D, P						VALVE, Proportioning

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

### Pedal, Brake Figure 005-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Brake Pedal
	4683 019	1	D, P						with Manual
	4683 024	1	D, P						with Automatic
2	6500 197	1	D, P						NUT, M10x1.5, Brake Pedal
3									PEDAL, Brake
	4683 020	1	D, P						with Manual
	4509 708	1	Z		42				with automatic with Bracket
	4683 025	1	D, P						with Automatic
	5273 134	1	Z		42				with Manual with Bracket
4									BUSHING, Pedal Shaft
	2467 770	4	Z		42				
		2	D, P						
5	4671 336	1							SWITCH, Stop Lamp, with or with
									out ABS
6									PAD, clutch
	4683 021	1	Z		42				Brake with Manual
		1	D, P						Brake with Manual
7	6035 334	1							CLIP, Brake Push Rod
-8	6101 446	6							NUT AND WASHER, Pedal Bracket
9	4683 022	1	D, P						SHAFT, Brake Pedal Pivot
-10									PAD, Brake Pedal
	4509 607	1	D, P						with Automatic
		1	Z		42				with Automatic

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**



# Group – 006

## Clutch

### GROUP 6 - Clutch

Illustration Title Group-Fig. No.

#### Clutch

Clutch and Disc, (DD4 - DD5) ..... Fig. 006-110

#### Clutch Housing

Housing, Clutch and Mounting Bolts, (DD4 - DD5) ..... Fig. 006-210

#### Clutch Controls


Linkage, Clutch, (DD4 - DD5) ..... Fig. 006-310





Controls, Release Fork & Bearing, Hydraulic Clutch, RHD, (DD4 - DD5) ..... Fig. 006-312

Controls, Master Cylinder && Slave Cylinder, Hydraulic Clutch, RHD, (DD4 - DD5) ..... Fig. 006-315

#### Clutch Pedals

Pedal, Clutch, (DD4 - DD5) ..... Fig. 006-410



<b>006-100</b> Clutch	<b>006-200</b> Clutch Housing	<b>006-300</b> Clutch Controls	<b>006-400</b> Clutch Pedals
			

Clutch and Disc, (DD4 - DD5)  
Figure 006-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; If 11 Digit Of Vin # Is A [D] Vehicle Has Modular Clutch

If 11 Digit Of Vin # Is A [T] Vehicle Has Conventional Clutch Package


Sales Codes

DD4 - 5 Spd Manual Trans A578 W/Perf G/S

DD5 - 5 Spd Manual Trans A578

EBD = 1.8L 4 Cyl - SOHC


1	4670 161	1					DD4, DD5		CLUTCH, Modular, With 11 Digit Of Vin # [D]
2	4856 319	1	D, P				DD4, DD5		CLUTCH PACKAGE, With 11 Digit Of Vin # [T]
3	6501 099	4	D, P				DD4, DD5		BOLT, Hex Head, M10x1.50 x 13.20



DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Housing, Clutch and Mounting Bolts, (DD4 - DD5)  
Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

EBD = 1.8L 4 CYL - SOHC

ECB = 2.0L 4 CYL - SOHC

ECC = 2.0L 4 CYL - DOHC

ECB = 2.0L 4 CYL - SOHC

ECC = 2.0L 4 CYL - DOHC

1	4761 088	1	Z				DD5		HOUSING, Clutch
		1					DD4		
		1	D, P				DD5		
2	6501 755	1					DD4, DD5		SCREW AND WASHER, Hex Head, M6x1x16
3	6501 164	3	D			ECC	DD4, DD5		SCREW, Hex Head, M12x1.75x50
		3	Z			ECB	DD5		
4	6503 244	1				ECB	DD4, DD5		STUD
5	4761 099	1	Z				DD5		PIN, Locating
		1	D, P				DD5		
		1	D, P			ECC	DD4		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage, Clutch, (DD4 - DD5)  
Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

EBD = 1.8L 4 Cyl - SOHC

ECB = 2.0L 4 Cyl - SOHC

ECC = 2.0 L 4 Cyl - DOHC

1	4670 277	1	D, P				DD4, DD5		SPACER, Clutch Pedal Adjuster
2	4670 400	1	D, P				DD4, DD5		CABLE, Clutch Release
3	4796 664	1					DD4		LEVER PACKAGE, Clutch Release
		1	D, P				DD5		
	4796 665	1	Z				DD5		
4	4670 088	1	D, P				DGC		PLUG, Dash Panel, 35mm Diameter BEARING, Clutch Release
5	4670 026	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		PIVOT, Clutch Release Lever
		1	D, P			ECC	DD4		
6	4670 240	1	Z				DD5		
		1	D, P				DD5		BOOT, Clutch Release Lever
		1	D, P			ECC	DD4		
7	4670 019	1	D, P				DD4, DD5		
8	6034 206	1	D, P				DD4, DD5		PIN, Hair, .250 Dia x.766x.059


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Release Fork & Bearing, Hydraulic Clutch, RHD, (DD4 - DD5)  
Figure 006-312



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S  
DD5 = 5 Spd Manual Trans A578  
ECB = 2.0 4 Cyl. - SOHC  
ECC = 2.0L 4CYL - DOHC


1									BEARING, Clutch Release
	4670 026	1	Z				DD5		
		1	D				DD5		
		1					DD4		
		1	D, P				DD5		
2	4670 071	1	Z				DD5		BOOT, Clutch Release Lever
3									LEVER PACKAGE, Clutch Release
	4796 664	1	D, P				DD5		
		1					DD4		
	4796 665	1	Z				DD5		
4									PIVOT, Clutch Release Lever
	4670 240	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Master Cylinder & Slave Cylinder, Hydraulic Clutch, RHD, (DD4 - DD5)  
Figure 006-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 - 5 Spd Manual Trans A578

1	4670 233	1	Z				DD5		BRACKET, Brake Fluid Reservoir
2	4606 041	1	Z				DD5		CLIP, Stud
3	4670 268	1	Z				DD5		CLIP, Clutch Tube
4	4670 265	1	Z				DD5		BUSHING, Hydraulic Clutch Actuator
5	6101 695	1	Z				DD5		NUT, Hex Flange Lock, M8x1.25
		2							
6	4670 367	1	Z				DD5		CLIP, Clutch Tube
7	4668 302	1	Z				DD5		ACTUATOR, Hydraulic Clutch
8	6101 695	1	Z				DD5		NUT, Hex Flange Lock, M8x1.25
		2							
9	6101 614	2	Z				DD5		SCREW AND WASHER, Hex Head, M8x1.25x45
10	4668 304	1	Z				DD5		ACTUATOR, Hydraulic Clutch


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Pedal, Clutch, (DD4 - DD5) Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans									
DBB = All Manual Trans									
1	6500 197	1	D, P				DD4, DD5		NUT, M10x1.5
2	4511 135	1	D, P				DD4, DD5		SHAFT, Clutch Pedal
3	4670 093	1	D, P				DD4, DD5		SPRING, Clutch Pedal Return
4	2467 770	2	D, P				DD4, DD5		BUSHING, Pedal Shaft
5	4796 915	1	D, P				DD4, DD5		PEDAL, Clutch
6	4683 021	1 1	Z D, P				DBB DD4, DD5		PAD, clutch
7	4672 014	1					DBB		SWITCH, Clutch Starter Interlock
8	6034 206	1	D, P				DD4, DD5		PIN, Hair, .250 Dia x.766x.059
-9	6100 025	1	Z				DD5		PIN, Cotter, M3.2x36
10	2266 820	1	D, P				DBB		BUMPER, Clutch Pedal
-11	4668 306	1	Z				DD5		STOPPER, Clutch and Brake Pedal
12	4670 225	1	Z				DD5		PIN, Clutch Pedal
13	4668 286	1	Z				DBB		PEDAL, Clutch

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - TLE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE

Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

# Group – 007

## Cooling

### GROUP 7 - Cooling

Illustration Title Group-Fig. No.

**Radiator and Related Parts**

- Radiator and Related Parts Auto. Trans. .... Fig. 007-110
- Radiator and Related Parts Manual Trans. .... Fig. 007-120

**Water Pump and Related Parts**

- Water Pump and Related Parts .... Fig. 007-203

**Tank, Coolant Engine**

- Coolant Reserve Tank .... Fig. 007-303

**Pulleys and Related Parts**

- Pulley, Drive .... Fig. 007-403

**Drive Belts**


- Belts .... Fig. 007-503








**Lines, Transmission Oil Cooler**

- Lines, Oil Cooler .... Fig. 007-603

**Grilles**


- Grille and Related Parts .... Fig. 007-703



<b>007-100</b> Radiator and Related Parts	<b>007-200</b> Water Pump and Related Parts	<b>007-300</b> Tank, Coolant Engine	<b>007-400</b> Pulleys and Related Parts
			
<b>007-500</b> Drive Belts	<b>007-600</b> Lines, Transmission Oil Cooler	<b>007-700</b> Grilles	
			



Radiator and Related Parts Auto. Trans.  
Figure 007-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: When specifying Module components refer to appropriate stamping number.									
A/C = Air Conditioning									
R.F.I. = Radio Frequency Interference									
Sales Codes:									
ECB = 2.0L SOHC									
ECC = 2.0L DOHC									
EBD = 1.8L SOHC 16V									
DGC = TRANSMISSION - AUTOMATIC 3-SPEED									
DG0 = TRANSMISSIONS - ALL AUTOMATIC									
1	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14
2	4546 950	2							BRACKET, Cooling Module
3									RADIATOR, Engine Cooling
	4495 947	1	D, P			EC0	DG0		Module # 4495947 w/o A/C
	4546 902	1					DG0		Module # 4546986, Mexican Built, w/ A/C
	4740 097	1				ECB	DG0		Module # 4495936AB, Belvedere Built
		1	D, P			ECC	DG0		Mexico, Module # 4495936AB, Belvedere Built
	4883 141	1				ECC	DGC		Module # 4546899, w/ A/C
		1				ECB	DG0		MID-EAST, Module # 4546899, w/ A/C
4									CAP, Radiator
	4592 098	1				ECB	DGC		
		1	D			ECC	DGC		
5									DRAINCOCK, Radiator
	4644 269	1					DG0		Module # 4546986
	4762 334	1				ECB	DG0		Module # 4546899, 4495936, 4495947
		1				ECC	DGC		Module # 4546899, 4495936, 4495947
-6									SCREW, Hex Head, M6x12
	4762 340	1	D, P			ECB, ECC	DBB		
		1				ECC	DGC		
		1				ECB	DG0		
7									CONDENSER, Air Conditioning (Stamped 4546899,4495936), with A/C
	4740 109	1				ECB	DG0		
	4798 950	1					DG0		Module # 4546986, Mexican Built
8									LABEL, Fan Caution

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Radiator and Related Parts Auto. Trans.  
Figure 007-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4592 114	1				ECB	DG0		
		1	D, P			ECC	DG0		
		1	D, P			ECB, ECC	DBB		
9	4401 438	1							CLAMP, Radiator
10	4546 651	1	D, P			ECC			HOSE AND CLAMP, Radiator Inlet with A/C
	4546 656	1	D			ECC	DG0		without A/C
	4546 723	1				ECB			with A/C
	4546 725	1	D, P			ECB	DG0		without A/C
11	4546 696	1							HOSE AND CLAMP, Radiator Outlet with A/C
	4546 697	1	D, P				DG0		without A/C
12									ISOLATOR, Cooling Module Mounting, Lower without A/C
	4495 963	2	D, P			EC0			with A/C
	4546 657	2							
13									MOTOR, Radiator Fan Module # 4546835, Left Module # 5278146, Contains R.F.I. Module
	4762 347	1				EC0	DG0		
	4882 636	1							Module # 5278147, Contains R.F.I. Module
	4882 637	1							Module # 5278364, Right, Contains R.F.I. Module, Right
	4882 798	1				EC0	DG0		
	4882 799	1	D, P			EC0			Module # 5278512, w/o A/C
14									FAN, Cooling Module # 5278512
	4740 100	1	D, P			EC0			Module # 5278364, Right
	4762 345	1				EC0	DG0		Module # 4546835, Left
	4762 349	1				EC0	DG0		Module # 5278146, 5278147
15	4798 953	1							NUT, Hex-Flanged, M5X0.8-6H, Fan to Motor
	4682 751	1							
16									SHROUD, Fan Module # 5278512
	4740 102	1	D, P			EC0			Module # 4546835, Left
	4762 350	1				EC0	DG0		
	4798 946	1							Module # 5278146, 5278147
		1							Module # 5278364, Right
	4874 458	1				EC0	DG0		SCREW, Hex Head
-17	4762 342	1				EC0	DG0		Module # 04546835, 5278364
	4762 343	1	D, P			EC0			Module # 5278512

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Radiator and Related Parts Auto. Trans.  
Figure 007-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	4761 511	3							SCREW, Module # 5278146, 5278147
-19	4762 341	1				EC0	DG0		NUT, Fan Module Retaining
-20	6500 377	4							CLIP, Motor
21									THERMOSTAT
	5278 144AA	1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
22									CONNECTOR, Engine Coolant Outlet
	4495 717	1	D, P			ECC	DGC		
	4546 729	1				ECB	DGC		
23									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2	D, P			ECC	DGC		
		2	D			ECB	DGC		
		2	D			ECC	DD4, DD5		
		2	D			ECB	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: When specifying Module components refer to appropriate stamping number.

A/C = Air Conditioning

R.F.I. = Radio Frequency Interference

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EC0 = ALL 2.0L ENGINES

EBD = 1.8L SOHC 16V

DBB = TRANSMISSIONS - ALL MANUAL

1	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14
2	4546 950	2							BRACKET, Cooling Module
3	4762 398	1	D, P			ECB,	DBB		FLAPPER KIT, Cooling Fan Module
-4	4762 339	1	D, P			ECC			SCREW, Hex Head, M6x16
-5	4762 340	1				ECB	DBB		SCREW, Hex Head, M6x12
		1	Z			ECC	DBB		
6	4740 109	1				ECB	DBB		CONDENSER, Air Conditioning Module # 4495936, 4546625 (Belvedere Built - First Digit of VIN = 1)
		1	Z			ECB	DBB		Module # 4495936, 4546625 (Belvedere Built - First Digit of VIN = 1)
	4798 950	1					DBB		Module # 4546900 (Mexico Built - First Digit of VIN = 3)
7	4495 947	1	D, P			EC0	DBB		RADIATOR, Engine Cooling Module # 4546703
	4546 902	1					DBB		Module # 4546900 (Mexican Built - First Digit of VIN = 3)
	4740 097	1	D, P			ECB,	DBB		Module # 4495937, 4546625, 4546621, 4546625AB
		1	Z			ECB	DBB		Module # 4495937, 4546625, 4546621, 4546625AB
8	4644 269	1					DBB		DRAINCOCK, Radiator Module # 4546900
	4762 334	1	D, P			ECB,	DBB		ECC
-9	4592 114	1	Z			ECB	DBB		LABEL, Fan Caution

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Radiator and Related Parts Manual Trans. Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB, ECC	DBB		
-10	4762 340	1	D, P			ECB, ECC	DBB		SCREW, Hex Head, M6x12
11	4401 438	1	Z			ECB	DBB		CLAMP, Radiator
12	4546 651	1	D, P			ECC	DBB		HOSE AND CLAMP, Radiator Inlet w/ A/C
	4546 656	1	D, P			ECC	DBB		w/o A/C
	4546 723	1				ECB			w/ A/C
	4546 725	1	D, P			ECB	DBB		w/o A/C
13									HOSE AND CLAMP, Radiator Outlet
	4546 696	1							w/ A/C
	4546 697	1	D, P				DBB		w/o A/C
14									ISOLATOR, Cooling Module Mounting, Lower
	4495 963	2	D, P			EC0			w/o A/C
	4546 657	2							w/ A/C
15	4762 347	1				ECC	DBB		MOTOR, Radiator Fan Module # 4546835
		1	D, P			ECB	DBB		Module # 4546835
		1	Z			ECB	DBB		Module # 4546835
	4882 637	1							Module # 5278147
	4882 798	1				ECC	DBB		Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
		1	Z			ECB			Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
	4882 636	1							Module # 5278146
	4882 798	1	D, P			ECB	DBB		Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
	4882 800	1	D, P			ECB, ECC	DBB		Module # 5278470 (Belvedere Built - First Digit of VIN = 1)
	4882 799	1	D, P			EC0			Module # 5278512 (Belvedere Built - First Digit of VIN = 1)
16									FAN, Cooling
	4740 100	1	D, P			EC0			Module # 5278512 (Belvedere Built - First Digit of VIN = 1)
	4762 345	1	D, P			ECB	DBB		Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
		1				ECC	DBB		Module # 5278364 (Belvedere Built - First Digit of VIN = 1)

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB			Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
	4762 349	1				ECC	DBB		Module # 4546835 (Belvedere Built - First Digit of VIN = 1)
		1	D, P			ECB	DBB		Module # 4546835 (Belvedere Built - First Digit of VIN = 1)
		1	Z			ECB	DBB		Module # 4546835 (Belvedere Built - First Digit of VIN = 1)
	4773 731	1	D, P			ECB, ECC	DBB		Module # 5278470 (Belvedere Built - First Digit of VIN = 1)
	4798 953	1							Module # 5278146, 5278147 (Mexican Built - First Digit of VIN = 3)
-17	4682 751	1							NUT, Hex-Flanged, M5X0.8-6H, Fan to Motor
18									SHROUD, Fan
	4740 102	1	D, P			EC0			Module # 5278512 (Belvedere Built - First Digit of VIN = 1)
	4740 107	1	D, P			ECB, ECC	DBB		Module # 4740107 (Belvedere Built - First Digit of VIN = 1) Stamped 5278470
	4762 350	1				ECC	DBB		Module # 4546835 (Belvedere Built - First Digit of VIN = 1)
		1	D, P			ECB	DBB		Module # 4546835 (Belvedere Built - First Digit of VIN = 1)
		1	Z			ECB			Module # 4546835 (Belvedere Built - First Digit of VIN = 1)
	4874 458	1				ECC	DBB		Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
		1	D, P			ECB	DBB		Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
		1	Z			ECB			Module # 5278364 (Belvedere Built - First Digit of VIN = 1)
-19									SCREW, Hex Head
	4762 342	1	D, P			ECB, ECC	DBB		Module # 5278470, 4546835, 5278364 (Belvedere Built - First Digit of VIN = 1)
	4762 343	1	D, P			EC0			Module # 5278512 (Belvedere Built - First Digit of VIN = 1)
-20									NUT, Fan Module Retaining
	4762 341	1				ECC	DBB		
		1	Z			ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Manual Trans.  
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21	4762 342	1	D, P			ECB, ECC	DBB		SCREW, Hex Head
-22	4762 341	1	D, P			ECB, ECC	DBB		NUT, Fan Module Retaining
-23	6500 377	4	Z			ECB			CLIP, Motor THERMOSTAT
24	4495 721	1	D			ECC	DD4, DD5		
		1	P			ECC	DD4, DD5		
		1	P			ECB	DD4, DD5		
		1	D			ECB	DD4, DD5		
		1	Z			ECB	DD4, DD5		
25									CONNECTOR, Engine Coolant Outlet
	4495 717	1	D, P			ECC	DD4, DD5		
	4546 729	1				ECB	DD4, DD5		
26									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2	D, P			ECC	DD4, DD5		
		2				ECB	DD4, DD5		
27	4592 098	1				ECB	DD4, DD5		CAP, Radiator
		1	D, P			ECC	DD4, DD5		
28	4762 338	1	D, P			ECB	DBB		SHROUD, Fan, Use with 4740107 - Center


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Water Pump and Related Parts  
Figure 007-203




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
ECB = 2.0L SOHC									
ECC = 2.0L DOHC									
EBD = 1.8L SOHC 16V									
DGC = TRANSMISSION - AUTOMATIC 3-SPEED									
DD4 = TRANSMISSION - MANUAL 5-SPEED									
DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED									
1									PUMP, Water
	4667 660	1				ECB	DGC		
		1	D, P			ECC	DGC		
		1				ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
-2									STAY, Water Pump, (NOT REQUIRED)
-3									NIPPLE, Heater Return
	4621 653	1				ECB	DGC		
		1				ECB	DD4, DD5		
4									BOLT, Hex Head, M6x1.0x22
	6503 255	6				ECB	DGC		
		6				ECB	DD4, DD5		
		6	D, P			ECC	DGC		
		6	D, P			ECC	DD4, DD5		
5									SEAL, Water Pump To Front Cover
	4667 663	1				ECB	DGC		
		1	D, P			ECC	DGC		
		1				ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
6									O RING, Water Inlet Tube
	4777 173	1				ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1				ECB	DD4, DD5		
7									TUBE, Water Inlet

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					



### Water Pump and Related Parts Figure 007-203

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4777 171	1				ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1				ECB	DD4, DD5		
8									BOLT AND CONED WASHER, Hex Head, M6x25x12.5
	6100 267	2				ECB	DGC		
		2				ECB	DD4, DD5		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

### Coolant Reserve Tank Figure 007-303

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CAP, Coolant Reserve Tank
	4796 447	1	D, P			ECB			
		1	D, P			ECC			
2									BOTTLE, Coolant Recovery
	4746 206	1	D, P			ECB			
	4496 000	1	Z			ECB			
	4746 206	1	D, P			ECC			
3									HOSE, Overflow, Roll Stock
	4266 423	1	D, P			ECB			
		1	Z			ECB			
4	4495 804	1	D, P			ECC			HOSE, Coolant Reserve Tank
-5	2448 761	1							CLAMP, Hose
6	6503 676	1							NUT, Hex Flange, M6x1
7	6034 716	1							SCREW AND WASHER, Hex Flange Head, .25-14x.875



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**BODGE - T L**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Pulley, Drive  
Figure 007-403




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:  
Sales Codes:  
ECB = 2.0L SOHC  
ECC = 2.0L DOHC  
EBD = 1.8L SOHC 16V  
DGC = TRANSMISSION - AUTOMATIC 3-SPEED  
DG0 = TRANSMISSIONS - ALL AUTOMATIC  
DD4 = TRANSMISSION - MANUAL 5-SPEED  
DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED

1	4667 765	1				ECB	DGC		DAMPER, Crankshaft
		1	D, P			ECC	DGC		
		1				ECB	DD4,		
							DD5		
		1	D, P			ECC	DD4,		
							DD5		
2	6503 553	1				ECB	DGC		BOLT, Hex Flange Head, M12x1.75x87.50
		1				ECB	DD4,		
							DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
3	4612 242	1							PULLEY, Power Steering Pump
4	4723 014	1							CLUTCH, A/C Compressor

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Belts  
Figure 007-503



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V

DGC = TRANSMISSION - AUTOMATIC 3-SPEED

DG0 = TRANSMISSIONS - ALL AUTOMATIC

DD4 = TRANSMISSION - MANUAL 5-SPEED

DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED


1	4668 180AB	1				ECB	DGC		BELT, Alternator Drive
		1	D, P			ECC	DGC		
2	4612 247	1							BELT, Power Steering
	4668 340	1							w/AC
									w/Heater

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines, Oil Cooler  
Figure 007-603



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

DGC = TRANSMISSION - AUTOMATIC 3-SPEED

1	4495 993	1					DGC		HOSE, Transmission Oil Pressure
		1	Z			ECB	DGC		A/C
	4546 713	1	D, P				DGC		Heater
2	4495 995	1					DGC		HOSE, Transmission Oil Return
	4546 714	1	D, P				DGC		A/C
							DGC		Heater
3	6032 839	4					DGC		CLAMP, Oil Cooler
4	4531 202	2				ECC	DGC		CONNECTOR, Oil Cooler Hose
		2	Z			ECB	DGC		
		2	D, P			ECB	DGC		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Grille and Related Parts  
Figure 007-703



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4655 390	1							CROSSMEMBER, Radiator Closure Panel
-2	4495 886	1	D, P						SHIELD, Radiator To Closure Panel
3	4655 474	1							SUPPORT, Radiator Closure Panel
4									PANEL, Radiator Closure
	4655 520	1							Right, Upper
	4655 521	1							Left, Upper
5									PANEL, Radiator Closure
	4655 214	1							Right, Lower
	4655 215	1							Left, Lower
6	5003 942AB	1							CROSSMEMBER, Front Side Rail
-7	5256 905	1							BRACKET, Side Rail Crossmember, Tow Hook
8									GUSSET, Front Crossmember, Serviced in Item #6, (NOT SERVICED) (Not Serviced)
9	5278 075	1	D, P						BAFFLE, Air Intake
10									SCREW, Hex Head, 5/16, (NOT SERVICED) (Not Serviced)
11									GRILLE, Radiator
	4741 499	1	Z						Service Dealer Paint
		1	D, P						Service Dealer Paint
12									SCREW AND WASHER, Hex Head, M5x0.80x25.00, (NOT SERVICED) (Not Serviced)
13	5263 860	1							BRACKET, Radiator Grille

DODGE - PLYMOUTH - CHRYSLER NEON (PL)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005







# Group – 008









## Electrical



# Group – 008

## Electrical

<b>008-1000</b> Battery Tray and Cables	<b>008-1100</b> Lamps – Front, Rear and Courtesy	<b>008-1200</b> Wiring–Engine & Related Parts	<b>008-1300</b> Wiring–Headlamp to Dash
			
<b>008-1400</b> Wiring–Instrument Panel	<b>008-1500</b> Wiring–Body & Accessories	<b>008-1600</b> Wiring Repair	<b>008-1900</b> Spark Plugs–Cables–Coils
WIRING INSTR. PANEL		WIRING REPAIR PKG.	


<b>008-100</b> Starters	<b>008-200</b> Alternators	<b>008-400</b> Modules	<b>008-500</b> Relays
			
<b>008-600</b> Sensors	<b>008-700</b> Single Board Engine Controllers	<b>008-800</b> Switches	<b>008-900</b> Horns
			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
<b>Starters</b>		<b>Spark Plugs-Cables-Coils</b>	
Starter .....	Fig. 008-102	Spark Plugs, Cables, Coils .....	Fig. 008-1902
<b>Alternators</b>			
Alternators .....	Fig. 008-202		
<b>Modules</b>			
Modules, Electronic .....	Fig. 008-405		
<b>Relays</b>			
Relays .....	Fig. 008-505		
<b>Sensors</b>			
Sensors, Engine .....	Fig. 008-605		
Sensors, Transmission .....	Fig. 008-610		
Sensors, Body .....	Fig. 008-615		
<b>Single Board Engine Controllers</b>			
Single Board Engine Controllers .....	Fig. 008-705		
<b>Switches</b>			
Switches .....	Fig. 008-805		
<b>Horns</b>			
Horns .....	Fig. 008-905		
<b>Battery Tray and Cables</b>			
Battery Tray And Cables .....	Fig. 008-1001		
<b>Lamps - Front, Rear and Courtesy</b>			
Lamps, Front .....	Fig. 008-1105		
Lamps, Rear .....	Fig. 008-1110		
Lamps, Cargo, Dome, Courtesy .....	Fig. 008-1115		
Sockets And Bulbs .....	Fig. 008-1180		
<b>Wiring-Engine &amp; Related Parts</b>			
Wiring, Engine And Related Parts .....	Fig. 008-1205		
<b>Wiring-Headlamp to Dash</b>			
Wiring, Headlamp To Dash .....	Fig. 008-1305		
<b>Wiring-Instrument Panel</b>			
Wiring, Instrument Panel .....	Fig. 008-1405		
<b>Wiring-Body &amp; Accessories</b>			
Wiring, Body And Accessories .....	Fig. 008-1505		
<b>Wiring Repair</b>			
Wiring, Repair .....	Fig. 008-1605		



**Starter**  
**Figure 008-102**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECB= 2.0L 4 CYL SOHC 16V SMPI									
1	4793 210AB	1							STARTER
2	6503 237	1				ECB			SCREW AND WASHER, Hex Head, M10x1.5x95
3									SCREW AND WASHER, Hex Head, M10x1.5x50
	6502 717	1				ECB			
		2				ECC			




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005


Alternators  
Figure 008-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI ECB= 2.0L 4 CYL SOHC 16V SMPI									
1	4793 190	1	Z		42	ECB	DD5		ALTERNATOR
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1				ECB	DD4, DD5		
		1	D, P			ECB	DGC		
2	6101 448	1	D			ECC	DGL		NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
		1				ECB	DD4, DD5		Alternator To Adjusting Bracket
		1	D, P			ECB	DGC		Alternator To Adjusting Bracket
		1	D, P			ECC	DD4, DD5		Alternator To Adjusting Bracket
		1	D, P			ECC	DGC		Alternator To Adjusting Bracket
3	4793 398	1	Z		42	ECB	DD5		SHIELD, Alternator
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECB	DD4, DD5		
4	6503 705	1				ECB	DGC		SCREW AND WASHER, Hex Head Lock, M8x1.25x95
		1	Z		42	ECB	DD5		Alternator Adjustment
		1				ECB	DD4, DD5		Alternator Adjustment
		1	D, P			ECB	DGC		Alternator Adjustment
		1	Z		42	ECB	DGC		Alternator Adjustment
		1	D, P			ECC	DGC		Alternator Adjustment
		1	D, P			ECC	DD4, DD5		Alternator Adjustment
5	6504 286	1				ECB	DGC		SCREW, Header Point, M10x1. 50x50.00
		1	Z		42	ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Alternators  
Figure 008-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
6									SCREW AND WASHER, Hex Head, M10x1.5x25
	6101 503	2	Z		42	ECB	DD5		
		2	Z		42	ECB	DGC		
		2				ECB	DD4, DD5		
		2	D, P			ECC	DD4, DD5		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
7									SCREW AND WASHER, Hex Head, M10x1.5x105
	6101 623	1	Z		42	ECB	DD5		Alternator Pivot
		1	D, P			ECC	DGC		Alternator Pivot
		1	D, P			ECC	DD4, DD5		Alternator Pivot
		1	Z		42	ECB	DGC		Alternator Pivot
		1				ECB	DD4, DD5		Alternator Pivot
8			D, P			ECB	DGC		Alternator Pivot Bracket BRACKET, Alternator
	4612 132	1	Z		42	ECB	DD5		Alternator Adjusting
		1	D, P			ECC	DGC		Alternator Adjusting
		1	D, P			ECC	DD4, DD5		Alternator Adjusting
		1	Z		42	ECB	DGC		Alternator Adjusting
		1	D, P			ECB	DGC		Alternator Adjusting
		1	D, P			ECB	DD4, DD5		Alternator Adjusting
9									SCREW AND WASHER, Hex Head, M10x1.5x45
	6101 512	3	Z		42	ECB	DD5		
		3	D			ECC	DGL		
		3	D, P			ECB	DGC		
		3	D, P			ECC	DGC		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

## Alternators

### Figure 008-202

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

Modules, Electronic  
Figure 008-405




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Chime Module is served in the cluster printed circuit board

1	5269 963	1	D, P						MODULE, Anti-lock Brakes
	5269 962	1	Z		42				
2	5269 971AB	1							MODULE, Air Bag Control
3	4672 271	1	D, P						MODULE, Daytime Running Lamp
4	5600 7182	1	D, P						CHIME, Warning, Middle East Pkg.

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Relays  
Figure 008-505




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DGL = TRANSMISSION - AUTOMATIC 4-SPD, 41TE									
1									RELAY, Electrical
	2889 565	1							Thermal Time
	4707 286	1							Radiator Fan
	4762 170	1							ABS System Relay Kit
	5269 956	1	D, P						Smart Dome Lamp Time Out
2									RELAY PACKAGE, Electrical
	4638 094	1							Horn
		1							Starter
		1							Fuel Pump
		1							ASD
		1					DGL		EATX
		1	D			42			Front Fog Lamp
		1	Z			42			Cigar Lighter
	4638 271	1	Z			42			Power Mirror
	4638 094	1	Z			42			Front Fog Lamp

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Sensors, Engine  
Figure 008-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L 4 CYL SOHC									
ECB=2.0L 4 CYL SOHC									
DD5 = Manual 5 Speed									
DGL= 4 Speed Automatic									
DGC=3 Speed Automatic									
1	4661 341	1	D			ECB	DGC		SENSOR, Combination Temp. Unit
		1	Z		42	ECB	DD5		
		1	D			ECC	DD4,		
							DD5		
2	5269 547	1	D			ECB	DGC		CAM MAGNET, Target
		1	Z		42	ECB	DD5		
		1	D			ECC	DGL		
3	4882 850AA	1	D, P			ECB	DGC		SENSOR PACKAGE, Camshaft
		1				ECB	DD4,		Package contains seal
							DD5		Package contains seal
	4882 851AA	1	Z		42	ECB	DD5		Package contains seal
		1	D, P			ECC	DGC		Package contains seal
4									SEAL, Camshaft Sensor
	4777 068	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
		1	D			ECC	DGL		
5									SENSOR, Knock
	4557 667	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
		1	D			ECC	DGL		
6									SENSOR, Crankshaft Position
	5269 703	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
		1	D			ECC	DGC		
7									SWITCH, Oil Pressure
	4608 303	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
		1	D			ECC	DGC		
8	5269 743	1							SENSOR, Oxygen, Downstream
9									SENSOR, Oxygen
	4686 154	1	D			ECB	DGC		Upstream
		1	Z		42	ECB	DD5		Upstream
		1	D			ECC	DGL		Upstream
10									SENSOR, Map

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Sensors, Engine  
Figure 008-605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	5269 565	1	D			ECB	DGC		SENSOR KIT, Throttle Position
		1	Z		42	ECB	DD5		
		1	D			ECC	DGC		
	4874 430	1	D			ECB	DGC		
		1	Z		42	ECB	DGC		
	4874 433	1	D, P			ECC	DGC		



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Sensors, Transmission  
Figure 008-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4707 386	1							SENSOR, Vehicle Speed




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Sensors, Body  
Figure 008-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4509 384	1							SENSOR, Anti-Lock Brakes, Right Front
2	4509 385	1							SENSOR, Anti-Lock Brakes, Left Front
3	4509 382	1							SENSOR, Anti-Lock Brakes, Right Rear
4	4509 379	1							SENSOR, Anti-Lock Brakes, Left Rear
5	5269 742	1							SENSOR, Battery Temperature

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	


Single Board Engine Controllers  
Figure 008-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI ECB= 2.0L 4 CYL SOHC 16V SMPI DGC= AUTOMATIC 3-SPEED DBB=TRANSMISSIONS - ALL MANUAL DGO=TRANSMISSIONS - ALL AUTOMATIC									
1									MODULE, Engine Controller
	5269 991AC	1	D			ECB	DBB		Upto 9-16-96
	5269 991AD	1	D, P			ECB	DBB		After 9-16-96
	5269 992AC	1	D, P			ECB	DBB		Europe
		1	Z		42	ECB	DBB		
	5269 993AB	1	D			ECB	DBB		Competitive Package
	5269 994AC	1	D, P			ECB	DBB		Leaded Fuel
	5269 995AC	1	D, P			ECB	DGO		Federal
	5269 996AC	1	D, P			ECB	DGO		Calif.
	5269 997AC	1	D, P			ECB	DGO		Europe
		1	Z		42	ECB	DGO		
	5269 998AC	1	D, P			ECC	DBB		
	5269 999AB	1	D			ECC	DBB		Upto 9-16 96, Europe
	5269 999AC	1	D, P			ECC	DBB		After 9-16-96, Europe
	5293 004AC	1	D, P			ECC	DBB		Competitive Package
	5293 005AC	1	D, P			ECC	DGC		
	5293 009AC	1	D, P			ECB	DGO		Leaded Fuel
2	6500 284	1							NUT, Hex, M6x1.00
-3	4856 618	1							INSULATOR PACKAGE
-4	4856 621	1							COVER PACKAGE, Powertrain
									Control Module
-5	4856 620	1							WIRING REPAIR PACKAGE, Powertrain Control Module

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DGO = All Automatics
				DBB= All 5 Speed Manual

# Switches Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMP									
EBD=1.8L 4 CYL SOHC 16V SEFI									
DBB=TRANSMISSIONS - ALL MANUAL									
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DGC= AUTOMATIC 3-SPEED									
DD4= PERF. MANUAL 5-SPEED									
DD5= MANUAL 5-SPEED									
1									SWITCH, Multifunction
	4793 150	1	D		22				Left
		1	P		22				Left
		1	Z		42				Left
2	4688 258	3							SWITCH, Door Ajar
3									SWITCH, Electric Back Light
	GY87 SKB	1	D						Tan
	QM42 LAZ	1	D, P						Agate
	QM42 SKB	1	D, P						Camel Tan
4									SWITCH, Ignition
	4565 326	1					DBB		
		1					DGO		
5	4671 336	1							SWITCH, Stop Lamp
6									SWITCH, Mirror
	4608 294	1	D, P		22				
	4793 765	1	Z		42				
-7	4793 313	1							SWITCH, Intermittent Wiper, Right
-8	6503 395	2							SCREW AND WASHER, Self Tapping, M4x.7x14
-9									SWITCH AND BEZEL, Fog Lamp
	4793 050	1	Z		42				
	5269 530	1	D	S	42				Export
		1	D, P		42				Export
	GY89 LAZ	1	D, P						w/Rear Defroster, Agate
	GY89 SKB	1	D, P						w/Rear Defroster, Camel Tan
	GY94 LAZ	1	D		42				w/Rear Defroster, Agate, Rear, Export
		1	Z		42				w/Rear Defroster, Agate, Rear
	GY94 SKB	1	D		42				w/Rear Defroster, Camel Tan, Rear,Export
		1	Z		42				w/Rear Defroster, Camel Tan, Rear
	QM43 LAZ	1	D, P						w/o Rear Defroster, Agate
	QM43 SKB	1	D, P						w/o Rear Defroster, Camel Tan
-10	5269 269	1							LAMP, Illuminated Entry, Hood, Ignition Cylinsr Lamp

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

# Switches Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-11									SWITCH, Headlamp
	56009 869AA-	1	D		42				Europe
		1	Z		42				
	56021 898AA-	1	D, P						
-12									PLATE, Headlamp
	4565 328	1	D, P						
	4793 000	1	Z		42				
-13	4672 014	1					DBB		SWITCH, Clutch Starter Interlock
-14	4373 860	1							SWITCH, Door Lock, Power Sunroof
-15									SWITCH, 2 Gang
	4793 180	1	Z		42				Power Window,Right Door
		1	D, P						Power Window,Left Door
-16									SWITCH, 1 Gang
	4793 191	1	Z		42				Power Window,Left Door
		1	D, P						Power Window,Right Door
-17	4637 625	1	D, P						SWITCH, Brake Fluid Level
-18	3747 361	1				ECC	DGC		SWITCH, Neutral, Safety, Back Up
-19									SWITCH, Oil Pressure
	4608 303	1	Z		42	ECB	DD5		
		1				ECB	DGC		
		1				ECB	DD4,		
		1	D, P			ECC	DD5		
							DD4,		
							DD5		
-20									SWITCH, Sunroof
	PX30 LAZ	1							Agate w/bezel
	PX30 RK4	1							Camel Tan w/bezel
	PX30 SC1	1							Blue w/bezel
-21									SWITCH AND BEZEL, Power
									Window
	MH14 LAZ	1	Z		42				Agate, Left Door
	MH14 RK5	1	Z		42				Camel Tan, Left Door
	MH15 LAZ	1	Z		42				Agate, Right Door
	MH15 RK5	1	Z		42				Camel Tan, Right Door
	PF91 LAZ	1	D, P						Agate, Left Door
	PF91 RK5	1	D, P						Camel Tan, Left Door
	PF92 LAZ	1	D, P						Agate, Right Door
	PF92 RK5	1	D, P						Camel Tan, Right Door
-22	4773 101	1							SWITCH, A/C High Pressure Cut Off
-23	4608 288	1							SWITCH, Cargo Lamp
-24	4798 909	1							SWITCH PACKAGE, Power Top
-25									SWITCH, Door Lock

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

## Switches

### Figure 008-805

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

4565 330	1	Z	42
	1	D	42
	1	D	22



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE TYPE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

**Horns**  
**Figure 008-905**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5269 204	1							HORN AND BRACKET, Low Note
2	4661 984	1							HORN AND BRACKET, High Note, Export
-3	4661 983	1							LABEL, BUX Horn Identification, Export



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Battery Tray And Cables  
Figure 008-1001




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L 4 CYL SOHC 16V SEFI									
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
DD4= PERF. MANUAL 5-SPEED									
DD5= MANUAL 5-SPEED									
DGC= AUTOMATIC 3-SPEED									
1	4783 282	1							TRAY, Battery
2	6101 283	1	Z			42			U-NUT, M8x1.25
3	5256 904	1							STRUT, Radiator To Battery Tray
4	4671 023	1							TUBE, Battery Thermoguard
5	4671 022	1							COVER, Battery
6	4793 182	1							WIRING, Battery
7	6035 461	1	D, P						STUD, .312-18x2.187
8	4793 411	2							STRAP, Ground, Strut Bracket to Body
9	4655 102	1							RETAINER, Battery Hold Down
10	6101 308	1							NUT, U, M6x1, Radiator Bracket To Battery Tray Strut
11	6503 492	4							SCREW AND WASHER, Hex Head Tapping, M8x1.25x26
12	4671 062	1	D, P						LABEL, Battery
	4557 480	2	D, P						Canada Only
	4793 062	1							Export
13	6101 682	2							BOLT AND CONED WASHER, Hex Head, M6x1.0x20, Battery Strut Attg.
-14	4796 440	1							WIRING PACKAGE, Positive Cable, Battery to PDC

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					



Lamps, Front  
Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Headlamp And Adapter
	4761 448	1	D, P						Right
	4761 449	1	D, P						Left
2									LAMP, Headlamp
	4886 236AA	1	Z		42				Right
	4886 237AA	1	Z		42				Left
	4886 238AA	1	D						Right
	4886 239AA	1	D						Left
3									CABLE, Headlamp Adjusting
	5263 959AB	1	Z		42				
		1	D, P						
	5288 371	1	Z		42				Horizontal
		1	D, P						Horizontal
4									CLAMP
	6504 162	1	Z		42				
		1	D						
-5									SCREW, Aero Headlamp
	5263 480	1	Z		42				
		2	D, P						
6	6504 324	4							SCREW AND WASHER, Hex Head
-7	5288 372	1							CLIP, Retaining, Horizontal Adjuster
8	5288 631AA	1							Cable
9									LABEL, Headlamp Leveling
	4546 821	1	Z		42				BRACKET, Headlamp
		1	D, P						Left,Export
	5288 369	1	Z		42				Left,Export
		1	D, P						Right,Export
		1	D, P						Right,Export
-10	4676 801	2							GASKET, Side Marker Lamp
11									MOTOR, Headlamp Leveling
	5288 033	AR							Kit
	5288 250AB	1	Z		42				
		1	D, P						
12	5263 879	1	D, P						DRIVE, Headlamp
-13	5288 029	2	D, P						SCREW, Drive Assembly to
									Headlamp Adapter
14									LAMP, Park and Turn Signal
	4762 328	1	D						Right
	4762 329	1	D						Left
	5263 944AB	1	D, P						Amber, Right
		1	Z		42				Amber, Right
	5263 945	1	Z		42				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps, Front  
Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5263 945AB	1	D, P						Amber, Left
-15		1	Z		42				Amber, Left COVER, Fascia
	4566 418	1							Right
	4566 419	1							Left
-16									SEAL, Headlamp Closure Panel
	5263 876AB-	1	D, P						Right
		1	Z		42				Right
	5263 877AB-	1	D, P						Left
		1	Z		42				Left
17									VENT, Headlamp
	5263 875	2	Z		42				Left
		2	D, P						Left
	5263 878	2	Z		42				Right
		2	D, P						Right
18									RETAINER, Headlamp Bulb
	5263 388	1	Z		42				
		1	D, P						
	5600 3773	1	D, P						Ring
19									BULB, Headlamp
	0153 621	1	Z		42				
		1	D, P						
	L000 9007	1							
20									DUST CAP, Headlamp Bulb
	5263 391	1	Z		42				
		1	D, P						
21									LAMP, Side Marker
	5303 034	1	D, P						Right
	5303 035	1	D, P						Left
22	L000 0168	1	D, P						BULB, 168, Side Marker
23	6029 471	4							NUT, Stamped Hex Flange, .330, Lamp Mounting
24	4221 150	AR							LAMP, Underhood
-25	5263 658	1	D, P						LENS, Lamp Module
26									LAMP, Fog
	4762 775	2	Z		42				Europe
	4882 568	2	D, P						
-27									GROMMET, Running Lamp Bulb
	5263 389	1	Z		42				
		1	D, P						
28									HOUSING, Fog Lamp
	4882 569	2	Z		42				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Lamps, Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	D, P						Europe
29	5288 055	1	Z		42				SEAL, Fog Lamp
		2	D, P						Europe
30	L000 0881	2	D, P						BULB, 881, Fog Lamp
-31	5288 505	2	D, P						BRACKET, Fog Lamp
		2	Z		42				
-32	6100 841	4							PUSH NUT, M8, Fog Lamp To
									Fascia
-33	6500 463	2	D, P						BOLT, Carriage, M8x1.25x25
		2	Z		42				Fog Lamp To Rail
									Fog Lamp To Rail
34	4728 646	2	D, P						BULB PACKAGE, 55 Watt
		1	Z		42				Europe
35	5288 615	2							LAMP, Side Repeater
36	5288 620	4							WIRING, Side Repeater Lamp
-37	0153 620	1	Z		42				BULB, 8/4
		1	D, P						Front Fender Side Repeater
									Front Fender Side Repeater
38	4400 588	2							SOCKET, Tail and Side Lamp,
									License lamp
-39	5263 961	1	Z		42				WIRING, Turn Signal Lamp
		1	D						Up To 1-22-97
		1	Z		42				Up To 10-15-96
		1	P						Up To 1-22-97
	5263 961AB-	1	D, P						After 1-22-97
		1	Z		42				After 10-15-96
-40	0L03 157NA-	1	D, P						BULB, 3157 NAK, Park And Turn
									Signal Lamp
-41									ADAPTER, Headlamp Mounting
	5263 910	1	D, P						Right
		1	Z		42				Right
	5263 911	1	D, P						Left
		1	Z		42				Left
-42									SCREW, Headlamp Horizontal
	5288 370	1	D, P						Adjustment
		1	Z		42				
-43	4399 900	1	D, P						SOCKET, Park, Turn, and Side
									Lamp

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Lamps, Front  
Figure 008-1105**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-44	4400 588	2	D						SOCKET, Tail and Side Lamp, Side Marker

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

# Lamps, Rear Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	5261 862	1	D, P						Right
	5261 863	1	D, P						Left
	5288 342	1							Europe, Right
	5288 343	1							Europe, Left
2									GASKET, Tail Lamp
	4546 660	1	D, P						Right
	4546 661	1	D, P						Left
3	5261 857	1							LAMP, High Mounted Stop
4	5261 994	1							GASKET, High Mounted Stop Lamp
5	L000 0921	1	D, P						BULB, 921, High Mounted Stop Lamp
6	5303 251	1	D, P						SOCKET, High Mounted Stop Lamp
7	5261 993	1							BEZEL, High Mounted Stop Lamp
8	5303 021	1	D, P						LAMP, License Plate
-9	4400 588	1	D						SOCKET, Tail and Side Lamp, License Lamp
10	L000 0168	1	D, P						BULB, 168, License Plate Lamp
11	0153 625	2							BULB, W10/5, Europe, License Plate Lamp
12	L000 3157	2	D, P						BULB, 3157, Tail, Stop And Turn Signal
-13	0153 623	1							BULB, P-25-2, Right Hand Drive
-14	0153 622	3							BULB, P-25-1
15	9420 294	2							NUT, Stamped Hex Flange, .190-24
16									STUD, [.250/14/.250-14x1.810], (NOT SERVICED) (Not Serviced)
17									NUT, (NOT SERVICED) (Not Serviced)
18									SCREW, (NOT SERVICED) (Not Serviced)
-19									WIRING, Deck Lid
	4793 686	1	Z				42		CHMSL Lamp
		1	D, P						CHMSL Lamp
-20	5288 497	1							LAMP, Deck Lid, CHMSL
-21									GASKET, Turn Signal Lamp
	5288 320	1							Right
	5288 321	1							Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Lamps, Cargo, Dome, Courtesy  
Figure 008-1115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LENS, Dome Lamp
	5269 489	1	Z		42				Housing serviced in headliner
		1	D, P		22				
		1	D, P		42				
2									BULB, 578
	L000 0578	1	Z		42				Dome Lamp
		1	D, P		42				Dome Lamp
-3	5209 554	1							LENS, Cargo Lamp, Trunk Lamp
-4	L000 0912	1							BULB, 912, Trunk Lamp
-5	5288 497	1							LAMP, Deck Lid
-6	4221 150	AR							LAMP, Underhood




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Sockets And Bulbs Figure 008-1180

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4399 900	1	D, P						SOCKET, Park, Turn, and Side Lamp
2	L000 3157	2	D, P						BULB, 3157 Back-Up Lamp
		2	D, P						Turn Signal And Stop
3	0154 544	1							BULB, Headlamp, 9007
4	L000 9007	1							BULB, Headlamp
-5	L000 0881	2	D, P						BULB, 881, Fog Lamp
-6	L000 0921	1	D, P						BULB, 921, Decklid High Mounted Stop Lamp
-7	L000 0168	1	D, P						BULB, 168 License Lamp
		2	D, P						Side Marker
-8	5303 251	1	D, P						SOCKET, High Mounted Stop Lamp
-9	4400 588	2	D						SOCKET, Tail and Side Lamp
-10	4636 361	2	D, P						SOCKET, Cornering Lamp
-11	5263 726	1	D, P						SOCKET, Running Lamp
-12	L000 0578	1	Z		42				BULB, 578, Dome Lamp
-13	L000 0161	1							BULB, 161, Ignition Cylinder Illumination, Ash Receiver Lamp
-14	L000 0912	1							BULB, 912, Cargo Lamp
-15	L00P C194	16	Z		42				LAMP, Bulb And Socket Instrument Panel
		16	D			ECB	DG0		Instrument Panel
-16									BULB, Fog Lamp, H-3 35 Watt, (NOT SERVICED) (Not Serviced)
-17	6501 966	1							BULB, 74, Vanity Mirror




## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Engine And Related Parts  
Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

ECC= 2.0L 4 CYL DOHC 16V SFI  
EBD=1.8L 4 CYL SOHC 16V SEFI  
ECB= 2.0L 4 CYL SOHC 16V SMPI  
DGC= AUTOMATIC 3-SPEED  
DD4= PERF. MANUAL 5-SPEED  
DD5= MANUAL 5-SPEED

1	4794 801AA	1	Z		42	ECB	DD5		WIRING, Engine
		1				ECB	DGC		
		1	Z		42	ECB	DGC		
		1				ECB	DD4, DD5		
	4794 802AA	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
-2	4793 411	2							STRAP, Ground Strut Bracket
	4793 736	1							Hood Hinge
	4794 048AA-	1				ECB	DD4, DD5		Cylinder Head To Body


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Wiring, Headlamp To Dash Figure 008-1305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DGO=TRANSMISSIONS - ALL AUTOMATIC

DBB=TRANSMISSIONS - ALL MANUAL

1									WIRING, Headlamp to Dash
	4793 817	1	D, P				DG0		Without ABS
	4793 818	1	D, P				DG0		w/Speed Control, Without ABS
	4793 819	1	D, P				DG0		ABS
	4793 820	1	D, P				DG0		w/Speed Control, ABS
	4793 821	1	D, P				DBB		Without ABS
	4793 822	1	D, P				DBB		w/Speed Control, Without ABS
	4793 823	1	D, P				DBB		ABS
	4793 824	1	D, P				DBB		w/Speed Control, ABS
	4793 825	1	Z		42		DBB		ABS
	4793 826	1	Z		42		DBB		Without ABS
	4793 827	1	Z		42		DG0		ABS
	4793 828	1	Z		42		DG0		Without ABS
	4793 852	1	D, P				DG0		Europe, Without ABS
	4793 853	1	D, P				DG0		Europe, ABS
	4793 854	1	D, P				DBB		Europe, Without ABS
	4793 855	1	D, P				DBB		Europe, ABS
2	4793 641	1							COVER, Power Distribution Center
-3	4897 673AA-	1							WIRING, Radiator Fan
-4									WIRING, Fan Motor
	5016 263AA-	1				EC0	DG0		Jumper, Right
		1				ECC	DBB		Jumper, Right
		1	D, P			ECB	DBB		Jumper, Right
		1	Z		42	ECB	DBB		Jumper, Right
		1	D, P			ECC	DG0		Jumper, Right
		1	Z		42	ECB			Jumper, Right
		1				ECC	DBB		Jumper, Left
		1				EC0	DG0		Jumper, Left
		1	D, P			ECB	DBB		Jumper, Left
		1	Z		42	ECB			Jumper, Left
		1	D, P			ECC	DG0		Jumper, Left
		1	Z		42	ECB	DBB		Jumper, Left


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Instrument Panel  
Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	4793 778AB	1	D, P						Heater-w/ inststrument.panel ventllation, w/o Power Mirrors
	4793 779AB	1	D, P						w/o power windows, w/Front Air
	4793 781AB	1	D, P						w/Light Group
	4793 783AB	1	D, P						Keyless Entry
	4793 780AB	1	D, P						Speed Control,Fog Lamp,Power Sunroof
	4793 784AB	1	D, P						w/Light Group, Keyless Entry
	4793 786AB	1	D, P						w/o Light Group, Daytime Running Lamps
	4793 787AB	1	D, P						w/ Light Group, Daytime Running Lamps,Keyless Entry
	4793 785AB	1	D, P						w/Light Group, Daytime Running Lamps
	4793 788AB	1	D, P						w/o Light Group, Keyless Entry
	4793 791AB	1	Z		42				
	4793 789AB	1	D, P						Europe
2	6101 486	2							FUSE, Mini, 10 AMP, Red
3	4793 733	1	Z		42				LABEL, Fuse Block
-4									BREAKER, Circuit
	4414 333	1	Z		42				30- Ampere.
		1	D, P						30-Ampere.
	4793 715	1	Z		42				15-Ampere, Export
-5									FLASHER
	5266 169	1	D, P						
	5266 282	1	Z		42				
-6									INSULATOR, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

# Wiring, Body And Accessories Figure 008-1505


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD = 1.8L 4 CYL SOHC 16V ECO=ENGINES - ALL 2.0L 4 CYL DG0 = TRANSMISSIONS - ALL AUTOMATIC DBB = TRANSMISSIONS - ALL MANUAL									
1									WIRING, Unified Body
	4793 681	1	D, P		42				w/Light Group, w/o Power Locks
	4793 680	1	D, P		42				w/o Light Group, Power Locks
	4793 684	1	D		22				2-Door
	4793 807	1	D, P		42				Power Door Locks
	4793 808	1	D, P		42				Export
	4793 809	1	Z		42				
2	4793 469	1							WIRING, Body, Light Package,w/ Sunroof
3									WIRING, Deck Lid
	4793 685	1	D, P						w/o Light Group,, Chmsl
	4793 686	1	Z		42				Chmsl
		1	D, P						w/Light Group, Chmsl
	4793 790	1							
4	4661 500	1							WIRING, Taillamp Jumper, Export
5	4793 782	1							WIRING, Sunroof
-6									WIRING, Heater and A/C Jumper
	4661 315AB-	1	D, P						
	4661 940AB-	1	Z		42				
-7	5016 263AA-	1				ECO	DG0		WIRING, Fan Motor
		1				ECC	DBB		
		1	Z		42	ECB	DBB		
		1	D, P			ECB	DBB		
		1	D, P			ECC	DG0		
-8	4661 923AB-	2	D, P		22				WIRING, Door Locks
-9									WIRING, Door
	4625 635AC-	2	D, P						w/o Power Mirrors- (US Built), Left, Right,Front Door
	4661 912AC-	2	D, P						w/o Power Mirrors- (Mexico Built), Left,Right,Front Door
	4793 276AC-	1	D, P						w/Power Locks, Mirrors, w/o Power Windows, Right Front
	4661 921AC-	1	Z		42				w/Power Windows, Left Front
	4793 275AC-	1	D, P						w/Power Locks, Mirrors, w/o Power Windows, Left Front
	4793 280AC-	1	D, P						w/Power Locks, Power Mirrors, w/o Power Windows, Right Front

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Wiring, Body And Accessories  
Figure 008-1505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4793 277AC-	1	D, P						w/Power Windows, Left Front
	4793 278AC-	1	D, P						w/Power Windows, Right Front
	4793 279AC-	1	D, P						w/Power Locks, Power Mirrors, w/o
									Power Windows, Left Front
	4793 283AC-	1	D, P						w/Power Windows, (Mexico Built),
									Right Front
	4793 281AC-	1	D, P						w/Power Windows, (Mexico Built),
									Left Front
	4793 714AC-	1	Z		42				w/Power Windows, Right Front
	4793 734AC-	1	Z		42				w/o Power Windows, Right Front
	4793 664	2			42				w/Power Door Locks
	4793 735AC-	1	Z		42				w/o Power Windows, Left Front
-10	4793 069	1	D						WIRING, Power Steering Switch
-11									WIRING, Fog Lamp
	5288 061	2	D, P						Europe
		2	Z		42				
-12	4793 271	1	D, P						WIRING, High Speed Warning
									Jumper, Middle East Equipment
									Group
-13	4793 147AB-	1				ECC			WIRING, A/C
-14	4793 182	1							WIRING, Battery, 450 AMP
-15	4798 909	AR							SWITCH PACKAGE, Power Top

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005



# Wiring, Repair Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	4797 670	1	D, P						WIRING REPAIR PACKAGE, Headlamp, For Electrical Connector Repair Information visit the World Wide Web at <a href="http://dto.vftis.com/mopar/disclaimer.asp">http://dto.vftis.com/ mopar/disclaimer.asp</a>
-2	4641 780	1							STRAP, Tie Speed Control
	6015 756	1	D, P						
-3									TUBE, Convoluted
	4364 375	1							Speed Control
	4397 808	AR	D		42				Used w/Competition Pkg.
-4	4863 839	1							CONNECTOR PACKAGE, Beam Select Switch, [4 Way Connector]
									Dimmer Switch
-5	4773 187	1							WIRING REPAIR PACKAGE, Alternator Fuselink
-6	5013 930AA-	1							WIRING PACKAGE, Underhood Connector Repair
-7									INSULATOR, (NOT SERVICED) (Not Serviced)

For Electrical Connector Repair Information visit  
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Spark Plugs, Cables, Coils

## Figure 008-1902



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI ECB= 2.0L 4 CYL SOHC 16V SMPI DGO=TRANSMISSIONS - ALL AUTOMATIC DGC= AUTOMATIC 3-SPEED DD4= PERF. MANUAL 5-SPEED DD5= MANUAL 5-SPEED									
1	4883 233	1	Z		42	ECB	DGC		CABLE PACKAGE, Ignition
		1				ECB	DD4,		
		2	Z		42	ECB	DD5		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4,		
	4773 841	2	D, P			ECC	DD5		
		2	D, P			ECC	DG0		
		2	D, P			ECC	DBB		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4,		
							DD5		
2	5269 549	1	D			ECC	DGL		SEPERATOR, Ignition Cable
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
3	5269 670	1	Z		42	ECB	DD5		COIL, Ignition
		1				ECB	DGC		
		1	Z		42	ECB	DGC		
		1				ECB	DD4,		
							DD5		
		1	D, P			ECC	DGC		
4	5269 897	4	Z		42	ECB	DD5		SPARK PLUG, RC-9-YC
		4				ECB	DGC		
		4	Z		42	ECB	DGC		
		4				ECB	DD4,		
							DD5		
		4	D, P			ECB	DGC		
		4	D, P			ECC	DGC		
		4	D, P			ECC	DD4,		
							DD5		
5									CABLE, Ignition

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Spark Plugs, Cables, Coils  
Figure 008-1902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4672 113	2	D			ECC	DGL		[#2,3]
		2	D, P			ECC	DGC		[#2,3]
		2	D, P			ECC	DD4, DD5		[#2,3]
	4672 114	2	D			ECC	DGL		[#1,4]
		2	D, P			ECC	DGC		[#1,4]
		2	D, P			ECC	DD4, DD5		[#1,4]
	5269 577	1	Z		42	ECB	DD5		[#1]
		1	Z		42	ECB	DGC		[#1]
		1	D, P			ECB	DGC		[#1]
		1	D, P			ECB	DD4, DD5		[#1]
	5269 578	2	Z		42	ECB	DD5		[#2,3]
		2				ECB	DGC		[#2,3]
		2	Z		42	ECB	DGC		[#2,3]
		2				ECB	DD4, DD5		[#2,3]
	5269 667	1	Z		42	ECB	DD5		[#4]
		1	Z		42	ECB	DGC		[#4]
		1	D, P			ECB	DGC		[#4]
		1	D, P			ECB	DD4, DD5		[#4]
-6									RETAINER, Ignition Cable
	5269 579	1	Z		42	ECB	DD5		Two Wire
		1				ECB	DGC		Two Wire
		1	Z		42	ECB	DGC		Two Wire
		1				ECB	DD4, DD5		Two Wire
	5269 580	1	Z		42	ECB	DD5		Single Wire
		1				ECB	DGC		Single Wire
		1	Z		42	ECB	DGC		Single Wire
		1				ECB	DD4, DD5		Single Wire


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – 08A

## Instrument Panel and Radios and Consoles




<b>08A-100</b> Instrument Panel	<b>08A-200</b> Instrument Panel Cluster	<b>08A-300</b> Radio, Antenna, and Speakers	<b>08A-400</b> Consoles

GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
<b>Instrument Panel</b>	
Instrument Panel .....	Fig. 08A-105
<b>Instrument Panel Cluster</b>	
Cluster, Instrument Panel .....	Fig. 08A-205
<b>Radio, Antenna, and Speakers</b>	
Radios .....	Fig. 08A-305
Antenna - Speakers .....	Fig. 08A-310
<b>Consoles</b>	
Consoles .....	Fig. 08A-405




Instrument Panel  
Figure 08A-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PANEL, Instrument								
	QC85 LAZ	1	Z		42				Agate
	QC85 RK5	1	Z		42				Camel Tan
	JR83 LAZ	1	D, P						Agate
	JR83 RK5	1	D, P						Camel Tan
2	AIR BAG, Passenger								
	KK61 TAZ	1	D						Agate, Upto 1-2-96
	KK61 TKB	1	D						Camel Tan, Upto 1-2-96
	PR04 TAZ	1	D, P						Agate, After 1-2-96
	PR04 TKB	1	D, P						Camel Tan, After 1-2-96
	PR05 TKB	1	D, P						Camel Tan, Europe
	PR05 TAZ	1	D, P						Agate, Europe
	QC19 LAZAB	1	Z		42				Agate
	QC19 SKBAB	1	Z		42				Camel Tan
3	PANEL, Instrument Panel Trim								
	EW45 SKB	1	D						Camel Tan, Right
	EW45 LAZ	1	D, P						Agate, Right
	EW46 LAZ	1	D, P						Agate, Left
	LJ20 1AZ	1	Z		42				Agate, Right
	EW46 SKB	1	D, P						Camel Tan, Left
	LJ20 1KB	1	Z		42				Camel Tan, Right
	MB39 1AZ	1	Z		42				Agate, Left
	LP75 1AZ	1	D						Agate, Europe, Left
	LP75 1KB	1	D						Camel Tan, Europe, Left
	MB39 1K5AB	1	Z		42				Camel Tan, Left
4	6032 723	7	D, P						SCREW, Self Tapping, M4.2x1.69x19.05
5	SWITCH AND BEZEL, Fog Lamp								
	GY94 LAZ	1	D		42				Agate, Europe
		1	Z		42				Agate, Rear Fog Lamp
	GY94 SKB	1	D		42				Camel Tan, Europe
		1	Z		42				Camel Tan, Rear Fog Lamp
	QM43 LAZ	1	D, P						Agate
	QM43 SKB	1	D, P						Camel Tan
	GY89 SKB	1	D, P						Camel Tan, Rear Window Defroster
6	SWITCH, Electric Back Light								
	QM42 SKB	1	D, P						Camel Tan
	QM42 LAZ	1	D, P						Agate
-7	COVER, Switch								
	QM36 LAZ	1	D, P						[AZ] Without heated back glass
	QM36 SKB	1	D, P						[KB] Without heated back glass

DODGE - PLYMOUTH - CHRYSLER NEON (PL)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic				
	P=Plymouth			DG0 = All Automatics				
				DBB= All 5 Speed Manual				

Instrument Panel  
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5265 726	1	D, P						BEZEL, Cluster
9	5291 069	1	Z		42				LINER, Steering Column Cover w/Tilt Steering
	5291 172	1	D, P						w/or w/o Tilt Steering
10									COVER, Instrument Panel, Steering Column Opening
	EP81 LAZ	1	D, P						w/o Tilt Steering, Agate
	EP81 RK5	1	D, P						w/o Tilt Steering, Camel Tan
	FM47 RK5	1	D, P						w/Tilt Steering, Camel Tan
	FM47 LAZ	1	D, P						w/Tilt Steering, Agate
11									BEZEL, Instrument Panel, Center Agate
	LJ23 LAZ	1	Z		42				Camel Tan
	LJ23 RK5	1	Z		42				
	LJ24 LAZ	1	Z		42				Agate, With Air Conditioning
	LJ24 RK5	1	Z		42				Camel Tan, With Air Conditioning
	PX29 LAZ	1	D, P						Agate, With Air Conditioning
	PX29 RK5	1	D, P						Camel Tan, With Air Conditioning
	EW44 1AZ	1	D, P						Agate, Without Air Conditioning
	EW44 1K5	1	D, P						Camel Tan, Without Air Conditioning
12									ASH RECEIVER, Instrument Panel
	EW43 LAZ	1							Agate
	EW43 RK5	1							Camel Tan
13	5269 357	1							HOOD, Ash Receiver Lamp
14									GLOVE BOX AND INNER DOOR, Instrument Panel
	PS56 LAZ	1	D, P						Agate
	LJ22 LAZ	1	Z		42				Agate
	LJ22 RK5	1	Z		42				Camel Tan
	PS56 RK5	1	D, P						Camel Tan
15									BUMPER, Glove Box Door, Striker
	5291 051	2	Z		42				
		2	D, P						
16	6504 097	3							SCREW TAPPING & WASHER, Hex Head, M4.8x1.59x25.00
17	4565 022	1							SWITCH AND LAMP, Glove Box
18									STRIKER, Glove Box Door Latch
	5265 768	1	Z		42				
		1	D, P						
19									KNOB AND SHAFT, Headlamp Switch
	4565 339	1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel  
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5269 298	1	D		42				Europe
		1	Z		42				
20	4221 064	1							RETAINER, Headlamp Switch
21	4793 000	1	Z		42				PLATE, Headlamp Switch Mounting
22									SWITCH, Headlamp
	56009 869AA	1	Z		42				
	56021 898AA	1	D, P						
23	5291 042	1							NAMEPLATE, Instrument Panel, Neon
24	5269 312	1							KNOB AND ELEMENT, Cigar Lighter
25									BRACKET, Instrument Panel to Cowl
	5265 849	1							Left
	5291 066	1							Right
26									BASE, Cigar Lighter, (NOT SERVICED) (Not Serviced)
27	5291 037	1							SHIELD, Steering Column
28	4793 733	1	Z		42				LABEL, Fuse Block
29									LATCH, Glovebox
	4460 070	1	D, P						
		1	Z		42				
30									GRILLE, Instrument Panel Demister
	MF99 LAZ	1	D						Agate, Left
	MF98 1AZ	1	D, P						Agate, Right
	MF99 SKB	1	D						Camel Tan, Left
	MF98 1KB	1	D, P						Camel Tan, Right
31									REINFORCEMENT, Instrument Panel
	5291 202	1	D, P						w/European Equipment
	5291 201	1	D, P						w/o European Equipment
32	5291 227	1	D, P						SEAL, Panel Top Cover
33									CLIP, Glove Box Catch
	4311 741	1	Z		42				
		1	D, P						
34									PLATE, Fuse Block
	PH64 LAZ	1	D, P						Agate, Left Hand Drive
		1	Z		42				Agate
	PK38 LAZ	1	Z		42				Agate, Right Hand Drive
	PK38 RK5	1	Z		42				Camel Tan, Right Hand Drive
	PH64 RK5	1	D, P						Camel Tan
		1	Z		42				Camel Tan
35									CAP, Instrument Panel End
	ML05 LAZ	1	Z		42				Agate

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel  
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
36	ML05 RK5	1	Z		42				Camel Tan
	QW86 LAZAA	1	Z		42				COVER, Instrument Panel
	QW86 SKBAA	1	Z		42				Agate
	RE82 LAZAA	1	D, P						Camel Tan
37	RE82 SKBAA	1	D, P						Agate
	GY77 TX9	1							Camel Tan
-38	6503 519	4	Z		42				BEZEL, Headlamp Switch, Flat Black
		4	D, P						CLIP, M7.25x16.20
-39	4524 342	4	D						CLIP
		4	Z		42				Instrument Panel Center Bezel
40	3747 634	1	Z		42				Instrument Panel Center Bezel
	3747 633	1	Z		42				SHELL, Cigar Lighter
		1	D						Plus Clamp
	3747 634	1	D, P						Plus Clamp
-41									RING, Cigar Lighter Mounting, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Cluster, Instrument Panel  
Figure 08A-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Odometer assy.is a service repair center item									
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DBB=TRANSMISSIONS - ALL MANUAL									
1	L00P C194	16	Z		42				LAMP, Bulb And Socket
		16	D						
2									BOARD, Circuit
	4864 395	1	D, P						120 MPH, w/o Tachometer
	4864 396	1	D, P						240 KILO, w/o Tachometer
	4864 397AB	1	D, P						120 MPH, w/Tachometer
	4864 398	1	Z		42				240 KILO, w/Tachometer
		1	D, P						240 KILO, w/Tachometer
3									GAUGE PACK
	4864 387	1	D, P						120 MPH, w/o Tachometer
	4864 388	1	D, P						240 KILO, w/o Tachometer
	4864 389	1	D, P						120 MPH, w/Tachometer, Automatic Transmission
	4864 390	1	D, P						120 MPH, w/Tachometer, Manual Transmission
	4864 391	1	D, P						240 KILO, w/Tachometer, Automatic Transmission
	4864 393	1	Z		42				140 MPH
	4864 394	1	Z		42				240 KILO
	4864 392	1	D, P						240 KILO, w/Tachometer, Manual Transmission
4									KNOB, Odometer Reset
	4437 777	1	D						
		1	Z		42				
5	4713 501	1	D, P						HOUSING, Cluster
6	4796 444AB	1	Z		42				HOUSING, Instrument Cluster
7	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Instrument Panel
8									COVER, Printed Circuit Board
	4713 506	1	Z		42				
		1	D, P						
9									LENS, Cluster
	4713 494	1	Z		42				
		1	D, P						
10									GAUGE, Odometer
	4713 499	1	D, P						w/ 120 MPH

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					

Cluster, Instrument Panel  
Figure 08A-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4713 500	1	D, P						w/ 240 KPH
	4713 499	1	Z		42				w/ 140 MPH
	4713 500	1	Z		42				w/ 240 KPH

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radios  
Figure 08A-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RBS=RADIO - AM/FM CASS, CD CHANGER CNTRL, USA, CANADA, EXPORT MARKET, EUROPEAN EQUIPMENT GROUP, (ARGENTINA, BARBADOS, BRAZIL, DOMINICAN REPUBLIC, PARAGUAY, PUERTO RICO, URAGUAY COUNTRY CODES)									
RBA=RADIO - AM/FM CASS, CHANGER CONTROLS, EXPORT MARKET, EUROPEAN, AUSTRALIA. MIDDLE EAST, TAIWAN EQUIPMENT GROUP, ISRAEL COUNTRY, NEW CALEDONIA COUNTRY CODE									
RBJ=RADIO - AM/FM CASS, CHANGER CONTROLS, EXPORT MARKET, JAPAN EQUIPMENT GROUP									
RBR=RADIO - AM/FM COMPACT DISC , USA, CANADA, EXPORT MARKET, SOUTH KOREA COUNTRY CODE									
RAS=RADIO - AM/FM CASSETTE, USA, CANADA, EXPORT MARKET, (ARGENTINA, BARBADOS, BRAZIL, CHILE, COSTRA RICA, EL SALVADOR, GUATEMALA, HONDROS, PUERTO RICA, ST. THOMAS/US VIRGIN ISLANDS COUNTRY CODES)									
RAL=RADIO - AM/FM, USA, CANADA, EXPORT MARKET									
RBL=RADIO - AM/FM/MW/LW/RDS CASS/CHGR CTRL, EXPORT MARKET, EUROPEAN GROUP									
1	4704 378AB	1							RADIO, AM/FM Cassette with CD Control, (RBS Sales Code)
2	4704 392AB	1							RADIO, AM/FM Cassette with CD Control, (RBA Sales Code)
3	4704 393AB	1	Z			42			RADIO, AM/FM Cassette with CD Control, (RBJ Sales Code)
4	4793 347AB	1	D, P						RADIO, AM/FM with CD and Equalizer, (RBR Sales Code)
5	4858 557AD	1	D, P						RADIO, AM/FM Cassette, (RAS Sales Code)
6	4858 561AB	1							RADIO, AM/FM Stereo, ((RAL Sales Code)
7	5269 485	1							RADIO, (RBL Sales Code)
-8	4886 083AA-	1							KNOB, Radio Joystick
-9	4741 435	1							KNOB, Radio Volume Control
-10	4741 437	1							KNOB, Radio Equalizer

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Antenna - Speakers Figure 08A-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4798 290	1	D, P						ANTENNA PACKAGE, Radio - Manual
2	5269 591	1	Z		42				BODY AND CABLE, Antenna
3	5269 217	1							ADAPTER, Antenna
-4									CABLE, Antenna Extension
	4793 091	1	Z		42				
	5269 216	1	D, P						
5									MAST, Antenna, Black Fluted
	4793 629	1	Z		42				
	4469 015	1	D, P						
	4793 629	1	D, P						Fulted
6									STRAP, Ground Clip to Frame
	4469 334	1							
	4793 411	2							
	4793 736	1							Hood Hinge
7	4372 399	1							COVER, Radio Opening
8									SPEAKER, Front Door
	5269 404	2							6.5 Round, Premium
	4793 758	2							6.5 Round
9									SPEAKER, Rear
	5269 364	2							6x9 Rear Shelf, Premium
	4793 759	2							6x9 Rear Shelf
10	5269 362	2							SPEAKER, Instrument Panel
-11									SEAL, Speaker
	4665 541	1	D, P		42				Front Door Speaker
	4665 910	1	Z		42				Front Door Speaker
-12	5291 178AB-	2							PLUG, Instrument Panel
13	0154 640	6							SCREW, Piercing, .164-15x1.25, Front Door Speaker
14	2860 332	1							PLUG, Anti-Rattle
15	4372 145	AR							CABLE, Antenna
16	6035 593	1							SCREW, .25-14x.75, Antenna Mounting
17	0154 629	2							SCREW, Hex Flange Head, .25-14x. 75, Radio Mounting
18	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Instrument Panel Speaker
-19	4274 258	AR							TAPE, Radio Connector, Foam
-20	4793 117	1							CAPACITOR, Radio Noise Suppression
-21									CAP, Antenna Body

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



### Antenna - Speakers

#### Figure 08A-310

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)–**

**DODGE - TLE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

Consoles  
Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CONSOLE, Floor								
	MC55 TAZ	1	Z		42				Agate, w/Fog Lamps, Full Console
	MC55 TK5	1	Z		42				Camel Tan, w/ Fog Lamps, Full Console
	MC70 TAZ	1	Z		42				Agate, w/o Fog Lamps, Full Console
	MC70 TK5	1	Z		42				Camel Tan, w/o Fog Lamps, Full Console
	PH03 TAZ	1	D, P		42				Agate, w/ (DSI-Dynamic Side-Impact Protection)w/Cutouts in rear as illustrated in drawing
	PH03 TK5	1	D, P		42				Camel Tan, w/(DSI-Dynamic Side-Impact Protection)w/ cutouts in rear as illustrated in drawing
	PL87 TAZ	1	D, P		42				Agate, Base Assy w/o cutouts in rear as illustrated in drawing
		1	D, P		22				Agate, Base Assy w/o cutouts in rear as illustrated in drawing
	PL87 TK5	1	D, P		42				Camel Tan, Base Assy. w/o cutouts in rear of console as illustrated in drawing
		1	D, P		22				Camel Tan, Base Assy. w/o cutouts in rear of console as illustrated in drawing
	PL89 TAZ	1	D, P		42				Agate, w/Fog Lamps (Europe)
	PL89 TK5	1	D, P		42				Camel Tan, w/Fog Lamps (Europe)
	ARMREST, Console								
2	PL15 TAZ	1	Z		42				Agate (use w/PL87--- Console
		1	D, P		42				Agate (use w/PL87--- Console
	PL15 TK5	1	D, P		22				Agate (use w/PL87--- Console
		1	Z		42				Camel Tan (use w/PL87--- Console)
		1	D		22				Camel Tan (use w/PL87--- Console)
		1	D, P		42				Camel Tan (use w/PL87--- Console)
	HG36 TAZ	1	D		42				Agate w/(DSI- Dynamic Side-Impact Protection)( Use w/ PH03--- Console
	HG36 TK5	1	D		42				Camel Tan w/(DSI Dynamic Side Impact Protection)(use w/PH03--- Console)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES

L=Low Line

H=High Line

S=Special

LINE

Z=Chrysler, RHD

D=Dodge

D=Chrysler

P=Plymouth

BODY

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI

EJD=1.6L 4 Cyl16V SOHC

EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

DD5 = 5 Speed Manua


DGC = 3 Speed Automatic

DGL = 4 Speed Automatic

DG0 = All Automatics

DBB= All 5 Speed Manual

Consoles  
Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
3	6032 723	6	D, P						SCREW, Self Tapping, M4.2x1. 69x19.05
4	LB57 TAZ	2							PLUG, Cover Agate
	LB57 TK5	2							Camel Tan
5	4665 577	1	D, P		42				HINGE, Armrest Pad
		1	Z		42				
		1	D, P		22				
6	4775 112	1	D, P		22				BUTTON, Armrest Latch
	4775 112AB	1	Z		42				
		1	D, P		42				
7	4665 360	1	Z		42				STRAP, Armrest Check
		1	D, P		42				
		1	D, P		22				
8	PH43 TAZ	2	D, P		42				PLUG, Console, Plastic Agate
	PH43 TK5	2	D, P		42				Camel Tan
9	6100 567	4	D, P		42				SCREW AND WASHER, Hex Head, M6x1x25
-10	4665 361	2	Z		42				BUMPER, Armrest Lid
		2	D, P		42				
		2	D, P		22				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005


Group – 009

Engine Mounting


GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
<b>Engine Mounting</b>	
Engine Mounting 2.0L DOHC (ECC) .....	Fig. 009-105
Engine Mounting 2.0L SOHC (ECB) .....	Fig. 009-110



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--


Engine Mounting 2.0L DOHC (ECC)  
Figure 009-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EC0=All 2.0l Engines. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4668 200	1							SUPPORT, Engine Mount
2	4668 169	1	D, P			ECC	DGC		BRACKET, Engine Mount
		1	D, P			ECC	DD4, DD5		
3	4668 257	1					DD4, DD5		SUPPORT, Engine Mount Manual
	4668 259	1					DGC		Automatic
4	4668 184	1	Z				DD5		BRACKET, Engine Roll Dampener Right Hand Drive
	4668 166	1	D, P				DD4, DD5		
5	4668 175	1	Z				DD5		DAMPER, Engine Roll Right Hand Drive
	4668 171	1	D, P				DD4, DD5		
6	4668 005	1	Z				DGC		BRACKET, Engine Mount
		1	D, P						
7	4668 159	1	Z				DD5		Right Hand Drive
	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8	4668 182	1					DGC		INSULATOR, Engine Mount
	4668 183	1					DD4, DD5		Automatic Manual
9	4668 151	1							DAMPER, Mass
10	4668 118	1					DGC		STRUT, Engine Roll
11	4567 138	1							BRACE, Transmission
12	6502 887	1							SCREW AND WASHER, Hex Head, M12x1.75x60
13	6503 297	2	Z				DD5		BOLT AND CONED WASHER, Hex Head, M12x1.25x30
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105
15	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount
17	6101 666	2							SCREW AND WASHER, Hex Head, M12x1.75

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Engine Mounting 2.0L DOHC (ECC)  
Figure 009-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
19	4762 342	1				ECC	DBB		SCREW, Hex Head
	6503 752	1					DGC		
20	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
21	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
22	6101 752	3					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x28
		2					DGC		
23	6101 755	1					DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
24	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
25	6503 703	3	D, P			ECC	DGC		BOLT, Hex Head, M10x1.50x100
		3	D, P			ECC	DD4, DD5		
-26	6101 671	1							SCREW AND WASHER, M10x1. 50x45.00
-27	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
-28									COLLAR, Structural, Oil Pan To Transmission, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Engine Mounting 2.0L SOHC (ECB)  
Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
ECB=2.0L SOHC Engine.									
DGC=Automatic Trans.									
DD4=Manual Perf. Trans									
DD5=Manual Trans									
DBB=All Manual Transmissions									
1	4668 200	1							SUPPORT, Engine Mount
2									BRACKET, Engine Mount
	4668 170	1				ECB	DGC		
		1				ECB	DD4, DD5		
3									SUPPORT, Engine Mount
	4668 257	1					DD4, DD5		
	4668 259	1					DGC		
4									BRACKET, Engine Roll Dampener
	4668 184	1	Z				DD5		Right Hand Drive
	4668 166	1	D, P				DD4, DD5		
5									DAMPER, Engine Roll
	4668 175	1	Z				DD5		Right Hand Drive
	4668 171	1	D, P				DD4, DD5		
6									BRACKET, Engine Mount
	4668 005	1	D, P						
	4668 159	1	Z				DD5		Right Hand Drive
	4668 005	1	Z				DGC		
7	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8									INSULATOR, Engine Mount
	4668 182	1					DGC		Automatic
	4668 183	1					DD4, DD5		Manual
9	4668 151	1							DAMPER, Mass
10	4668 118	1					DGC		STRUT, Engine Roll
11	4567 138	1							BRACE, Transmission
12	6502 887	1							SCREW AND WASHER, Hex Head, M12x1.75x60
13	6503 297	2	Z				DD5		BOLT AND CONED WASHER, Hex Head, M12x1.25x30
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Engine Mounting 2.0L SOHC (ECB)  
Figure 009-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	6101 503	2	D, P						SCREW AND WASHER, Hex Head, M10x1.5x25
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount
17	6101 666	2							SCREW AND WASHER, Hex Head, M12x1.75
18	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
19	6503 752	1					DGC		SCREW, Hex Head
20	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
21	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
22									SCREW AND WASHER, Hex Head, M10x1.5x28
	6101 752	3					DD4, DD5		
		2					DGC		
23	6101 755	1					DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
24	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
25									BOLT, Hex Head, M10x1.50x100
	6503 703	3				ECB	DGC		
		3				ECB	DD4, DD5		
-26									COLLAR, Structural, Oil Pan To Transmission, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	




# Group – 2.0L

## Engine 2.0L Four Cylinder



# Group – 2.0L

## Engine 2.0L Four Cylinder




<b>2.0L-100</b> Engine Identification	<b>2.0L-200</b> Cylinder Head	<b>2.0L-300</b> Cylinder Block	<b>2.0L-400</b> Crankshaft, Piston, and Drive Plate										
<table><tr><td>X Model Year</td><td>X Manufacturing Plant</td><td>XXXXX Component Code/Usage</td><td>XXXX Month/Day</td><td>XXXXXXXX Serial Code</td></tr><tr><td>Last digit of model year</td><td>Satellite S Trenton T Tokyo K</td><td>Engine 3.3L - 3.8L Usage Pass Car PC Truck T</td><td></td><td>Last 8 Digits of VIN</td></tr></table>	X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code	Last digit of model year	Satellite S Trenton T Tokyo K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN			
X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code									
Last digit of model year	Satellite S Trenton T Tokyo K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN									
<b>2.0L-500</b> Camshafts and Valves	<b>2.0L-600</b> Timing Belt and Cover	<b>2.0L-700</b> Engine Oiling	<b>2.0L-800</b> Manifolds										

GROUP 2.0L - Engine 2.0L Four Cylinder

Illustration Title	Group-Fig. No.
<b>Engine Identification</b>	
I. D. Location 2.0L SOHC (ECB) .....	Fig. 2.0L-111
I. D. Location 2.0L DOHC (ECC) .....	Fig. 2.0L-112
<b>Cylinder Head</b>	
Cylinder Head 2.0L SOHC (ECB) .....	Fig. 2.0L-211
Cylinder Head 2.0L DOHC (ECC) .....	Fig. 2.0L-212
<b>Cylinder Block</b>	
Cylinder Block 2.0L SOHC (ECB) .....	Fig. 2.0L-311
Cylinder Block 2.0L DOHC (ECC) .....	Fig. 2.0L-312
<b>Crankshaft, Piston, and Drive Plate</b>	
Crankshaft, Piston, Driveplate 2.0L SOHC (ECB) .....	Fig. 2.0L-411
Crankshaft, Piston, Driveplate 2.0L DOHC (ECC) .....	Fig. 2.0L-412
<b>Camshafts and Valves</b>	
Camshaft, and Valves 2.0L SOHC (ECB) .....	Fig. 2.0L-511
Camshaft and Valves 2.0L DOHC (ECC) .....	Fig. 2.0L-512
<b>Timing Belt and Cover</b>	
Timing Belt and Cover 2.0L SOHC (ECB) .....	Fig. 2.0L-611
Timing Belt and Cover 2.0L DOHC (ECC) .....	Fig. 2.0L-612
<b>Engine Oiling</b>	
Engine Oiling 2.0L SOHC (ECB) .....	Fig. 2.0L-711
Engine Oiling 2.0L DOHC (ECC) .....	Fig. 2.0L-712
<b>Manifolds</b>	
Manifolds 2.0L SOHC (ECB) .....	Fig. 2.0L-811
Manifolds 2.0L DOHC (ECC) .....	Fig. 2.0L-812
<b>Crankcase Ventilation</b>	
Crankcase Ventilation 2.0L SOHC (ECB) .....	Fig. 2.0L-911
Crankcase Ventilation 2.0L DOHC (ECC) .....	Fig. 2.0L-912



I. D. Location 2.0L SOHC (ECB)  
Figure 2.0L-111




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:  
Sales Codes:  
ECB=2.0L 4Cyl. SOHC 16V  
1 LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

**I. D. Location 2.0L DOHC (ECC)**  
**Figure 2.0L-112**

[illegible]

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

# Cylinder Head 2.0L SOHC (ECB) Figure 2.0L-211



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 966	1				ECB	DD4, DD5		GASKET PACKAGE, Engine Upper
		1				ECB	DGC		
2	4777 248	1				ECB	DGC		COVER, Cylinder Head
		1				ECB	DD4, DD5		
3	4667 985	1				ECB	DGC		GASKET, Cylinder Cover
		1				ECB	DD4, DD5		
4	4777 042	4				ECB	DGC		SEAL, Spark Plug Tube
		4				ECB	DD4, DD5		
5	4648 604	4				ECB	DGC		TUBE, Spark Plug
		4				ECB	DD4, DD5		
6	4667 827	1				ECB	DGC		CAP, Oil Filler
		1				ECB	DD4, DD5		
7	4777 086	1				ECB	DGC		SEAL, Camshaft, Order 5016733AA Per [TSB 09-008-00]
8	4667 993	1				ECB	DGC		HEAD, Cylinder
		1				ECB	DD4, DD5		
9	4621 653	1	Z			ECB	DD5		NIPPLE, Heater Return
		1				ECB	DGC		
		1				ECB	DD4, DD5		
10	4777 072	1				ECB	DGC		GASKET, Cylinder Head
		1				ECB	DD4, DD5		
11	4556 020	2				ECB	DGC		PLUG, Core, 1.25 Diameter

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

Cylinder Head 2.0L SOHC (ECB)  
Figure 2.0L-211

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				ECB	DD4, DD5		
12	4667 982	10				ECB	DGC		ISOLATOR, Cylinder Head Cover, Grommet And Bolt
		10				ECB	DD4, DD5		
13	6503 561	4				ECB	DGC		BOLT, Cylinder Head
		4	Z			ECB	DGC		
		4				ECB	DD4, DD5		
	6503 562	6	Z			ECB	DD5		
14	6503 562	6				ECB	DGC		BOLT, Cylinder Head
15	4323 808	1				ECB	DGC		RESTRICTOR, Cylinder Head Oil
		1				ECB	DD4, DD5		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

# Cylinder Head 2.0L DOHC (ECC) Figure 2.0L-212

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4762 866	1	D, P			ECC	DGC		GASKET PACKAGE, Engine
		1	D, P			ECC	DD4, DD5		
2	4667 945AB	1	D, P			ECC	DGC		COVER, Cylinder Head
		1	D, P			ECC	DD4, DD5		
3	4667 421	1	D, P			ECC	DGC		GASKET, Valve Cover
		1	D, P			ECC	DD4, DD5		
4	4667 232	4	D, P			ECC	DGC		GASKET, Spark Plug Well
		4	D, P			ECC	DD4, DD5		
5	6503 156	8	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x40
		8	D, P			ECC	DD4, DD5		
6	4777 536	1	D, P			ECC	DGC		CAP, Oil Filler
		1	D, P			ECC	DD4, DD5		Automatic Manual
7	4777 086	2	D, P			ECC	DGC		SEAL, Camshaft
		2	D, P			ECC	DD4, DD5		Order 5016733AA Per [TSB 09-008-00] Order 5016733AA Per [TSB 09-008-00]
8	4777 541	1	D, P			ECC	DGC		HEAD, Cylinder
		1	D, P			ECC	DD4, DD5		
9	4667 420	8	D, P			ECC	DGC		SPACER, Valve Cover Bolt
		8	D, P			ECC	DD4, DD5		
10	4694 324	1	D, P			ECC	DGC		GASKET, Cylinder Head
		1	D, P			ECC	DD4, DD5		
11									PLUG, Core, 1.25 Diameter

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Cylinder Head 2.0L DOHC (ECC)**  
**Figure 2.0L-212**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4556 020	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
-12	0444 668	1	D, P			ECC	DGC		PLUG, Core
		1	D, P			ECC	DD4, DD5		
13	6503 559	4	D, P			ECC	DGC		BOLT, Cylinder Head, M11x1. 50x110.00
14	6503 560	6	D, P			ECC	DGC		BOLT, Cylinder Head M11x1.50x156.00
		6	D, P			ECC	DD4, DD5		M11x1.50x156.00
15	4323 808	1	D, P			ECC	DD4, DD5		RESTRICTOR, Cylinder Head Oil
		1	D, P			ECC	DGC		
16	6100 918	18	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1. 00x35
		18	D, P			ECC	DD4, DD5		
17	6101 527	6	D, P			ECC	DGC		SCREW, Hex Flange Head, M8x1. 25x40
		6	D, P			ECC	DD4, DD5		
18	4667 731	1	D, P			ECC	DGC		PLUG, Camshaft
		1	D, P			ECC	DD4, DD5		
19	4556 017	4	D, P			ECC	DGC		PLUG, Core
		4	D, P			ECC	DD4, DD5		
20	6503 155	8	D, P			ECC	DGC		WASHER, Flat, 10.0x22.0x2.05
		8	D, P			ECC	DD4, DD5		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Cylinder Block 2.0L SOHC (ECB) Figure 2.0L-311



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. DG0=All Automatic Trans. NAE=California Emissions.									
-1	4882 271	1				ECB	DGC		GASKET PACKAGE, Engine Lower
		1				ECB	DD4, DD5		
2	4864 260	1				ECB	DD4, DD5		BLOCK, Short Includes Crank and Pistons
	4864 261	1	D, P			ECB	DGC		Includes Crank and Pistons. With California, Automatic. (NAE + DG0)
3	4694 104	2				ECB	DGC		DOWEL, Block To Cylinder Head
		2				ECB	DD4, DD5		
4	6035 743	1				ECB	DGC		PLUG, Timing Probe Hole
		1				ECB	DD4, DD5		
5	4694 106	3				ECB	DD4, DD5		DOWEL, Engine Block To Bedplate
		3				ECB	DGC		
6	6503 072	10				ECB	DGC		BOLT, Main Bearing Cap
		10				ECB	DD4, DD5		
7	6503 074	10				ECB	DGC		BOLT, Main Bearing Cap
		10				ECB	DD4, DD5		
8	6034 773	1				ECB	DD4, DD5		O RING, Bedplate To Engine Block
		1				ECB	DGC		
9	6034 804	4				ECB	DD4, DD5		PLUG, Core, 1.39 Diameter
		4				ECB	DGC		
10	5240 849	2				ECB	DGC		DOWEL, Block To Clutch Housing

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Cylinder Block 2.0L SOHC (ECB)  
Figure 2.0L-311



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4667 904	2				ECB	DD4,		SEAL, Rear Main Crankshaft
		1				ECB	DGC		
		1				ECB	DD4,		
12	4556 018	2				ECB	DD5		PLUG, Cylinder Block Oil Hole
						ECB	DD4,		
						ECB	DD5		
13	6503 096	2				ECB	DGC		O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


Cylinder Block 2.0L DOHC (ECC)  
Figure 2.0L-312



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4882 271	1	D, P			ECC	DGC		GASKET PACKAGE, Engine Lower
		1	D, P			ECC	DD4, DD5		
2	4864 262	1	D, P			ECC	DGC		BLOCK, Short
		1	D, P			ECC	DD4, DD5		Includes Crank and Pistons
3	4694 104	2	D, P			ECC	DGC		DOWEL, Block To Cylinder Head
		2	D, P			ECC	DD4, DD5		
4	6034 804	4	D, P			ECC	DGC		PLUG, Core, 1.39 Diameter
		4	D, P			ECC	DD4, DD5		
5	0154 577	1	D, P			ECC	DGC		PLUG, Pipe
		1	D, P			ECC	DD4, DD5		
6	4694 106	3	D, P			ECC	DGC		DOWEL, Engine Block To Bedplate
		3	D, P			ECC	DD4, DD5		
7	6503 072	10	D, P			ECC	DGC		BOLT, Main Bearing Cap
		10	D, P			ECC	DD4, DD5		
8	6503 074	10	D, P			ECC	DGC		BOLT, Main Bearing Cap
		10	D, P			ECC	DD4, DD5		
9	6034 773	1	D, P			ECC	DGC		O RING, Bedplate To Engine Block
		1	D, P			ECC	DD4, DD5		
10	6034 804	4	D, P			ECC	DGC		PLUG, Core, 1.39 Diameter
		4	D, P			ECC	DD4, DD5		
11									DOWEL, Block To Clutch Housing

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Cylinder Block 2.0L DOHC (ECC)  
Figure 2.0L-312




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5240 849	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
12	4667 904	1	D, P			ECC	DGC		SEAL, Rear Main Crankshaft
		1	D, P			ECC	DD4, DD5		
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block
16									PLUG, Cylinder Block Oil Hole
	4556 018	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)  
Figure 2.0L-411




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4728 997	1				ECB	DGC		BEARING PACKAGE, Connecting Rod, Standard
		1				ECB	DD4, DD5		
2	4728 991	1				ECB	DGC		BEARING PACKAGE, Connecting Rod, .025mm Undersize
		1				ECB	DD4, DD5		
3	4728 992	1				ECB	DGC		BEARING PACKAGE, Connecting Rod, .25mm Undersize
		1				ECB	DD4, DD5		
4	4856 734	1				ECB	DD4, DD5		BEARING PACKAGE, Crankshaft Thrust, STD.
		1				ECB	DGC		
5	4856 736	1				ECB	DGC		BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
		1				ECB	DD4, DD5		
6	4856 738	1				ECB	DGC		BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
		1				ECB	DD4, DD5		
7	4856 733	1				ECB	DGC		BEARING PACKAGE, Crankshaft Main, Standard Size
		1				ECB	DD4, DD5		
8	4856 735	1				ECB	DGC		BEARING PACKAGE, Crankshaft, .016mm Undersize
		1				ECB	DD4, DD5		
9	4856 737	1				ECB	DGC		BEARING PACKAGE, Crankshaft, .25 mm Undersize

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)  
Figure 2.0L-411



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4667 754	1				ECB	DD4, DD5		CRANKSHAFT
11	4667 198	1				ECB	DGC		SEAL, Front Main Crankshaft
		1				ECB	DD4, DD5		
12	6503 465	8					DD4, DD5		BOLT, Drive Plate and Flywheel
		8					DGC, DGL		
13	6501 099	4					DGC		BOLT, Hex Head, M10x1.50 x 13.20
14	6035 473	1				ECB	DD4, DD5		KEY, Crankshaft Sprocket
15	4796 384	1					DGC		CONVERTER PACKAGE, Torque
16	6031 923	3					DD4, DD5		DOWEL, .250 x 1.05
17	4567 143	1					DGC		PLATE, Drive Plate
		1					DD4, DD5		
18	4741 401	1				ECB	DD4, DD5		PISTON RING SET, COMPLETE
19	4773 975	1				ECB	DGC		ENGINE, STD.
20	6503 116	8				ECB	DGC		PISTON PIN AND ROD
		8				ECB	DD4, DD5		BOLT, Connecting Rod
21	4667 904	1				ECB	DGC		SEAL, Rear Main Crankshaft
		1				ECB	DD4, DD5		
22	4471 933	1					DGC, DGL		PLATE, Drive Plate Backing

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					


Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)  
Figure 2.0L-412



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4= Manual Perf. Trans. DD5=Manual Trans.									
1									BEARING PACKAGE, Connecting Rod, Standard
	4728 997	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
2									BEARING PACKAGE, Connecting Rod, .025mm Undersize
	4728 991	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
3	4728 992	1	D, P			ECC	DD4, DD5		BEARING PACKAGE, Connecting Rod, .25mm Undersize
4									BEARING PACKAGE, Crankshaft Thrust, STD.
	4856 734	1	D			ECC	DD4, DD5		
		1	D, P			ECC	DGC		
5									BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
	4856 736	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
6									BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
	4856 738	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
7									BEARING PACKAGE, Crankshaft Main, Standard Size
	4856 733	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
8									BEARING PACKAGE, Crankshaft, .016mm Undersize
	4856 735	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
9									BEARING PACKAGE, Crankshaft, .25 mm Undersize
	4856 737	1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)  
Figure 2.0L-412




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4667 754	1	D, P			ECC	DD4, DD5		CRANKSHAFT
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
11	4471 933	1					DD4, DD5		PLATE, Drive Plate Backing
12	6031 923	3					DGC, DGL DD4, DD5		DOWEL, .250 x 1.05
13	6503 465	8					DD4, DD5		BOLT, Drive Plate and Flywheel
14	6501 099	4					DGC, DGL DD4, DD5		BOLT, Hex Head, M10x1.50 x 13.20
15	4796 384	1				ECC	DGC		CONVERTER PACKAGE, Torque PLATE, Drive Plate
16	4567 143	1					DD4, DD5 DGC, DGL		
17	4741 401	1	D, P			ECC	DGC		PISTON RING SET, COMPLETE ENGINE, STD.
		1	D, P			ECC	DD4, DD5		
18	4797 613	1	D, P			ECC	DGC		PISTON PIN AND ROD
		1	D, P			ECC	DD4, DD5		
19	6503 116	8	D, P			ECC	DD4, DD5		BOLT, Connecting Rod
		8	D, P			ECC	DGC		
20	4667 904	1	D, P			ECC	DGC		SEAL, Rear Main Crankshaft

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					



Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)  
Figure 2.0L-412




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECC	DD4, DD5		SEAL, Front Main Crankshaft
21	4667 198	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
22	6035 473	1	D, P			ECC	DGC		KEY, Crankshaft Sprocket
		1	D, P			ECC	DD4, DD5		
-23	4593 040	1					DD5		FLYWHEEL, Mexico Built
-24	6503 464	8					DD4, DD5		BOLT, Flywheel, Mexico Built
							DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Camshaft, and Valves 2.0L SOHC (ECB) Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. NAB=Leaded Fuel									
1	4648 613	8	Z			ECB	DD5		VALVE, Exhaust, Standard
		8	Z			ECB	DGC		
		8	D, P			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
	4777 150	8				ECB	DGC		Leaded NAB
		8				ECB	DD4, DD5		Leaded NAB
-2	4667 439	1	Z			ECB	DD5		VALVE, Exhaust, .15mm O/S
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
	4777 302	AR				ECB			Leaded NAB
3	4648 615	8	Z			ECB	DD5		VALVE, Intake, Standard
		8	Z			ECB	DGC		
		8	D, P			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
	4777 148	8				ECB	DGC		Leaded NAB
		8				ECB	DD4, DD5		Leaded NAB
-4	4667 189	8	D			ECB	DGC		VALVE, Intake, .15MM O/S
		8	Z			ECB	DD5		
		8	Z			ECB	DGC		
		8	D			ECB	DD4, DD5		
	4777 301	AR				ECB			Leaded NAB
5	4667 370	4				ECB	DGC		SPACER, Rocker Shaft
		4				ECB	DD4, DD5		
6	4667 256	2				ECB	DGC		RETAINER, Valve Rocker Shaft
		2				ECB	DD4, DD5		
7									RETAINER, Valve Rocker Shaft

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Camshaft, and Valves 2.0L SOHC (ECB) Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4667 257	3	Z			ECB	DD5		
		3				ECB	DGC		
		3	Z			ECB	DGC		
		3				ECB	DD4, DD5		
8	4667 259	5				ECB	DD4, DD5		RETAINER, Valve Rocker Shaft
9	4777 128	1				ECB	DGC		CAMSHAFT
		1				ECB	DD4, DD5		
10	4777 086	1				ECB	DGC		SEAL, Camshaft Order 5016733AA Per [TSB 09-008-00]
		1				ECB	DD4, DD5		Order 5016733AA Per [TSB 09-008-00]
11	4648 701	8				ECB	DGC		ROCKER ARM, Intake
		8				ECB	DD4, DD5		
12	4648 702	4				ECB	DGC		ROCKER ARM, Exhaust
		4				ECB	DD4, DD5		
13	4648 693	1				ECB	DGC		SHAFT, Rocker Arm
		1				ECB	DD4, DD5		
14	4648 691	1				ECB	DGC		SHAFT, Rocker Arm
		1				ECB	DD4, DD5		
15	4777 050	32				ECB	DGC		LOCK, Valve Spring Retainer
		32				ECB	DD4, DD5		
16	4648 682	16				ECB	DGC		RETAINER, Valve Spring
		16				ECB	DD4, DD5		
17	4648 684	16				ECB	DGC		SPRING, Valve

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft, and Valves 2.0L SOHC (ECB)  
Figure 2.0L-511




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		16				ECB	DD4, DD5		
18	4648 619	16 16				ECB ECB	DGC DD4, DD5		SEAL, Valve Guide
19	4648 635	AR				ECB			GUIDE, Intake/Exhaust Valve, 7mm Oversize
20									SCREW, Hex Flange Head, M8x1. 25x40
	6101 527	5 5				ECB ECB	DGC DD4, DD5		
21	6100 997	1 1				ECB ECB	DGC DD4, DD5		PIN, Dowel
22	5269 547	1 1				ECB ECB	DGC DD4, DD5		CAM MAGNET, Target
23	4777 068	1 1				ECB ECB	DGC DD4, DD5		SEAL, Camshaft Sensor
24	6503 688	1 1				ECB ECB	DGC DD4, DD5		BOLT, Hex Flange Head, M6x1. 00x40

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 2.0L DOHC (ECC)  
Figure 2.0L-512



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.


1	4667 972	8	D, P			ECC	DD4, DD5		VALVE, Exhaust, Standard
		8	D, P			ECC	DGC		
	4667 973	1	D, P			ECC	DGC		.15MM Oversize
		1	D, P			ECC	DD4, DD5		.15MM Oversize
2	4667 969	8	D, P			ECC	DGC		VALVE, Intake, Standard
		8	D			ECC	DD4, DD5		.15MM Oversize
	4667 969	8	D, P			ECC	DD4, DD5		
3	4667 917	1	D, P			ECC	DGC		CAMSHAFT, Intake
		1	D, P			ECC	DD4, DD5		
	4667 918	1	D, P			ECC	DGC		CAMSHAFT, Exhaust
		1	D, P			ECC	DD4, DD5		
5	4777 086	2	D, P			ECC	DGC		SEAL, Camshaft Order 5016733AA Per [TSB 09-008-00]
		2	D, P			ECC	DD4, DD5		Order 5016733AA Per [TSB 09-008-00]
	4667 731	1	D, P			ECC	DGC		PLUG, Camshaft
		1	D, P			ECC	DD4, DD5		
7	4777 050	32	D, P			ECC	DGC		LOCK, Valve Spring Retainer
		32	D, P			ECC	DD4, DD5		
8	4648 682	16	D, P			ECC	DD4, DD5		RETAINER, Valve Spring
		16	D, P			ECC	DGC		
9	4667 825	16	D, P			ECC	DGC		SPRING, Valve
		16	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION		
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
S=Special	D=Chrysler					DGO = All Automatics		
	P=Plymouth					DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 2.0L DOHC (ECC)  
Figure 2.0L-512



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4648 619	16	D, P			ECC	DD4, DD5		SEAL, Valve Guide
		16	D, P			ECC	DGC		
		16	D, P			ECC	DD4, DD5		
11	4667 411	AR				ECC			GUIDE, Intake/Exhaust Valve, 7mm Oversize
12									ROCKER ARM, Valve Roller
	4667 139	16	D, P			ECC	DGC		ADJUSTER, Valve Lash
		16	D, P			ECC	DD4, DD5		
13	4667 140	16	D, P			ECC	DGC		PIN, Dowel
		16	D, P			ECC	DD4, DD5		
14	6100 997	2	D, P			ECC	DGC		CAM MAGNET, Target
		2	D, P			ECC	DD4, DD5		
15	5269 547	1	D, P			ECC	DGC		SEAL, Camshaft Sensor
		1	D, P			ECC	DD4, DD5		
16	4777 068	1	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1. 00x40
		1	D, P			ECC	DD4, DD5		
17	6503 688	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Timing Belt and Cover 2.0L SOHC (ECB)  
Figure 2.0L-611

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 339	1				ECB	DGC		COVER, Timing Belt
		1				ECB	DD4, DD5		
2	4667 341	1				ECB	DGC		SEAL, Timing Belt Cover
		1				ECB	DD4, DD5		
3	6502 926	6				ECB	DGC		BOLT, Hex Flange Head, M6x1.0x20
		6				ECB	DD4, DD5		
4	6503 553	1				ECB	DD4, DD5		BOLT, Hex Flange Head, M12x1.75x87.50
		1				ECB	DGC		
5	4667 765	1				ECB	DGC		DAMPER, Crankshaft
		1				ECB	DD4, DD5		
6	6035 473	1				ECB	DGC		KEY, Crankshaft Sprocket
		1				ECB	DD4, DD5		
7	4667 604	1				ECB	DGC		GEAR, Crankshaft
		1				ECB	DD4, DD5		
8	6100 997	1				ECB	DGC		PIN, Dowel
		1				ECB	DD4, DD5		
9	6501 405	1				ECB	DGC		BOLT, Hex Head, M12x1.50x52
10									SCREW AND WASHER, Hex Head, M8x1.25x60
	6101 722	1				ECB	DGC		
		1				ECB	DD4, DD5		
11	4667 338	1				ECB	DGC		COVER, Timing Belt

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Timing Belt and Cover 2.0L SOHC (ECB)  
Figure 2.0L-611

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECB	DD4, DD5		
12	4667 283	1				ECB	DGC		TENSIONER, Belt
		1				ECB	DD4, DD5		
13	4777 393	1				ECB	DGC		BRACKET, Tensioner
		1				ECB	DD4, DD5		
14	4667 341	1				ECB	DGC		SEAL, Timing Belt Cover
		1				ECB	DD4, DD5		
15	4667 606	1				ECB	DGC		BELT, Timing
		1				ECB	DD4, DD5		
16									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2				ECB	DGC		
		2				ECB	DD4, DD5		
17	4667 602	1				ECB	DGC		GEAR, Camshaft
		1				ECB	DD4, DD5		
18	4667 554	1				ECB	DGC		PLUG, Timing Belt Cover
		1				ECB	DD4, DD5		
19	6503 438	1				ECB	DGC		WASHER, Flared, 13x35.00x4.70
		1				ECB	DD4, DD5		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Timing Belt and Cover 2.0L DOHC (ECC)  
Figure 2.0L-612



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 435	1	D, P			ECC	DGC		COVER, Timing Belt
		1	D, P			ECC	DD4, DD5		
2	4667 610	1	D, P			ECC	DGC		COVER, Timing Belt Inspection
		1	D, P			ECC	DD4, DD5		
3	6502 926	7	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x20
		7	D, P			ECC	DD4, DD5		
4	4667 436	1	D, P			ECC	DGC		COVER, Timing Belt
		1	D, P			ECC	DD4, DD5		
5	4667 611	1	D, P			ECC	DGC		BELT, Timing
		1	D, P			ECC	DD4, DD5		
6	4667 609	2	D, P			ECC	DGC		GEAR, Camshaft
		2	D, P			ECC	DD4, DD5		
7	6501 405	2	D, P			ECC	DGC		BOLT, Hex Head, M12x1.50x52
		2	D, P			ECC	DD4, DD5		
8	6503 438	2	D, P			ECC	DD4, DD5		WASHER, Flared, 13x35.00x4.70
		2	D, P			ECC	DGC		
9	4667 660	1	D, P			ECC	DD4, DD5		PUMP, Water
		1	D, P			ECC	DGC		
10	4667 765	1	D, P			ECC	DD4, DD5		DAMPER, Crankshaft
		1	D, P			ECC	DGC		
11									BOLT, Hex Flange Head, M12x1.75x87.50

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					


### Figure 2.0L-612



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

September 15, 2005


Engine Oiling 2.0L SOHC (ECB)  
Figure 2.0L-711



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 884	1				ECB	DGC		PUMP, Engine Oil
		1				ECB	DD4, DD5		
2	6504 018	1				ECB	DGC		PLUG, Oil Drain
		1				ECB	DD4, DD5		
3	4777 300	1				ECB	DGC		PAN, Engine Oil
		1				ECB	DD4, DD5		
4	6101 451	13				ECB	DGC		SCREW AND WASHER, Hex Head, M6x1x25
5	4667 352	1				ECB	DGC		TUBE, Engine Oil Indicator
		1				ECB	DD4, DD5		
6	4777 284	1				ECB	DGC		INDICATOR, Engine Oil Level
		1				ECB	DD4, DD5		
7	4777 242	1				ECB	DGC		GASKET, Oil Pan
		1				ECB	DD4, DD5		
8	6101 386	5				ECB	DGC		SCREW, Flange Head, M6x1x18
		5				ECB	DD4, DD5		
9	4777 252	1				ECB	DGC		TUBE, Oil Pickup
		1				ECB	DD4, DD5		
10	6032 920	1				ECB	DGC		SEAL, Oil Pick Up Tube
		1				ECB	DD4, DD5		
11	6500 070	1				ECB	DGC		SCREW AND WASHER, Hex Head, M8x1.25x25

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					

Engine Oiling 2.0L SOHC (ECB)  
Figure 2.0L-711




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECB	DD4,		
							DD5		
12	4105 409	1				ECB	DGC		FILTER, Engine Oil
13	4667 386	1				ECB	DD4,		ADAPTER, Oil Filter
							DD5		
		1				ECB	DGC		
14	4667 301	1				ECB	DD4,		CONNECTOR, Oil Filter Adapter
							DD5		
15	6034 802	1				ECB	DD4,		O RING, Oil Filter Adapter
							DD5		
		1				ECB	DGC		
16	4556 669	1				ECB	DGC		COVER, Oil Pump Back
						ECB	DD4,		
		1					DD5		
17	4761 538	1				ECB	DGC		ROTOR SET, Oil Pump
						ECB	DD4,		
		1					DD5		
18	0618 621	1				ECB	DGC		CAP, Oil Pressure Relief Valve
						ECB	DD4,		
		1					DD5		
19	4777 062	1				ECB	DGC		GASKET, Oil Pump Relief Valve
						ECB	DD4,		
		1					DD5		
20	1737 744	1				ECB	DGC		SPRING, Oil Pressure Relief Valve
21	2843 208	1				ECB	DGC		PLUNGER, Oil Pressure Relief Valve
						ECB	DD4,		
		1					DD5		
22	6503 257	1				ECB	DGC		BOLT, Hex Head, M8x1.25x37.50
						ECB	DD4,		
		1					DD5		
23	6503 256	2				ECB	DGC		BOLT, Hex Flange Head, M6x1.0x40
						ECB	DD4,		
		2					DD5		
24									O RING, Front Cover Oil Inlet

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Engine Oiling 2.0L SOHC (ECB)**  
**Figure 2.0L-711**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4483 444	1				ECB	DGC		
		1				ECB	DD4, DD5		
25									BOLT, Hex Head
	6100 296	4				ECB	DGC		
		4				ECB	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

**DODGE - FLEET**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005


Engine Oiling 2.0L DOHC (ECC)  
Figure 2.0L-712



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 884	1	D, P			ECC	DGC		PUMP, Engine Oil
		1	D, P			ECC	DD4, DD5		
2	6504 018	1	D, P			ECC	DGC		PLUG, Oil Drain
		1	D, P			ECC	DD4, DD5		
3	4777 300AB	1	D, P			ECC	DGC		PAN, Engine Oil
		1	D, P			ECC	DD4, DD5		
4	6101 451	13	D, P			ECC	DGC		SCREW AND WASHER, Hex Head, M6x1x25
		13	D, P			ECC	DD4, DD5		
5	4667 352	1	D, P			ECC	DGC		TUBE, Engine Oil Indicator
		1	D, P			ECC	DD4, DD5		
6	4777 284	1	D, P			ECC	DGC		INDICATOR, Engine Oil Level
		1	D, P			ECC	DD4, DD5		
7	4556 666	1	D, P			ECC	DGC		GASKET, Oil Pan
8	6101 386	5	D, P			ECC	DGC		SCREW, Flange Head, M6x1x18
		5	D, P			ECC	DD4, DD5		
9	4777 252	1	D, P			ECC	DGC		TUBE, Oil Pickup
		1	D, P			ECC	DD4, DD5		
10	6032 920	1	D, P			ECC	DGC		SEAL, Oil Pick Up Tube
		1	D, P			ECC	DD4, DD5		
11	6500 070	1	D, P			ECC	DGC		SCREW AND WASHER, Hex Head, M8x1.25x25
		1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

**Figure 2.0L-712**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECC	DD4,		
12	4105 409	1	D, P			ECC	DGC		FILTER, Engine Oil
		1	D, P			ECC	DD4,		
							DD5		
13	4667 386	1	D, P			ECC	DGC		ADAPTER, Oil Filter
		1	D, P			ECC	DD4,		
							DD5		
14	4667 301	1	D, P			ECC	DGC		CONNECTOR, Oil Filter Adapter
		1	D, P			ECC	DD4,		
15	6034 802	1	D, P			ECC	DD5		O RING, Oil Filter Adapter
16							DD4,		COVER, Oil Pump Back
	4556 669	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
17									ROTOR SET, Oil Pump
	4761 538	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
18									CAP, Oil Pressure Relief Valve
	0618 621	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
19									GASKET, Oil Pump Relief Valve
	4777 062	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
20									SPRING, Oil Pressure Relief Valve
	1737 744	1	D, P			ECC	DD4,		
		1	D, P			ECC	DGC		
21									PLUNGER, Oil Pressure Relief Valve
	2843 208	1	D, P			ECC	DD4,		
		1	D, P			ECC	DGC		
22									BOLT, Hex Head, M8x1.25x37.50
	6503 257	1	D, P			ECC	DGC		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Engine Oiling 2.0L DOHC (ECC)  
Figure 2.0L-712



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	D, P		ECC	DD4, DD5		
23	6503 156	8	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x40
		8	D, P			ECC	DD4, DD5		
	6503 256	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
24	4483 444	1	D, P			ECC	DGC		O RING, Front Cover Oil Inlet
		1	D, P			ECC	DD4, DD5		
25	6100 296	2	D, P			ECC	DGC		BOLT, Hex Head
		2	D, P			ECC	DD4, DD5		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Manifolds 2.0L SOHC (ECB)  
Figure 2.0L-811**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[ECB] = 2.0L 4 Cylinder SOHC 16V									
[DD4] = 5 Speed Performance Transmission									
[DD5] = 5 Speed Manual Transmission									
[DGC] = Three Speed Automatic Transmission									
[NAA] = Federal Emission									
[NAB] = California Emission									
[NAE] = Leaded Fuel									
[[NHM] = Speed Control									
[RHD] = Right Hand Drive									
1	4667 351	4				ECB	DGC		GASKET, Intake Manifold
		4				ECB	DD4, DD5		
2	6503 131	8				ECB	DGC		BOLT, Hex Flange Head, M8x1.25x30
		8				ECB	DD4, DD5		
3	6504 020	10				ECB	DGC		BOLT, Hex Head Locking, M6x1.00x25
		10				ECB	DD4, DD5		
4	6503 244	1				ECB	DD4, DD5		STUD
		1				ECB	DGC		
5	4556 730	1				ECB	DGC		MANIFOLD, Exhaust
		1				ECB	DD4, DD5		
	4667 488	1	D			ECB	DGC		NAE (California)
	4777 353	1	Z			ECB	DD5		
		1	Z			ECB	DGC		
	4667 488	1	D, P			ECB	DGC		NAE (California)
-6									GASKET, Exhaust Manifold
	4667 492	1	Z			ECB	DD5		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		NAE (California)
7									MANIFOLD PACKAGE, Intake
	4856 614	1				ECB	DGC		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl 16V SOHC  
EBD=1.8L 4 Cyl 16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual


Manifolds 2.0L SOHC (ECB)  
Figure 2.0L-811



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECB	DD4, DD5		
8	6500 274	2							LOCK NUT, M6x1.0x6
9	4667 877	1				ECB	DGC		SHIELD, Exhaust Manifold
		1				ECB	DD4, DD5		
	4777 355	1	Z			ECB	DGC		
		1	Z			ECB	DD5		
10	4777 433	1	Z			ECB	DGC		SHIELD, Exhaust Manifold
	4667 878	1				ECB	DGC		
		1				ECB	DD4, DD5		
	4777 433	1	Z			ECB	DD5		
11									CONNECTOR, Brake Booster Vacuum
	4324 173	1				ECB	DGC		
		1				ECB	DD4, DD5		
-12									PLUG, Cylinder Block Oil Hole
	6500 362	1				ECB	DGC		Exhaust Manifold
		1				ECB	DD4, DD5		Exhaust Manifold
-13									CONNECTOR, Manifold Vacuum
	4026 117	1				ECB	DGC		
		1				ECB	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

**Manifolds 2.0L DOHC (ECC)**  
**Figure 2.0L-812**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 539	1	D, P			ECC	DGC		GASKET, Intake Manifold
		1	D, P			ECC	DD4, DD5		Intake Manifold To Cylinder Head
2	4667 817	1	D, P			ECC	DGC		GASKET, Intake Manifold
		1	D, P			ECC	DD4, DD5		Upper To Lower
3	4667 722	1	D, P			ECC	DGC		GASKET, Exhaust Manifold
		1	D, P			ECC	DD4, DD5		
4	4667 792	1	D, P			ECC	DGC		ELBOW, Water Heater, Intake
		1	D, P			ECC	DD4, DD5		Manifold
5	4777 039	1	D, P			ECC	DGC		MANIFOLD, Intake
		1	D, P			ECC	DD4, DD5		Lower
-6	6504 171	8	D, P			ECC	DGC		SCREW, Hex Flange Head, M8x1.
		8	D, P			ECC	DD4, DD5		25x32
									Intake Manifold Attaching
7	4777 289	1	D, P			ECC	DGC		MANIFOLD, Intake
		1	D, P			ECC	DD4, DD5		Upper
8	6101 232	7	D, P			ECC	DGC		BOLT, Hex Flange Head, M8x1.
		7	D, P			ECC	DD4, DD5		25x25
									Intake Manifold
-9	6504 170	2	D, P			ECC	DGC		STUD, M8x1.25x44.80
		2	D, P			ECC	DD4, DD5		Intake Manifold Attaching
-10	6504 152	2	D, P			ECC	DGC		NUT, Hex Flange Lock, M8x1.25
									Intake Manifold Attaching

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Manifolds 2.0L DOHC (ECC)  
Figure 2.0L-812



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4667 714	2	D, P			ECC	DD4, DD5		Intake Manifold Attaching
		1	D, P			ECC	DGC		MANIFOLD, Exhaust
		1	D, P			ECC	DD4, DD5		
-12	6503 334	6	D, P			ECC	DGC		BOLT, Hex Flange Head, M8x1.25x28
		6	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
13	6504 170	2	D, P			ECC	DGC		STUD, M8x1.25x44.80
		2	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
14	6504 152	2	D, P			ECC	DGC		NUT, Hex Flange Lock, M8x1.25
		2	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
15	4667 494	1	D, P			ECC	DGC		SHIELD, Exhaust Manifold
		1	D, P			ECC	DD4, DD5		Upper
16	4667 495	1	D, P			ECC	DGC		SHIELD, Exhaust Manifold
		1	D, P			ECC	DD4, DD5		Lower
17	6101 813	4	D, P			ECC	DGC		SCREW, Hex Flange Head, M8x1.25x11
		4	D, P			ECC	DD4, DD5		Heat Shield Attaching

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Crankcase Ventilation 2.0L SOHC (ECB)  
Figure 2.0L-911



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.


1	4667 990	1				ECB	DGC		HOSE, Polution Control Valve
		1				ECB	DD4, DD5		
2	4777 240	1				ECB	DGC		VALVE, PCV
		1				ECB	DD4, DD5		
3	0153 455	1				ECB			CLAMP, Hose, .620
4	4667 760	1				ECB	DGC		HOSE, Polution Control Valve
		1				ECB	DD4, DD5		
5	4667 845	1							RESTRICTOR, PCV

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DGO = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Crankcase Ventilation 2.0L DOHC (ECC) Figure 2.0L-912



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.

1	4667 572	1				ECC			HOSE, Make Up Air
2	4777 240	1	D, P			ECC	DGC		VALVE, PCV
		1	D, P			ECC	DD4,		
							DD5		
3	6502 017	4	D, P			ECC	DD4,		CLAMP, Hose
		4	D, P			ECC	DGC		
4	4667 576	1	D, P			ECC	DGC		HOSE, Polution Control Valve
		1	D, P			ECC	DD4,		Connector to PCV
							DD5		Connector to PCV
	4667 577	1	D, P			ECC	DGC		PCV to Intake Plenum
		1	D, P			ECC	DD4,		PCV to Intake Plenum
							DD5		
5	4856 291	1				ECC	DBB		RESTRICTOR, PCV

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



# Group – 011

## Exhaust

### GROUP 11 - Exhaust


Illustration Title	Group-Fig. No.
<b>Exhaust System</b>	
Exhaust System PL .....	Fig. 011-105
<b>Heat Shields</b>	
Exhaust Shields PL .....	Fig. 011-201



<b>011-100</b> Exhaust System	<b>011-200</b> Heat Shields		
			

# Exhaust System PL

## Figure 011-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DBB=Manual Trans. NAA=Federal Emissions. NAE=California Emissions. ABJ=Japan Market.									
1	6100 499	2				ECB			NUT, Hex Flange Lock, M8 Phosphate
2	4864 207	2				ECB, ECC			SEAL PACKAGE, Exhaust Ring With Springs
3	4546 608	1	Z		42	ECB			CONVERTER, Catalytic Right Hand Drive Exclude Japan -ABJ
	4546 994	1	Z		42	ECB			Right Hand Drive Japan ABJ
	5278 476	1	D, P			ECB	DBB		NAA=NAE
		1	D, P			ECC			NAA=NAE
		1	D, P			ECB	DG0		NAA
	5278 542	1	D, P			ECB	DG0		NAE
4	5217 003	2				ECB, ECC			BOLT, Hex Flange Head, M8x1.25x74.5
5	4301 985	1	D, P						FLANGE, Exhaust Pipe
6	4546 937	1							PIPE, Exhaust Extension
-7	4546 992	1	D, P						RESONATOR, Exhaust
8	4695 220	1							CLAMP, Exhaust
9									MUFFLER, Exhaust
	4546 951	1	D, P			ECC			Europe Dual
		1				ECB			Single Overhead Cam
	4546 964	1	D, P			ECC			Domestic Dual
10	4495 951	3							INSULATOR, Exhaust
11									NUT, Hex Flange, M8x1.25, (NOT REQUIRED)
12									BOLT, Hex Head, M8x1.25x35, (NOT REQUIRED)
13									GASKET, Manifold To Exhaust Pipe, (NOT REQUIRED)

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



Exhaust Shields PL  
Figure 011-201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4546 898	1							SHIELD, Heat
-2	4495 876	1							SHIELD, Fuel Tank
3	6034 716	2							SCREW AND WASHER, Hex Flange Head, .25-14x.875




DODGE - PLYMOUTH - CHRYSLER NEON (PL)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic	
	P=Plymouth			DG0 = All Automatics	
				DBB= All 5 Speed Manual	

# Group – 013

## Frames and Bumpers


### GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No.
<b>Frames</b>	
Frame, Front .....	Fig. 013-105
Frame, Rear .....	Fig. 013-135
<b>Front Bumper and Fascia</b>	
Fascia, Front .....	Fig. 013-205
<b>Rear Bumper and Fascia</b>	
Fascia, Rear .....	Fig. 013-305



<b>013-100</b> Frames	<b>013-200</b> Front Bumper and Fascia	<b>013-300</b> Rear Bumper and Fascia	

# Frame, Front Figure 013-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 044	1							CROSSMEMBER, Rear Floor
2									CROSSMEMBER, Front Seat Retention, Serviced in Floor Pan Assembly, (NOT SERVICED) (Not Serviced)
3	4655 514	1							REINFORCEMENT, Engine Mount
4	4783 017	1							RAIL, Front Right Left
	5256 926	1							Right
-5	4783 004	2							RETAINER, Suspension Crossmember
6	4655 565	1							REINFORCEMENT, Front Side Rail Impact
7									REINFORCEMENT, Front Side Rail Right
	5256 924	1							Left
	5256 925	1							Left
8	4655 066	1							RAIL, Front Side Rail Rear, Right
9	4655 067	1							RAIL, Front Left
-10	4783 455	1							PLATE, Front Side Rail to Floor
11									RETAINER, Front Suspension Right
	4655 748	1							Left
	4655 749	1							Left
12	4783 452	1							EXTENSION, Front Side Rail, Right
13									BRACE, Front Side Rail to Cowl Right
	4655 070	1							Right
	4655 071	1							Left
14									BRACKET, Engine Mount Lower, Left
	4655 083	1							Upper, Left
	4655 515	1							Upper, Left
15	4655 095	1							COVER, Front Side Rail Access
16									BRACKET, Suspension Crossmember Right
	4655 072	1							Right
	4655 073	1							Left
17	4655 833	2							BRACKET, Side Rail to Cowl
18	5256 686	1							REINFORCEMENT, Side Rail
19	5256 687	1							REINFORCEMENT, Side Rail Tie Down
-20	5256 905	1							BRACKET, Side Rail Crossmember
21									CROSSMEMBER, Front Suspension Manual
	4656 117	1	D, P						Manual
	4656 134	1	Z				42		Automatic Transaxle


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Frame, Front  
 Figure 013-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4656 116	1	D, P						Automatic Transaxle
	4656 135	1	Z		42				Manual Transmission
-22	4655 820	1							TAPPING PLATE
23	4655 763	1							REINFORCEMENT, Front Side Rail to Dash
-24	6503 855	2							SCREW AND WASHER, Hex Head, M12x1.75x40, Crossmember to Side Rail
-25	4783 004	2							RETAINER, Suspension
									Crossmember, Crossmember to Side Rail
-26	6101 760	1							SCREW AND WASHER, Hex Head, M10x1.5x80, Damper to Crossmember

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Frame, Rear  
 Figure 013-135


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 044	1							CROSSMEMBER, Rear Floor
2									CROSSMEMBER, Front Seat Retention, Serviced in Floor Pan Assembly, (NOT SERVICED) (Not Serviced)
3	4655 016	2							REINFORCEMENT, Bumper
4	4882 820	1							RAIL PACKAGE, Floor Pan Side Right
	4882 821	1							Left
-5	4655 307	2							T PLATE, Rear Rail Rear Suspension Sway Bar
6	4655 828	1							BRACKET, Exhaust Hanger Front Right
	4655 829	1							Front Left
7	4655 831	1							BRACKET, Exhaust Hanger
8	4655 672	2							CROSSMEMBER, Rear Suspension
9	4655 361	1							CROSSMEMBER, Rear Floor
10	4655 822	1							PLATE, Towing
11	4655 002	1							EXTENSION, Body Side Sill Right
	4655 003	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Fascia, Front  
Figure 013-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 003	1							REINFORCEMENT, Fascia
2	5263 818	2							BRACKET, Fascia
3	6500 898	6							RIVET, M4.95x25
4									FASCIA, Front, With Absorber
	4741 654	1	D, P	L					Mexican Market, Dealer Service
									Paint
		1	Z	H	42				Paint as Required, Smooth Finish
		1	Z	L	42				Paint as Required, Smooth Finish
		1	D, P	H					Paint as Required, Smooth Finish
	4897 643AA	1		S					w/ Fog Lamps
		1		H					w/ Fog Lamps
		1		L					Competition Pkg.
	PD14 RR4	1	D, P	H					Red, Grained [R4]
		1	D, P	L					Red, Grained [R4]
	PD14 RW7	1	D, P	H					White, Grained [W7]
		1	D, P	L					White, Grained [W7]
	PD14 RX8	1	D, P	H					Black, Grained [X8]
		1	D, P	L					Black, Grained [X8]
	PD14 SH1	1	D, P	H					Magenta, Grained [H1]
		1	D, P	L					Magenta, Grained [H1]
-5	5263 904	1							ABSORBER, Front Energy
6	6034 944	1							RIVET, Blind, .187x.54
7									BRACKET AND PIN, Front Bumper
									Fascia Slide
	5263 820	1							Right
	5263 821	1							Left
8	6035 204	4							SCREW, Tapping, .19-16x.75
9	5263 812	1							AIR DAM
10									SCREW, Hex Head, M8x1.25x30,
									(NOT SERVICED) (Not Serviced)
11									BRACKET, License Plate
	HV56 PD7	1	Z		42				Attaching Parts
	HV39 PD7	1	D, P						EUROPE
	HV56 PD7	1	D, P						BOLT, M8x1.25x30, (NOT
12									SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Fascia, Rear Figure 013-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5263 830	1							REINFORCEMENT, Fascia
-2	6100 051	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Reinforcement to Rail
3									FASCIA, Rear
	4741 656	1	D, P	H					Service Dealer Paint
		1	D, P	L					Service Dealer Paint
		1	D, P	S					Service Dealer Paint
	4741 657	1	Z	L	42				Service Dealer Paint
		1	Z	H	42				Service Dealer Paint
		1	Z	S	42				Service Dealer Paint
		1	D, P	L					EUROPE, Service Dealer Paint
		1	D, P	H					EUROPE, Service Dealer Paint
	PD15 RR4	1	D, P	S					EUROPE, Service Dealer Paint
		1	D, P	H					[R4] Grained
		1	D, P	L					[R4] Grained
	PD15 RW7	1	D, P	H					[W7] Grained
		1	D, P	L					[W7] Grained
	PD15 RX8	1	D, P	H					[X8] Grained
		1	D, P	L					[X8] Grained
	PD15 SH1	1	D, P	H					[H1] Grained
		1	D, P	L					[H1] Grained
	PD15 RC4	1	D, P	H					[C4] Grained
		1	D, P	L					[C4] Grained
-4	5263 929	1	D, P						ABSORBER, Rear Energy
-5	6503 768	2							PIN, Rear Fascia Foam
6									BRACKET, Fascia
	5263 822	1							Right
	5263 823	1							Left
7	6035 204	6							SCREW, Tapping, .19-16x.75
8	6030 441	2							PIN, Retainer
9	6034 701	6							SCREW, .250-14x.875
10									NUT, [.250-14], (NOT SERVICED)
									(Not Serviced)
11	3420 1358	2							NUT AND WASHER, Hex Nut-Sealing Washer, M6 x 1.00
12	5263 642	1							LICENSE PLATE KIT

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual




# Group – 014









Fuel



# Group – 014

Fuel

<b>014-900</b> Air Intake System	<b>014-1000</b> Speed Control	<b>014-1100</b> Accelerator Pedal	
			

<b>014-100</b> Tank, Fuel	<b>014-200</b> Fuel Tank Filler Tube	<b>014-300</b> Fuel Lines	<b>014-400</b> Fuel Rail
			
<b>014-500</b> Fuel Pump and Sending Unit	<b>014-600</b> Throttle Body	<b>014-700</b> Throttle Controls	<b>014-800</b> Air Cleaner
			




GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
<b>Tank, Fuel</b>	
Fuel Tank PL .....	Fig. 014-101
<b>Fuel Tank Filler Tube</b>	
Fuel Filler Tube PL .....	Fig. 014-201
<b>Fuel Lines</b>	
Fuel Lines PL .....	Fig. 014-301
<b>Fuel Rail</b>	
Fuel Rail PL .....	Fig. 014-401
<b>Fuel Pump and Sending Unit</b>	
Fuel Pump and Sending Unit PL .....	Fig. 014-501
<b>Throttle Body</b>	
Throttle Body PL .....	Fig. 014-601
<b>Throttle Controls</b>	
Throttle Controls PL .....	Fig. 014-701
<b>Air Cleaner</b>	
Air Cleaner PL .....	Fig. 014-801
<b>Air Intake System</b>	
Air Intake PL .....	Fig. 014-901
<b>Speed Control</b>	
Speed Control PL .....	Fig. 014-1001
<b>Accelerator Pedal</b>	
Accelerator Pedal PL .....	Fig. 014-1101



Fuel Tank PL  
Figure 014-101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5278 035	1							TANK, Fuel, Partial
2									STRAP, Fuel Tank
	4495 991	1							Left
	4495 992	1							Right
3	6502 863	1							SCREW AND WASHER, Hex Head, M8x1.25x35
-4	4546 886	1							CAP, Fuel Tank Drain



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Filler Tube PL  
Figure 014-201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: NAB=Leaded Fuel. ABD=Middle East Equipment.

1									TUBE, Fuel Filler w/Out ABD
	4546 922	1							ABD
	5278 007	1							
2	J536 0058	1							VALVE, Fuel Tank Rollover Safety
3	4669 141	1	D, P						HOSE, Fuel
-4									CLIP, Vapor Hose
	4546 670	2	Z			42			Right Hand Drive
		2	D, P						
5	4682 674AB	1							CAP, Fuel Filler
6	4546 944	1							TUBE, Vapor, .25x.25
7	4495 653	1							HOSE, Fuel Filler
8	6502 091	1							CLAMP, Hose
9	5256 943	1	D, P						HOUSING, Fuel Filler
10									SCREW, (NOT SERVICED) (Not Serviced)
-11	6032 147	1				ECB			CLAMP, Vent Tube
-12									LABEL, Unleaded Fuel Only
	4490 411	1	D, P						Canada
	4206 059	1							
-13	4669 474	1							GROMMET, Vapor Harness
14	4682 676	1							TETHER, Fuel Filler Cap


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Lines PL  
Figure 014-301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans.  
DD5=Manual Trans.


1	4546 678	1	Z		42				TUBE, Fuel Supply Right Hand Drive
	4546 695	1							Rear
2	4546 646	1	D, P						
	4546 954	1	D, P			ECC			TUBE, Fuel Supply Dual Overhead Cam
	4546 923	1	D, P			ECB			Single Overhead Cam
3	4546 965	1	Z		42	ECB			Right Hand Drive
	4443 176	1				ECB	DGC		HOSE, Fuel, .31 I.D. 50 Foot Roll
		1					DD4,		
4		1				ECC	DD5		
							DGC		CLIP, Tube
	4495 632	3	Z		42				
		3	D, P						
	4495 636	5	Z		42				
5		6	D, P						
	4546 674	1	Z		42				Front Rail
	4546 681	2	Z		42				Dash Export
	4546 680	1	Z		42				TUBE, Fuel Vapor
	4495 504	1	D, P						Right Hand Drive
-6	4495 782	2				EC0			CLAMP, Hose, 5/16" Stainless Steel
-7	5278 097AB-	1				EC0			ACCUMULATOR, Fuel
-8	4546 695	1							TUBE, Fuel Supply

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Fuel Rail PL Figure 014-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4798 399	1				ECB	DGC		RAIL, Fuel
	4773 166	1	D			ECC	DGC		Single Overhead Cam
		1	D			ECC	DD4, DD5		Dual Overhead Cam
	4798 399	1				ECB	DD4, DD5		Dual Overhead Cam
2	6101 506	2				ECB	DGC		BOLT AND CONED WASHER, M8x1.25x18
		2				ECB	DD4, DD5		
3	4418 257	4				ECB	DGC		CLIP, Fuel Injector
		4				ECB	DD4, DD5		
4	5277 919	4				ECB	DGC		O RING KIT, Fuel Injector
		4				ECB	DD4, DD5		
		4	D, P			ECC	DGC		
		4	D, P			ECC	DD4, DD5		
5	4669 471	4				ECB	DGC		INJECTOR, Fuel
		4				ECB	DD4, DD5		Single Overhead Cam
	5277 739	4	D, P			ECC	DGC		Single Overhead Cam
		4	D, P			ECC	DD4, DD5		Dual Overhead Cam
6									RETAINER PACKAGE, Quick Connect
	4762 643	1				ECB	DGC		
		1				ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual


Fuel Pump and Sending Unit PL  
Figure 014-501

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4798 485	1							MODULE KIT, Fuel Pump/Level Unit
2	4798 487	1							FILTER KIT, Fuel
3	4798 486	1							LEVEL UNIT KIT, Fuel
4	4546 692	1							SEAL, Fuel Pump and Level Unit
5	4546 610	1							FILTER, Fuel Pressure Regulator
6	5200 5389	1							NUT, Fuel Pump Module
-7									STRAP, Ground, (NOT REQUIRED)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Throttle Body PL  
Figure 014-601




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. NAA=Federal Emissions. NAE=California/or High Altitude. NAB= Leaded Fuel.									
1	THROTTLE BODY								
	4669 855	1				ECB	DGC		NAB
	4669 856	1	Z		42	ECB	DD5		
	4669 855	1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		NAA
	4669 856	1				ECB	DD4, DD5		NAB
		1	D, P			ECB	DD4, DD5		NAA
	4891 907AA	1	D			ECC	DGC		Automatic
	4669 857	1	D, P			ECB	DGC		NAE
	4891 908AA	1	D			ECC	DD4, DD5		Manual
2	SCREW AND WASHER, Hex Head, M8x1.25x60								
	6503 181	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
		2				ECB	DD4, DD5		
3	MOTOR, A.I.S.								
		2	D, P			ECB	DGC		
	4773 817	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
	4796 503	1				ECB	DGC		
-4	GASKET, Throttle Body								
	4667 360	1				ECB	DGC		
		1				ECB	DD4, DD5		
	4667 623	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
-5	SENSOR KIT, Throttle Position								
	4874 430	1				ECB	DGC		
		1				ECB	DD4, DD5		
	4874 433	1	D			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

## Throttle Body PL

### Figure 014-601

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D			ECC	DD4, DD5		



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005



Throttle Controls PL  
Figure 014-701

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans.  
DD5=Manual Trans.


1	4658 444	1							CLIP, Latch
2	4669 266	1				ECB			BRACKET, Throttle Control Cable
3	4287 736	1	D, P						RETAINER, Throttle Cable
4	4669 863	1				ECB	DGC		BRACKET, Cable
	4669 864	1				ECC	DGC		
	4669 498	1				ECB	DD4,		
	4669 509	1				ECC	DD5		
5	4669 445	1	Z		42		DD5		CABLE, Throttle Control
	4669 446	1	Z		42		DGC		
	4669 698	1	D, P				DD4,		
	4669 706	1	D, P				DD5		
6	5277 818	1					DGC		CABLE, Throttle Valve
7	5277 816	1					DGC		LEVER, Throttle Control
8	5214 416	1	D, P						GROMMET, Throttle Control Cable
9	4306 150	1	D, P						ISOLATOR, Throttle Cable
10	5212 384	1					DGC		NUT, Transmission Lever Bolt, M6x1.00
11	6100 154	1					DGC		BOLT, Hex Head, M8x25
-12	5277 817	1					DGC		BRACKET, Cable
-13	4669 492	1							SHIELD, Throttle Control
-14									SCREW AND WASHER, Hex Head, M6x1x16
	6501 755	1					DD4,		
		1					DD5		
							DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Air Cleaner PL Figure 014-801



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC= Automatic Trans. DD4=Manual Perf Trans. DD5=Manual Trans.									
1	4669 885	1							SHELL, Air Cleaner
2	5277 576	1							LATCH, Air Cleaner
3	4213 583	1							FILTER, Air
4									HOSE, Air Cleaner to T/Body
	4669 795	1				ECB			
	4669 796	1				ECC			
5									BRACKET, Air Cleaner
	4669 664	1				ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1				ECB	DD4, DD5		
6									GROMMET, Air Cleaner Bracket
	4669 665	2				ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
		2				ECB	DD4, DD5		
7									BOLT AND WASHER, Hex Head, M8x1.25x20
	6101 799	2				ECB	DGC		
		2	Z		42	ECB	DD5		
		2	Z		42	ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
		2				ECB	DD4, DD5		
8									CLAMP, Air Cleaner to T/Body
	6504 142	2				ECB			
		2				ECC			
9	4669 419	1							COVER, Air Cleaner
-10									SLEEVE, Grommet
	4669 666	2				ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

## Air Cleaner PL Figure 014-801



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-11	4669 688	2				ECB	DD4, DD5		BUMPER, Air Cleaner Mounting Bracket
		1				ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
-12	4669 764	1				ECB	DD4, DD5		CLIP, Transducer
		1				ECC			
-13	4777 157	1				ECB			HOSE, Air Make-up

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - TLE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

Air Intake PL  
Figure 014-901



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine.

1	4669 962	1				ECB			DUCT, Fresh Air
	4669 207	1	D, P			ECC			
2	4669 484	1							SHIELD, Throttle Body
3	6503 823	1							WINGNUT, M6-1.00
4	6504 241	1							STUD

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Speed Control PL  
Figure 014-1001




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4669 792	1					DGC		CABLE, Speed Control
	4669 793	1					DD4, DD5		
2	6025 867	1					DD4, DD5		CLIP, Cable
		1					DGC		
3	4669 582	1							HARNESS, Vacuum Speed Control
4	4306 994	1							TEE, Hose, .25x.25x.25
5	6502 493	1	D, P			ECB	DGC		NUT, Hex Flange Serration, M6x1
6	4874 874	1							RESERVOIR PACKAGE, Speed Control
7	4669 979	1					DD4, DD5		SERVO, Speed Control
8	6030 441	2							PIN, Retainer
9	4669 585	1							BRACKET, Speed Control Servo
10	6035 135	3							SCREW
-11	3780 508	1							HOSE, Vacuum, 1/8" I.D. 50 Foot Roll
-12	4104 272	1				ECB	DGC		TUBE, Roll Stock, .25 I.D.
-13	6100 840	2							NUT, Spring

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Accelerator Pedal PL  
Figure 014-1101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL AND BRACKET, Accelerator
	4669 794	1	D, P						
	4669 982	1	Z		42				
2	6500 274	2							LOCK NUT, M6x1.0x6
-3	4201 048	1	D, P						SEAL, Accelerator Shaft Bracket



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

# Group – 017

## Rear Suspension


### GROUP 17 - Rear Suspension

Illustration Title


Group-Fig. No.

#### Rear Suspension


Suspension, Rear ..... Fig. 017-105



017-100  
Rear Suspension



Suspension, Rear  
Figure 017-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code SDC= Firm Feel Suspension, Used Standard on H,S Series, Optional on L Series Neon.									
NOTE: Touring Suspension, Also Known as Firm Feel Suspension (SDC).									
NOTE: Sales Code ZAR Thru ZNV= Spring Group Types, Found on Individual Vehical Sales Code Listing.									
NOTE: Sales Code SDF= European Homologation Suspension									
NOTE: Sales Code SDK= Competition Suspension									
NOTE: Sales Code SDE= Sport Suspension									
1	4656 069	2	D, P						STRUT, Rear Suspension with Firm Feel Suspension (SDC) with Special Sport Suspension (SDE)
	4656 070	2	D						
	4656 071	2							with Special Sport Suspension, Europe (SDF)
	4656 196	2	D, P						with Competition Suspension, (SKD)
2	4626 210	4							WASHER, Strut
3	4626 184	2							BUMPER, Suspension Jounce
4	4626 201	2							SHIELD, Shock Absorber Dust
5	4626 757	2							ISOLATOR, Spring Seat
6	4656 281	1							SPRING, Rear Coil w/All Suspension (SDC, , SDF, SDK) (ZAR, ZNR) Tag #281
	4656 282	1							w/All Suspension (SDC, SDF, SDK) (ZAS, ZNS) Tag #282
	4656 283	1							w/All Suspension (SDC, SDF, SDK) (ZAT, ZNT) Tag #283
	4656 284	1							w/All Suspension (SDC, , SDF, SDK) (ZAU, ZNU) Tag # 248
	4656 335	1							w/All Suspension (SDC SDF, SDK) (ZAV, ZNV) Tag #335
7	4626 182	2							MOUNT, Strut
8	6501 094	2							NUT, Hex Lock, M14 x 2.00
9	6502 964	8							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
10	6503 542	4							NUT AND RETAINER, Hex Flange Locking, M14 x 2.00
11	4626 185	2							ARM, Lateral Adjustable
	4626 188	2							Non-Adjusting
12	6503 203	2							SCREW, Hex Head, M12x1.75x230. 50
13	6502 796	2							SCREW, Hex Head, M12x1.75x242
14	6503 253	6							WASHER, Flat, 12mm ID
15	4626 771	2							CAM, Alignment


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Suspension, Rear  
Figure 017-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6502 526	4							NUT, Hex Locking, M12x1.75
17	4626 196	8							BUSHING, Tension Strut
18	4626 309	4							RETAINER, Tension Strut
19	4626 262	1							BRACKET, Tension Strut Right
	4626 263	1							Left
20	6502 936	4							SCREW AND WASHER, Hex Head Pilot Point, M12x1.75x45
21	6502 765	4							BOLT, Hex Head, Strut To Knuckle
22	4773 957	4							BOLT PACKAGE, Camber Adjustment, Contains 2 Bolts, 2 Nuts
23	4626 193	2							KNUCKLE, Rear
24	4626 763	1							BAR, Rear Sway
25	4626 767	2							CUSHION, Sway Eliminator
26	4626 769	1							BRACKET, Stabilizer Bar Link Rear Sway Bar Left
	4626 768	1							Rear Sway Bar Right
27	4626 766	2							LINK, Sway Eliminator
28	6502 803	4							BOLT AND WASHER, Hex Head, M10x1.50x55
29	6502 696	2							NUT, Hex Flange Lock, M10x1.5
30	4626 765	1							BRACKET, Stabilizer Bar Link Rear Sway Bar Link Left
	4626 764	1							Rear Sway Bar Link Right
31									SCREW, with Washer M10x1.50x50. 00 (Not Serviced), (NOT SERVICED) (Not Serviced)
32	4626 189	2							STRUT, Rear Suspension
33	6501 247	2							NUT, M12x1.75

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE			TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005







# Group – 019

## Steering


### GROUP 19 - Steering

Illustration Title	Group-Fig. No.
<b>Steering Wheel</b> Wheel, Steering .....	Fig. 019-105
<b>Steering Column</b> Column, Steering, Upper and Lower .....	Fig. 019-205
<b>Steering Gear</b> Gear, Rack and Pinion .....	Fig. 019-305
<b>Steering Linkage</b> Tie Rod Ends .....	Fig. 019-410
<b>Power Steering Pump</b> Pump, Assembly and Mounting .....	Fig. 019-505
<b>Power Steering Hoses</b> Hoses, Power Steering .....	Fig. 019-705



<b>019-100</b> Steering Wheel	<b>019-200</b> Steering Column	<b>019-300</b> Steering Gear	<b>019-400</b> Steering Linkage
			
<b>019-500</b> Power Steering Pump	<b>019-700</b> Power Steering Hoses		
			

Wheel, Steering  
Figure 019-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code DBB= All Manual Trans.									
Note: Sales Code DGO= All Auto. Trans.									
-1	4664 197	1							DAMPER, Steering Wheel
2									AIR BAG, Driver
	QG75 LAZAB	1							Agate After 9-30-96
	QG75 SKBAB	1							Dark Camel Tan After 9-30-96
	QG75 LAZ	1							Agate Up to 9-30-96
	QG75 SKB	1							Dark Camel Tan Up to 9-30-96
3									WHEEL, Steering
	JF56 SKB	1							Standard Base Dark Camel Tan
	JF56 TAZ	1							Standard Base Agate
	JF82 SKB	1							Dark Camel Tan with Leather Wrapped
	JF82 TAZ	1							Agate with Leather Wrapped
4	6500 906	1					DBB		NUT, Hex Flange Lock
5									CAP, Steering Wheel
	HY38 SKB	1	P						Right Dark Camel Tan with out Speed Control P-22
		1	P						Right Dark Camel Tan with out Speed P-42Control
	HY38 TAZ	1	D						Right Agate with out Speed Control D-42
	HY38 SKB	1	D						Right Dark Camel Tan with out Speed control D-22
		1	D						Right Dark Camel Tan with out Speed Control D-42
		1	Z						Right Dark Camel Tan with out Speed Control Z-42
	HY38 TAZ	1	P						Right AGate with out Speed Control P-22
		1	P						Right Agate with out Speed P- 42Control
		1	Z						Right Agate with out Speed Control Z-42
	HY39 SKB	1	P						Left Dark Camel Tan with out Speed Control P-22
	HY38 TAZ	1	D						Right Agate with out Speed Control D-22
	HY39 SKB	1	D						Left Dark Camel Tan with out Speed Control D-22
		1	D						Left Dark Camel Tan with out D- 42Speed Control

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DGO = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wheel, Steering  
Figure 019-105


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z						Left Dark Camel Tan with out Z-42Speed Control
		1	P						Left Dark Camel Tan with out Speed Control P-42
	HY39 TAZ	1	D						Left Agate with out Speed D-42Control
		1	P						Left Agate with out Speed Control P-22
		1	D						Left Agate with out Speed Control D-22
		1	P						Left Agate with out Speed Control P-42
		1	Z						Left Agate with out Speed Control Z-42
-6	PW68 SKB	1							SWITCH, Speed Control Dark Camel Tan with Speed Control (on/Off)
	PW68 TAZ	1							Agate with Speed Control (On/Off)
	PW69 SKB	1							Dark Camel Tan with Speed Control (Set/Resume)
	PW69 TAZ	1							Agate with Speed Control (Set/Resume)
7	6503 656	2							SCREW
8	4793 483	1							CLOCKSPRING Without Speed Control (Three Circuit) Up to 9-30-96
	4793 483AB	1							Without Speed Control (Three Circuit) After 9-30-96
	4793 485	1							With Speed control (Five Circuit) Up to 9-30-96
	4793 485AB	1							With Speed control (Five Circuit) After 9-30-96
9	6034 779	4							SCREW, Pan Head, .164-32x.50
10	QM01 SKB	1							COVER, Steering Wheel Back Dark Camel Tan
	QM01 TAZ	1							Agate
-11	4783 054	1							LABEL, Airbag, Warning English
-12	4664 164	1							LABEL, Air Bag Warning, European

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Column, Steering, Upper and Lower Figure 019-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Coupling Assembly Lower See Rack and Pinion Note: Sales Code= ABB European Market Requirements Note: Sales Code= ABU United Kingdom Market Requirements Note: Sales Code= DBB All Manual Trans. Note: Sales Code= DG0 All Auto. Trans.									
1	4690 495	1	D, P				DG0		COLUMN, steering, non tilt
	4690 494	1	D, P				DBB		
-2	4690 492	1					DBB		COLUMN, Steering, Tilt
	4690 492AC-	1					DBB		Up to 10-28-96
	4690 493	1					DG0		After 10-28-96
	4690 493AC-	1					DG0		Up to 10-28-96
							DG0		After 10-28-96
-3	4470 934	1					DBB		COUPLING, Steering, Upper
									Steering
-4	5291 069	1	Z						LINER, Steering Column Cover
	5291 172	1	D, P						with Tilt
-5	4147 362	1					DBB		BEARING, Steering Column Shaft
6	LG14 TAZ	1	P				DG0		SHROUD, Lock Housing
		1	P				DG0		upper and Lower AgateP-22
	LG14 TKB	1	D				DG0		Upper and Lower . Agate P-42
		1	D				DG0		Upper and Lower Dark Camel Tan
	LG14 TAZ	1	D				DG0		D-42
		1	D				DG0		Upper and Lower . Agate D-22
		1	D				DG0		Upper and Lower Agate D-42
		1	Z				DG0		Upper and Lower Agate Z-42
	LG14 TKB	1	P				DG0		Upper and lower . Dark P-22Camel
									Tan
	LG15 TAZ	1	D				DBB		Upper and Lower agate D-22
		1	D				DBB		Upper and Lower Agate D-42
		1	Z				DBB		Upper and Lower Agate Z-42
	LG14 TKB	1	D				DG0		Upper and Lower Dark Camel Tan
									D-22
		1	P				DG0		Upper and Lower . Dark Camel
									Tan P-42
	LG15 TAZ	1	P				DBB		Upper and Lower . Agate P-22
	LG15 TKB	1	D				DBB		Upper and Lower . Dark Came Tan
									D-22
		1	D				DBB		Upper and Lower Dark Came Tan
									D-42
		1	P				DBB		Upper and Upper Dark Came Tan
									P-22

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Column, Steering, Upper and Lower Figure 019-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LG15 TAZ	1	P				DBB		Upper and Lower . Agate P-42
	LG15 TKB	1	P				DBB		Upper and Lower Dark Camel Tan P-42
		1	Z				DBB		Upper and Lower . Dark Camel Tan Z-42
7	4793 150	1							SWITCH, Multifunction
-8	4793 313	1							SWITCH, Intermittent Wiper
9	6503 395	2							SCREW AND WASHER, Self Tapping, M4x.7x14
10	6503 182	4							NUT AND WASHER, Hex Lock Nut-Coned Teeth Washer, M8 x 1.25
11	6502 413	1							BOLT, Special Head Locking, M8x1.25x42.50
12	6034 206	1							PIN, Hair, .250 Dia x.766x.059
13	6034 978	4							SCREW, Hex Flange Head Tapping, .19-16x1.00, Cover
14	4664 181	1							SEAL, Dash Cover To Coupling
-15									BUTTON, Gearshift Knob, Ignition Key Remote w/Manual Trans. (Service in Column), (NOT SERVICED) (Not Serviced)
-16									SHROUD, Lock Housing, Upper (Service in Item 6), (NOT SERVICED) (Not Serviced)
-17									LEVER, Tilt (Service in Column), (NOT SERVICED) (Not Serviced)
-18									CABLE PACKAGE, Ignition, Auto TransAxle Shifter Ignition Inter-Lock (See Group 21), (NOT SERVICED) (Not Serviced)
19									COVER, Steering Column
	4664 123	1	D, P						
	4664 157	1	Z						
-20	4690 327	1					DBB		O RING, Tilt Handle Damper
21	6035 434	3							SCREW AND WASHER, Pan Head, Shroud Mounting
22	5274 442	1							SHIELD, Steering Coupling
-23	4690 023	2					DG0		SCREW, Pan Head, .25-20x.62, Lock Housing

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear, Rack and Pinion  
Figure 019-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code: SBA= Standard Power Steering  
Note: Sales Code SBB= Firm Feel Power Steering  
Note: Sales Code DBB= All Manual Trans.  
Note: Sales Code ECB= 2.0L 4 Cyl. SOHC 16 Valve

1									GEAR, Power Steering
	4626 890	1	D, P						with Standard Power Steering Up to 10-14-96
	4626 867	1	Z			ECB			
	4626 971	1	D, P						with Firm Feel Power Steering
	4897 187AA	1	D, P						with Standard Power Steering (SBA) After 10-14-96
2									END PACKAGE, Tie Rod
	4762 861	1	Z			ECB			with Jam Nut
		1	D, P						with Jam Nut
3									JAM NUT, Outer Tie Rod
	4762 860	1	D, P						
		1	Z			ECB			
4	4626 648	1							BRACKET, Steering Gear
5	3643 471	1							BUSHING, Steering Gear
6	4664 174	1	D, P						COUPLING, Steering, Lower Gear to Column
-7	4664 211	1	Z						COUPLING, Power Steering Pump
8	6503 985	1					DBB		PIN, Spring, M8.4x30x1.60
9	6501 866	4							BOLT AND WASHER, Rack and Pinion Mounting, M10x1.50x50.00
10	6503 046	2							NUT, Hex Lock, M12 x 1.25
11	4626 650	1							BRACKET, Steering Gear, Lower
12	5274 442	1							SHIELD, Steering Coupling
-13									SWITCH, Power Steering
	5269 625	1	Z			ECB			
		1	D, P						


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tie Rod Ends  
Figure 019-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code: ECB= 2.0L 4 Cyl. SOHC 16 Valve									
1	4762 860	1	Z			ECB			JAM NUT, Outer Tie Rod
		1	D, P						
2	4762 861	1	Z			ECB			END PACKAGE, Tie Rod
		1	D, P						with Jam Nut
3	6503 046	2							with Jam Nut
									NUT, Hex Lock, M12 x 1.25



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



### Pump, Assembly and Mounting Figure 019-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PUMP, Power Steering
	4626 897	1	D, P						
	4626 834	1	Z						
2	4668 172	1							BRACKET, Power Steering Pump
3	6101 524	2							BOLT AND WASHER, Hex Head, M10x1.5x30
4	6101 462	3							SCREW AND WASHER, Hex Head, M8x1.25x30
5	4612 242	1							PULLEY, Power Steering Pump
6	4612 133	1							BRACKET, Power Steering Pump



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

# Hoses, Power Steering Figure 019-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Code									
[ECB]=2.0L 4 Cyl. SOHC 16 Valve									
[ECC]=2.0L 4 Cyl. DOHC 16 Valve									
[EBD]=1.8L 4 Cyl. SOHC 16 Valve									
[DGC]=3 Sp. Auto Trans.									
[ACR]=COMPETITION GROUP									
1	4626 753	1	D, P			ECC			RESERVOIR, Power Steering Pump
	4626 846	1	D, P			ECB			Dual Overhead Cam Rear Exhaust
	4626 849	1	Z			ECB			Single Overhead Cam
2	4798 280	1	Z			ECB			CAP, Power Steering Reservoir
	4695 775	1	D, P			ECB			
3	6504 174	3	D, P			ECB			SCREW, Hex Flange Head, M8x1.25x23, Single Overhead Cam
-4	6035 017	3	Z			ECB, ECC			SCREW, Hex Flange Head, .25-14x1.00, Reservoir Mounting Z-42
-5	6504 175	2	D, P			ECC			NUT AND WASHER, Hex, M8x1.25, Reservoir Mount Dual Overhead Cam Rear Exhaust
6	4626 889	1	Z			ECB			HOSE, Power Steering Pressure
	4626 755	1	D, P			ECC			Dual Overhead Cam Rear Exhaust
	4656 087	1	D, P			ECB			Single Overhead Cam
-7	4626 848	1	Z			ECB			BRACKET, Power Steering
	4626 882	1	Z			ECB			Mount Reservoir Assembly
8	4626 888	1	Z			ECB			Hold Down
9	4361 097	1	Z			ECB			BOLT, Banjo, Power Steering Hose
		1	D, P			ECC			O RING, Power Steering Banjo Fitting
10	4626 832	1	D, P			ECB			HOSE, Power Steering Pressure
	4626 754	1	D, P			ECC			Single Overhead Cam
-11	4626 878	1	Z			ECB			Dual Overhead cam Rear Exhaust
12	4626 891	1	Z			ECB			HOSE, Pump Supply
	4626 896	1	D, P			EC0			HOSE, Power Steering Return
13	6503 270	1							SCREW, Hex Head, M8x1.25x30, Bracket Mounting
14									SWITCH, Power Steering

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Hoses, Power Steering  
Figure 019-705

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5269 625	1	Z			ECB			
15	5274 438	1	D, P			EC0			BRACKET, Power Steering Hose
16	6503 422	4				ECB	DGC		CLAMP, Supply Hose, 26 mm Diameter
-17	4626 880	1	Z			ECB			INSERT, Rubber Grommet
18	4626 691	1	Z			ECB			O RING, Power Steering Hose with 4 Tabs 17.475 ID 1.60 Thick
		1	D, P			ECC			with 4 Tabs 17.475 ID 1.60 Thick
19									HOSE, Power Steering Return
	4626 686	1	D, P			EC0			
	4626 921	1	Z			ECB			
20									O RING, Power Steering Hose
	5205 254	1	D			ECC			
		1	P			ECC			
		1	Z			ECB			
-21	4626 998AB-	1				EC0			CLIP, Power Steering Tube, After 11- 15-96
22	4626 694	1	D, P			ECB			CLIP, Power Steering Tube
23	6034 853	1	D, P			EC0			CLAMP, Hose
		1	Z			ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DGO = All Automatics			
				DBB= All 5 Speed Manual			


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Group – 31TH

## Automatic Transaxle 3 Speed



<b>31TH-100</b> Transaxle Assembly	<b>31TH-200</b> Case and Extension	<b>31TH-300</b> Oil Pump	<b>31TH-400</b> Gear Train
<b>31TH-500</b> Bands, Reverse and Kickdown	<b>31TH-600</b> Governor	<b>31TH-700</b> Valve Body	<b>31TH-800</b> Differential

# Group – 31TH

## Automatic Transaxle 3 Speed


<b>31TH-1200</b> Gearshift Controls			
--	--	--	--

GROUP 31TH - Automatic Transaxle 3 Speed

Illustration Title	Group-Fig. No.
<b>Transaxle Assembly</b>	
Transaxle Assembly, (DGC) .....	Fig. 31TH-120
<b>Case and Extension</b>	
Transaxle Mounting and Misc. Parts ,(DGC) .....	Fig. 31TH-203
Case, Extension and Retainer, (DGC) .....	Fig. 31TH-215
<b>Oil Pump</b>	
Pump, Oil With Reaction Shaft. (DGC) .....	Fig. 31TH-320
<b>Gear Train</b>	
Clutch, Rear and Input Shaft , (DGC) .....	Fig. 31TH-415
Shaft, Transfer ,(DGC) .....	Fig. 31TH-425
Clutch, Front, (DGC) .....	Fig. 31TH-435
Gears, Front Annulus and Sun, (DGC) .....	Fig. 31TH-445
Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC) .....	Fig. 31TH-460
<b>Bands, Reverse and Kickdown</b>	
Bands, Reverse and Kickdown, (DGC) .....	Fig. 31TH-520
<b>Governor</b>	
Governor , (DGC) .....	Fig. 31TH-620
<b>Valve Body</b>	
Valve Body, (DGC) .....	Fig. 31TH-715
Servos, Accumulator Piston and Springs, (DGC) .....	Fig. 31TH-725
Parking Sprag, (DGC) .....	Fig. 31TH-740
<b>Differential</b>	
Differential, (DGC) .....	Fig. 31TH-820
<b>Gearshift Controls</b>	
Controls, Gearshift, Floor Shaft, (DGC) .....	Fig. 31TH-1201



Transaxle Assembly, (DGC)  
Figure 31TH-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: SALES CODES: DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL SOHC									
ECC = 2.0L 4 CYL DOHC									
1									TRANSAXLE PACKAGE, WITH TORQUE CONVERTER
	4883 102	1				ECC	DGC		Production No. 4659960
	4883 103	1	D, P			ECB	DGC		Production No. 4659962
	4883 104	1	Z			ECB	DGC		Production No. 4659870
		1	D, P			ECB	DGC		European-Production No.
									4659870
-2	4796 384	1					DGC		CONVERTER PACKAGE, Torque

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

**Transaxle Mounting and Misc. Parts ,(DGC)  
Figure 31TH-203**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 Cyl - SOHC									
ECC = 2.0L 4 Cyl - DOHC									
1	4670 323	1					DGC		LEVER, Manual Control
2	4567 147	1					DGC, DGL		COVER, Transaxle Converter
3	6501 755	1					DGC		SCREW AND WASHER, Hex Head, M6x1x16
4	6503 244	1				ECB	DGC		STUD
5	6501 164	2				ECB	DGC		SCREW, Hex Head, M12x1.75x50
6	4670 198	1					DGC		INDICATOR, Transmission Fluid Level
7	6101 752	2					DGC		SCREW AND WASHER, Hex Head, M10x1.5x28
8	4670 315	1					DGC		TUBE, Transmission Oil Filler
9	5210 7671	1					DGC, DGL		SEAL, Oil Filler Tube
10	2408 143	1	D, P			ECB	DGC		WASHER, Switch
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
11	3747 361	1	Z			ECB	DGC		SWITCH, Neutral, Safety, Back Up
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
12	6030 035	7	Z			ECB	DGC		PLUG, Pressure Check
		7	D, P			ECB	DGC		
		7	D, P			ECB	DGC		Europe
		7				ECC	DGC		
13	4531 202	2	Z			ECB	DGC		CONNECTOR, Oil Cooler Hose
		2	D, P			ECB	DGC		Europe
		2				ECC	DGC		
		2	D, P			ECB	DGC		
14	5240 849	2	D, P			ECB	DGC		DOWEL, Block To Clutch Housing
		2	D, P			ECC	DGC		
15	4670 196	1					DGC, DGL		COVER, Transaxle Converter

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Transaxle Mounting and Misc. Parts ,(DGC)  
Figure 31TH-203



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									COLLAR, Structural, Oil Pan To Transmission, (NOT REQUIRED)
17	4668 118	1					DGC		STRUT, Engine Roll
18									SCREW AND WASHER, Hex Head, M10x1.5x25
	6101 503	1	Z						
		1					DGC		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
EBD = 1.8L 4 Cyl - SOHC									
ECB = 2.0L 4 CYL SOHC									
ECC = 2.0L 4 CYL DOHC									
-1									GASKET AND SEAL PACKAGE, Transaxle
	4798 152	1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-2									OVERHAUL PACKAGE, Transaxle
	4798 215	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3									BOLT, Hex Head, M8x1.25x16
	6501 474	10	Z			ECB	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
		2				ECC	DGC		
4									PAN, Transaxle Differential Oil
	4659 738	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
5									CUP, Differential Side Bearing
	4659 237	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
6									SPACER, Final Drive, 0.98mm
	4659 257	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-7									SPACER, Final Drive, 1.02mm
	4659 258	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-8									SPACER, Final Drive, 1.06mm
	4659 259	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-9	4659 260	AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.10mm
		AR	D, P			ECB	DGC		Europe
-10	4659 261	AR	Z			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		SPACER, Final Drive, 1.14mm
		AR				ECC	DGC		Europe
-11	4659 262	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-12	4659 263	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.22mm
		AR				ECC	DGC		Europe
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
-13	4659 264	AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		SPACER, Final Drive, 1.26mm
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		Europe
-14	4659 265	AR	Z			ECB	DGC		SPACER, Final Drive, 1.30mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-15	4659 266	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.34mm
		AR	Z			ECB	DGC		Europe
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-16	4659 267	AR	Z			ECB	DGC		SPACER, Final Drive, 1.38mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-17									SPACER, Final Drive, 1.42mm

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 268	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-18									SPACER, Final Drive, 1.46mm
	4659 269	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-19									SPACER, Final Drive, 1.50mm
	4659 270	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-20									SPACER, Final Drive, 1.54mm
	4659 271	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-21									SPACER, Final Drive, 1.58mm
	4659 272	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-22									SPACER, Final Drive, 1.62mm
	4659 273	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR				ECC	DGC		
-23									SPACER, Final Drive, 1.66mm
	4659 274	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-24									SPACER, Final Drive, 1.70mm
	4659 275	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR				ECC	DGC		
-25									SPACER, Final Drive, 2.02mm
	4659 283	AR	Z			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
AR						ECC	DGC		
-26	4659 284	AR	Z			ECB	DGC	SPACER, Final Drive, 2.06mm	
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC	Europe	
AR						ECC	DGC		
27	4659 290	1	Z			ECB	DGC	DAM, Differential Extension Oil	
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC	Europe	
		1				ECC	DGC		
28								RETAINER, Transmission Differential Bearing	
	4329 829	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC	Europe	
-29	6500 511	4	Z			ECB	DGC	SCREW, Flange Head, M8x1.25x33	
		4				ECC	DGC		
		4	D, P			ECB	DGC		
		4	D, P			ECB	DGC	Europe	
30	4412 522AB	1	D, P			ECB	DGC	SEAL	
		1	Z			ECB	DGC		
		1				ECC	DGC		
31	4659 342	1	Z			ECB	DGC	COVER, Transaxle Rear	
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC	Europe	
-32	6501 474	10	D			ECB	DGC	BOLT, Hex Head, M8x1.25x16	
		10	Z			ECB	DGC		
		10	D			ECB	DGC	Europe	
		2				ECC	DGC		
33								SEAL, Manual Lever Shaft	
	3878 447	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC	Europe	
34								PAN, Transmission Oil	
	4471 573	1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)  
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
-35	4446 728	1	Z			ECB	DGC		MAGNET, Transmission
		1				ECC	DGC		
		1	D, P			ECB	DGC		
36	6501 474	12	Z			ECB	DGC		BOLT, Hex Head, M8x1.25x16
		2	D, P			ECB	DGC		
		2				ECC	DGC		
37	4797 713	1				ECC	DGC		CASE, Transmission
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-38	6100 994	1	Z			ECB	DGC		DOWEL, M6x16
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
39	4567 022	1				ECC	DGC		BEARING CUP, Differential
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
40	4567 494	1	Z			ECB	DGC		RETAINER, Transmission Extension Oil
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
41	4549 219	1	D			ECB	DGC		EXTENSION PACKAGE, Transmission Rear
		1	D			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
-42	6500 511	4				ECC	DGC		SCREW, Flange Head, M8x1.25x33
		4	Z			ECB	DGC		
43	4412 522AB	1				ECC	DGC		SEAL

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

**Figure 31TH-215**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DGC		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**BODGE - TE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

# Pump, Oil With Reaction Shaft. (DGC) Figure 31TH-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4412 525	1	Z			ECB	DGC		PUMP, Transmission Oil
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
2	4567 026	1	Z			ECB	DGC		THRUST WASHER, Oil Pump
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3	5212 305	2	Z			ECB	DGC		SEAL, Pump Reaction Shaft
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
4	6500 211	6	Z			ECB	DGC		BOLT, Hex Head, M8x1.25x19
		6	D, P			ECB	DGC		
5	4269 661	1				ECC	DGC		GASKET, Transmission Oil Pump
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6	6501 106	7	Z			ECB	DGC		SCREW AND WASHER, Hex Flange Head, M8x1.25x25
		7	D, P			ECB	DGC		
		7	D, P			ECB	DGC		Europe
		7				ECC	DGC		
7	4659 945	1	D, P			ECB	DGC		SEAL, Oil Pump
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
8	2466 796	1	Z			ECB	DGC		BUSHING, Front Pump
		1	D			ECB	DGC		
		1				ECC	DGC		
9									SEAL, Impeller Hub, 57.25mm OD

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Pump, Oil With Reaction Shaft. (DGC)  
Figure 31TH-320**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 475	1				ECC	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		



**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

DODGE - PLYMOUTH - CHRYSLER NEON (FL)		
SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**



# Clutch, Rear and Input Shaft , (DGC) Figure 31TH-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH ECB = 2.0L 4 CYL SOHC ECC = 2.0L 4 CYL DOHC									
1	4377 047	3	Z			ECB	DGC		SEAL, Input Shaft
		3				ECC	DGC		
		3	D, P			ECB	DGC		
		3	D, P			ECB	DGC		Europe
2	4348 397	1	Z			ECB	DGC		INPUT SHAFT, Transaxle
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3	4269 593	1	Z			ECB	DGC		SEAL, Rear Clutch Retainer, 1.75 OD
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
4	5205 680	1	Z			ECB	DGC		THRUST WASHER, Rear Clutch
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
5	4348 856	1	Z			ECB	DGC		RETAINER, Transmission Rear Clutch
6	5205 691	1	D, P			ECB	DGC		SNAP RING, Input Shaft
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
7	5224 039	AR	Z			ECB	DGC		THRUST WASHER, Output Shaft, 1.98-2.03mm
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
-8	5224 040	AR	Z			ECB	DGC		THRUST WASHER, Output Shaft, 2.16-2.21mm
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Clutch, Rear and Input Shaft , (DGC) Figure 31TH-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-9									THRUST WASHER, Output Shaft, 2.34-2.39mm
	5224 041	AR	Z			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
10	5212 373	1	D			ECB	DGC		SEAL, Rear Clutch Piston Inner
		1	D			ECB	DGC		Inner, Europe
		1	Z			ECB	DGC		Inner
		1				ECC	DGC		Inner
11	4207 202	1	Z			ECB	DGC		PISTON, Clutch Rear
		1				ECC	DGC		Rear
		1	D, P			ECB	DGC		Rear
-12	0147 483	1	Z			ECB	DGC		CHECK BALL, Dia-.187
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1				ECC	DGC		
13	5205 701	1	Z			ECB	DGC		SEAL, Rear Clutch Piston Outer
		1				ECC	DGC		Outer
		1	D, P			ECB	DGC		Outer
		1	D, P			ECB	DGC		Outer, Europe
14	4269 623	1	Z			ECB	DGC		SPRING, Rear Clutch Piston
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
15	4207 265	1	Z			ECB	DGC		SPRING, Rear Clutch Wave
		1				ECC	DGC		Wave
		1	D, P			ECB	DGC		Wave
		1	D, P			ECB	DGC		Wave, Europe
16	4269 618	1	Z			ECB	DGC		PLATE, Transmission Clutch Reaction
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
17									PLATE, Transmission Clutch Reaction

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Clutch, Rear and Input Shaft , (DGC) Figure 31TH-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4659 378	3	Z			ECB	DGC		Europe DISC, Clutch
		3				ECC	DGC		
		3	D, P			ECB	DGC		
		3	D, P			ECB	DGC		
19	4659 191	4	Z			ECB	DGC		Europe PLATE, Transmission Clutch Reaction
		4				ECC	DGC		
		4	D, P			ECB	DGC		
		4	D, P			ECB	DGC		
20	4269 619	1	Z			ECB	DGC		Europe SNAP RING
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
1942 421	1942 421	AR	D, P			ECB	DGC		.060 - .062 Inch Thick
		AR	Z			ECB	DGC		.060 - .062 Inch Thick
		AR				ECC	DGC		.060 - .062 Inch Thick
		AR				ECB	DGC		.060 - .062 Inch Thick
4130 774	4130 774	AR	Z			ECB	DGC		.074 - .076 Inch Thick
	1942 421	AR	D, P			ECB	DGC		.060 - .062 Inch Thick, Europe
	4130 774	AR	D, P			ECB	DGC		.074 - .076 Inch Thick
		AR				ECC	DGC		.074 - .076 Inch Thick
4130 775	4130 775	AR	D, P			ECB	DGC		.087 - .089 Inch Thick
	4130 774	AR	D, P			ECB	DGC		.074 - .076 Inch Thick, Europe
	4130 775	AR	Z			ECB	DGC		.087 - .089 Inch Thick
		AR				ECC	DGC		.087 - .089 Inch Thick
4269 670	4269 670	AR	D, P			ECB	DGC		.087 - .089 Inch Thick, Europe
		AR	Z			ECB	DGC		.048 - .050 Inch Thick
		AR				ECC	DGC		.048 - .050 Inch Thick
		AR				ECB	DGC		.048 - .050 Inch Thick

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Shaft, Transfer ,(DGC) Figure 31TH-425



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4CYL SOHC									
ECC = 2.0L 4CYL DOHC									
1	4659 624	1				ECC	DGC		SHAFT, Transfer Gear
	4659 626	1	Z			ECB	DGC		20 Teeth, With 3.19 Ratio
		1	D, P			ECB	DGC		21 Teeth, With 2.98 Ratio
		1	D, P			ECB	DGC		21 Teeth, With 2.98 Ratio, Europe
2	4567 025	1	D			ECB	DGC		BEARING
		1	Z			ECB	DGC		
		1				ECC	DGC		
3	4567 022	1				ECC	DGC		BEARING CUP, Differential
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4	6500 169	1	Z			ECB	DGC		O RING, Transfer Shaft Bearing
		1				ECC	DGC		Retainer, ATX
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
5	4269 688	1	Z			ECB	DGC		RETAINER, Bearing
		1				ECC	DGC		
		1	D			ECB	DGC		
6	5212 353	1	Z			ECB	DGC		SNAP RING
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
7	5212 371	1	Z			ECB	DGC		RETAINER, Transmission Governor
		1				ECC	DGC		Support
		1	D			ECB	DGC		
8	4567 022	1				ECC	DGC		BEARING CUP, Differential
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
9									BEARING

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Shaft, Transfer ,(DGC) Figure 31TH-425



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 025	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
10									SPACER, Transfer Shaft, 0.94mm(.037")
	4207 166	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-11									SPACER, Transfer Shaft, 0.99mm(.039")
	4207 167	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
-12									SPACER, Transfer Shaft, 1.04mm(.041")
	4207 168	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-13									SPACER, Transfer Shaft, 1.09mm(.043")
	4207 169	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-14									SPACER, Transfer Shaft, 1.14mm(.045")
	4207 170	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-15									SPACER, Transfer Shaft, 1.19mm(.047")
	4207 171	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-16									SPACER, Transfer Shaft, 1.24mm(.051")
	4207 172	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-17									SPACER, Transfer Shaft, 1.29mm(.052")
	4207 173	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-18									SPACER, Transfer Shaft, 1.34mm(.053")
	4207 174	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-19									SPACER, Transfer Shaft, 1.39mm(.055")
	4207 175	1	D, P			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Shaft, Transfer ,(DGC) Figure 31TH-425



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DGC		
-20									SPACER, Transfer Shaft, 1.84mm(.072")
	4207 176	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-21									SPACER, Transfer Shaft, 2.29mm(.090")
	4207 177	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
22									GEAR PACKAGE, Output And Transfer Shaft
	4773 281	1	D			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
23	5222 010	1	Z			ECB	DGC		WASHER, Output Shaft
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
24	5222 009	1	Z			ECB	DGC		NUT, Hex, M20x1.5
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
25	4567 336	2	Z			ECB	DGC		STIRRUP, Retainer Nut
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
26	4659 134	2	D, P			ECB	DGC		STRAP, Retaining
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
27	6503 355	4	D, P			ECB	DGC		BOLT, Hex Head, M8x1.25x10.00
		4	Z			ECB	DGC		
		4				ECC	DGC		
		4	D, P			ECB	DGC		Europe

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Clutch, Front, (DGC)  
Figure 31TH-435



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL SOHC									
ECC = 2.0L 4 CYL DOHC									
1									RETAINER, Transmission Front Clutch
	4348 854	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
2									SEAL, Front Clutch Piston
	5205 670	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3									PISTON, Clutch
	4348 855	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
4									SEAL, Front Piston Clutch
	4058 487	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D			ECB	DGC		
		1	D, P			ECB	DGC		Europe
5									PLATE, Transmission Clutch Reaction
	4659 379	4	Z			ECB	DGC		
		4				ECC	DGC		
		4	D, P			ECB	DGC		
6									DISC, Direct Clutch
	4567 887	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4				ECC	DGC		
7									PLATE, Transmission Clutch Reaction
	4348 888	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
8									SPRING, Front Clutch
	4207 227	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
9									RETAINER, Differential

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

### Clutch, Front, (DGC) Figure 31TH-435



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5205 673	1	Z			ECB	DGC		Front Clutch Spring
		1				ECC	DGC		Front Clutch Spring
		1	D, P			ECB	DGC		Front Clutch Spring
		1	D, P			ECB	DGC		Front Clutch Spring, Europe
									SNAP RING
11	5205 674	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
									SNAP RING
	4659 652	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**



# Gears, Front Annulus and Sun, (DGC) Figure 31TH-445



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	5222 022	1	Z			ECB	DGC		SNAP RING
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
2	5222 493	1	Z			ECB	DGC		THRUST WASHER, Annulus Gear
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3	5224 079	2	Z			ECB	DGC		SNAP RING
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
4	5224 070	1	D, P			ECB	DGC		SUPPORT, Annulus Gear
		1	Z			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		Europe
5	4269 620	1	Z			ECB	DGC		GEAR, Front Annulus
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
6									THRUST WASHER, Planetary
	4659 163	2	D, P			ECB	DGC		Carrier
		2				ECC	DGC		
7									CARRIER, Planetary Pinion
	4659 141	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
8	4567 133	1	Z			ECB	DGC		GEAR, Sun
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
9									SPACER, Sun Gear

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Gears, Front Annulus and Sun, (DGC) Figure 31TH-445



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5224 236	1	Z			ECB	DGC		Europe PLATE, Transmission Module
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
11	5205 737	1	Z			ECB	DGC		Europe SHELL, Sun Gear
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
12	4207 195	1	Z			ECB	DGC		Europe SNAP RING, Sun Gear Shell
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
	5205 739	1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC)  
 Figure 31TH-460

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4348 932	1	Z			ECB	DGC		OUTPUT SHAFT, Rear Axle
-2	5205 691	1				ECC	DGC		Europe SNAP RING, Input Shaft
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
3	5205 724	1	Z			ECB	DGC		Europe THRUST WASHER, Planetary Carrier
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
4	4659 414	1	Z			ECB	DGC		Europe CARRIER, Planetary Pinion
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
5	5222 047	1	Z			ECB	DGC		Europe GEAR, Rear Annulus
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
6	4659 545	1	D			ECB	DGC		Europe DRUM, Automatic Transmission
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
-7	5222 137	1	Z			ECB	DGC		FITTING, Reducer
		1				ECC	DGC		
		1	D, P			ECB	DGC		
8	4186 886	8	Z			ECB	DGC		SRING AND ROLLER PACKAGE, Overrunning Clutch
		8				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005




Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC)  
 Figure 31TH-460

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		THRUST WASHER, Overrunning Clutch
	5205 772	1	Z			ECB	DGC		
10		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		BEARING CONE, Output Shaft
	4567 259	2	Z			ECB	DGC		
11		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		BEARING CUP, Output Shaft
	4567 260	2	Z			ECB	DGC		
12		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		SPACER, Output Shaft, 12.65mm
	4207 162	1	Z			ECB	DGC		
-13		1	D, P			ECB	DGC		
	4207 163	1	Z			ECB	DGC		SPACER, Output Shaft, 13.65mm
-14		1	D, P			ECB	DGC		Europe
						ECB	DGC		SPACER, Output Shaft, 14.99mm
	5224 152	AR	Z			ECB	DGC		
		AR				ECC	DGC		
15		AR	D, P			ECB	DGC		Europe
		AR	D, P			ECB	DGC		GEAR PACKAGE, Output And Transfer Shaft
	4773 281	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
16		1	D, P			ECB	DGC		
	5222 010	1	Z			ECB	DGC		WASHER, Output Shaft
		1				ECC	DGC		
17		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
	5222 009	1	Z			ECB	DGC		NUT, Hex, M20x1.5
		1				ECC	DGC		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005



Shaft, Output, Rear Carrier,Reverse Drum, and Overrunning Clutch, (DGC)  
 Figure 31TH-460




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4567 336	1	D, P			ECB	DGC		Europe STIRRUP, Retainer Nut
		1	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
19	4659 134	2	D, P			ECB	DGC		Europe STRAP, Retaining
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D			ECB	DGC		
20	6503 355	4	D, P			ECB	DGC		BOLT, Hex Head, M8x1.25x10.00, Europe
						ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

# Bands, Reverse and Kickdown, (DGC) Figure 31TH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4412 466	1				ECC	DGC		SHAFT, Band Lever
2	5212 343	1	D, P			ECB	DGC		STRUT, Kickdown Band
		1	Z			ECB	DGC		
		1				ECB	DGC		
3	4659 732	1	D, P			ECB	DGC		BAND, Kickdown
		8	Z			ECB	DGC		
		8				ECC	DGC		
4	5212 206	1	Z			ECB	DGC		NUT, Band Adjusting Screw Lock
		1	D, P			ECC	DGC		
		1				ECB	DGC		
5	5212 255	1	Z			ECB	DGC		STUD, Double Ended, M12x1.75/9x67
		1	D, P			ECC	DGC		
		1				ECB	DGC		
6	4348 857	1	Z			ECB	DGC		LEVER, Kickdown
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
7	4207 182	1	Z			ECB	DGC		Europe LEVER, Reverse Band
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
8	5224 264	1	Z			ECB	DGC		Europe PLUG, Pipe, .250-18x.560, (NOT SERVICED) (Not Serviced)
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
9	5224 264	1	Z			ECB	DGC		STRUT, Reverse Band
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
10						ECB	DGC		Europe BAND, Reverse


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Bands, Reverse and Kickdown, (DGC) Figure 31TH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4531 138	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
-11									Europe SCREW, Reverse Band Adjusting, M8x1.25x42
	5224 140	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
12									Europe ANCHOR, Reverse Band
	5212 344	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
13									Europe SHAFT, Band Lever
	5222 090	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
									Europe

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Governor , (DGC)  
Figure 31TH-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4207 183	1	D, P			ECB	DGC		VALVE, Governor Secondary
		1	Z			ECB	DGC		Secondary
		1				ECC	DGC		Secondary
		1	D, P			ECB	DGC		Secondary, Europe
2	4567 447	1	Z			ECB	DGC		SPRING, Governor Valve
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3	4659 366	1	D, P			ECB	DGC		BODY, Governor Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
4	6500 209	1	Z			ECB	DGC		SCREW, Hex Flange Head Locking, M5x.8x37
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
5	6500 208	2	Z			ECB	DGC		SCREW, Shoulder Hex Flange Head, M5x.8x20
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
6	4269 641	1	Z			ECB	DGC		VALVE, Governor Primary
		1				ECC	DGC		Primary
		1	D, P			ECB	DGC		Primary
		1	D, P			ECB	DGC		Primary, Europe
7									PIN, (NOT SERVICED) (Not Serviced)
8	6100 306	1	Z			ECB	DGC		BOLT AND CONED WASHER, Hex Head, M8x35x20
		1				ECC	DGC		
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





Governor , (DGC)  
Figure 31TH-620


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5212 265	1	D, P			ECB	DGC		Europe COUNTER WEIGHT, Governor
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
10	5205 839	1	Z			ECB	DGC		FILTER, Transmission Governor
		1				ECC	DGC		
		1	D, P			ECB	DGC		
11	4659 352	1	D, P			ECB	DGC		Europe SUPPORT, Governor
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
12	4269 594	1	D, P			ECB	DGC		Europe SEAL, Governor Support
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
		3	Z			ECB	DGC		
		3				ECC	DGC		
		3	D, P			ECB	DGC		Europe
		3	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Valve Body, (DGC) Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	6035 208	1	Z			ECB	DGC		SNAP RING
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
2	2538 062	1	Z			ECB	DGC		WASHER, Manual Valve Lever
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3	2466 548	1	Z			ECB	DGC		SEAL, Valve Lever Shift
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
-4	6500 207	1	Z			ECB	DGC		SCREW, Special Head, M5x.8x42.40
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
5	4659 897	1	D, P			ECB	DGC		LEVER, Manual Valve, Serviced In Valve Body
		1				ECC	DGC		
6	4659 612	1	Z			ECB	DGC		VALVE BODY, Complete
		1	D, P			ECB	DGC		2.9 Gear Ratio
		1	D, P			ECC	DGC		Europe
		1	D, P			ECB	DGC		3.19 Gear Ratio
		1	D, P			ECB	DGC		With [DLM] Sales Code
-7	6100 994	1	Z			ECB	DGC		DOWEL, M6x16
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
8	4269 584	1	Z			ECB	DGC		DETENT, Valve Body
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
-9		1	D, P			ECB	DGC		VALVE, Transmission Regulator

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

# Valve Body, (DGC) Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4329 873	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
10									SHAFT, Valve Body
	5212 244	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
-11									SCREW, Pan Head, M5 x 0.8 x 12.60
	6503 232	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
-12									SCREW AND WASHER, Pan Head, M5x.8x25
	6500 215	16	D, P			ECB	DGC		Europe
		16	Z			ECB	DGC		
		16	D, P			ECB	DGC		
		16				ECC	DGC		
13									SCREEN, Transmission Regulator Valve
	3878 313	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
-14									BOLT, Hex Head, M8x30
	6100 155	7	Z			ECB	DGC		
		7	D, P			ECB	DGC		
		7	D, P			ECB	DGC		Europe
		7				ECC	DGC		
15									TUBE, Valve Body
	5222 020	2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
16									FILTER, Valve Body
	4269 649	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
-17									SCREW AND WASHER, Pan Head, M5x.8x25

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Valve Body, (DGC)  
Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6500 216	2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
18									GASKET, Transmission Fluid Filter
	4269 671	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
19									SOLENOID, Transmission Lock Up
	4377 005	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
20	5210 7671	1					DGC		O RING, Filler Tube
21									GASKET, Lock-up Solenoid
	4412 305	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

# Servos, Accumulator Piston and Springs, (DGC) Figure 31TH-725



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH ECB = 2.0L 4 CYL - SOHC ECC = 2.0L 4 CYL - DOHC									
1	6031 765	1	Z			ECB	DGC		SNAP RING
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
2	6031 545	1	Z			ECB	DGC		SEAL, Accumulator
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3	5224 344	1	Z			ECB	DGC		GUIDE, Kickdown Servo
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
4	4659 331	1	Z			ECB	DGC		SPRING, Kickdown Servo Piston
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
5	4058 943	1	D, P			ECB	DGC		ROD, Kickdown Servo Piston
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
6	4269 524	1	D, P			ECB	DGC		PISTON, Kickdown Servo
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
-7	6025 031	1	Z			ECB	DGC		SNAP RING, 1.205 OD
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
-8	6031 410	1	Z			ECB	DGC		O RING, Trans Kickdown Servo
		1				ECC	DGC		
		1	D, P			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Servos, Accumulator Piston and Springs, (DGC)  
Figure 31TH-725




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	3743 014	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		SEAL, Kickdown Servo
		1				ECC	DGC		Large
		1	D, P			ECB	DGC		Large
10	3743 033	1	D, P			ECB	DGC		Large, Europe
		1	Z			ECB	DGC		SEAL, Kickdown Servo
		1				ECC	DGC		Small
		1				ECC	DGC		Small
11	3743 010	1	D, P			ECB	DGC		Small
		1	D, P			ECB	DGC		Small, Europe
		1	Z			ECB	DGC		SEAL, Piston Accumulator
		1				ECC	DGC		Small
12	3743 013	1	D, P			ECB	DGC		Small
		1	D, P			ECB	DGC		Small, Europe
		1	D, P			ECB	DGC		SEAL, Piston Accumulator
		1	Z			ECB	DGC		Large
13	3743 650	1	Z			ECB	DGC		Large
		1	D, P			ECB	DGC		Large
		1	D, P			ECB	DGC		Large
		1	D, P			ECB	DGC		Large, Europe
14	4659 332	1	D, P			ECB	DGC		PISTON, Accumulator
		1	Z			ECB	DGC		
15	4205 857	1	D, P			ECB	DGC		SPRING, Accumulator
		1	Z			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		Europe
16	6031 545	1	D, P			ECB	DGC		PLATE PACKAGE, Accumulator
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
17	5212 252	1	D, P			ECB	DGC		SEAL, Accumulator
		1	D, P			ECB	DGC		SNAP RING
18	6031 909	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		SNAP RING
		1				ECC	DGC		
19									SPRING, Reverse Servo Piston

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Servos, Accumulator Piston and Springs, (DGC)  
Figure 31TH-725




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	3681 434	1	Z			ECB	DGC		PLUG, Reverse Servo
		1				ECC	DGC		
	4269 707	1	Z			ECB	DGC		
		1				ECC	DGC		
21		1	D, P			ECB	DGC		Europe SPRING, Reverse Servo Piston
		1	D, P			ECB	DGC		
	4659 179	1	Z			ECB	DGC		
		1				ECC	DGC		
22		1	D, P			ECB	DGC		Europe PISTON, Reverse Servo
		1	D, P			ECB	DGC		
	4659 837	1	Z			ECB	DGC		
		1				ECC	DGC		
23		1	D, P			ECB	DGC		Europe SEAL, Reverse Servo Piston
		1	D, P			ECB	DGC		
	4269 736	1	Z			ECB	DGC		
		1				ECC	DGC		
24		1	D, P			ECB	DGC		Europe SNAP RING
		1	D, P			ECB	DGC		
	1638 461	1	Z			ECB	DGC		
		1				ECC	DGC		
25		1	D, P			ECB	DGC		Europe REVERSE SERVO PACKAGE
		1	D, P			ECB	DGC		
	4882 433	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Parking Sprag, (DGC)  
Figure 31TH-740




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC= 2.0L 4 CYL - DOHC									
1	6035 256	1	Z			ECB	DGC		SNAP RING, Rod
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
2	4431 530	1	Z			ECB	DGC		ROD, Parking Sprag
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3	6500 368								BOLT, Hex Flange Head, M8x1.
									25x23
		2	Z			ECB	DGC		
		2				ECC	DGC		
4	5212 296	2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		SUPPORT, Parking Sprag Rod
		1	Z			ECB	DGC		
		1				ECC	DGC		
5	5212 010	1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		SHAFT, Parking Sprag
		1	Z			ECB	DGC		
		1				ECC	DGC		
6	5222 244	1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		SPRING, Parking Sprag
		1	Z			ECB	DGC		
		1				ECC	DGC		
7	5224 468	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		PAWL, Parking Sprag
		1				ECC	DGC		
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual



# Differential, (DGC) Figure 31TH-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 EYL - DOHC									
1	4659 680	1	D, P			ECB	DGC		DIFFERENTIAL, Transaxle
		1	Z			ECB	DGC		
	4659 681	1				ECC	DGC		
2	4659 627	1	Z			ECB	DGC		GEAR, Differential Drive
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
3									CASE, Transaxle
	4659 455	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
4									PINION, Differential
	4348 679	2	D			ECB	DGC		
		2	D			ECB	DGC		Europe
		2	Z			ECB	DGC		
		2				ECC	DGC		
5									WASHER, Thrust
	4412 521	2	D			ECB	DGC		
		2	D			ECB	DGC		Europe
		2	Z			ECB	DGC		
6									GEAR, Differential Side
	4659 502	2	Z			ECB	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
7									WASHER PACKAGE, Side Gear Thrust
	4504 568	AR	Z			ECB	DGC		
		1				ECC	DGC		
		1	D			ECB	DGC		
		1	D, P			ECB	DGC		Europe
8									PIN, Pinion Shaft
	6503 827	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1				ECC	DGC		
9									SHAFT, Pinion Gear
	4659 142	1	Z			ECB	DGC		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential, (DGC)  
Figure 31TH-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4659 624	1	D, P			ECB	DGC		SHAFT, Transfer Gear
		1	D, P			ECB	DGC	Europe	
		1				ECC	DGC		
11	6501 240	1	Z			ECB	DGC		BOLT, Hex Head, M10x1.00x25
		1	D, P			ECB	DGC		
		12	Z			ECB	DGC		
12	4659 237	12	D, P			ECB	DGC		CUP, Differential Side Bearing
		12	D, P			ECB	DGC	Europe	
		12				ECC	DGC		
13	4659 238	1	Z			ECB	DGC		BEARING CONE, Differential
		1				ECC	DGC		
		1	D, P			ECB	DGC		
14	4446 610	1	Z			ECB	DGC		BEARING CONE, Differential
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC	Europe	
15	4446 689	1				ECC	DGC		BEARING CUP, Differential
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC	Europe	
		1				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Controls, Gearshift, Floor Shaft, (DGC)  
Figure 31TH-1201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DGC = 3 Spd Auto Trans 31TH

1									KNOB, Gearshift
	4670 345	1	D, P				DGC		
	4670 205	1	Z				DGC		
	4670 347	1	D, P				DGC		Leather
2									SCREW, Set
	6504 104	1	Z				DGC		M6x1.0x11.20, Starter Inner Housing
		1	D				DGC		
3	4565 353	1	D, P				DGC		M6x1.0x11.20
4		1	D, P				DGC		INDICATOR, PRNDL
									SCREW, M5-.80x15, (NOT SERVICED) (Not Serviced)
5	4670 291	1					DGC		CABLE, Gearshift Control
-6	4670 147	1							CLIP, Shift Cable
-7	4670 042	1							PLATE, Transmission Shifter
8									NUT, Hex, M6x1.00
	6500 284	4							
		1					DGC		
9	4670 174	1	D, P				DGC		SHIFTER, Transmission
10	L000 0194	1					DGC		BULB, 194
11	4670 323	1					DGC		LEVER, Manual Control
12	6101 978	1					DGC		SCREW AND WASHER, Hex Head, M8-1.25x40
-13	5212 384	1					DGC		NUT, Transmission Lever Bolt, M6x1.00
14	4641 088	1					DGC		BRACKET, Transmission Control Cable
15	6101 453	1					DGC		SCREW AND WASHER, Hex Head, M8x1.25x30
16	4641 200	1	D, P				DGC		CABLE, Ignition Interlock
-17	4670 206	1	Z				DGC		CABLE, Ignition Interlock

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – T350

## NVG Manual Transaxle 5 Speed

### GROUP T350 - NVG Manual Transaxle 5 Speed

Illustration Title Group-Fig. No.

**Transaxle Assembly**

Transaxle Assemblies, and Mounting A578 (DD4, DD5) ..... Fig. T350-110

**Case and Extension**

Case, Transaxle and Related Parts A578 (DD4,DD5) ..... Fig. T350-210

**Gear Train**

Gear Train A578 (DD4, DD5) ..... Fig. T350-410

**Differential**


Differential A578 (DD4, DD5) ..... Fig. T350-810

**Fork and Rails**

Fork and Rail A578 (DD4, DD5) ..... Fig. T350-910


**Gearshift Controls**

Controls, Gearshift A578 (DD4, DD5) ..... Fig. T350-1210



<b>T350-100</b> Transaxle Assembly	<b>T350-200</b> Case and Extension	<b>T350-400</b> Gear Train	<b>T350-800</b> Differential
<b>T350-900</b> Fork and Rails	<b>T350-1200</b> Gearshift Controls		

Transaxle Assemblies, and Mounting A578 (DD4, DD5)  
Figure T350-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans A578									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1									TRANSAXLE
	4773 389	1					DD4		Competition Pkg., With 2.0L Engine, SOHC, 3.20 Overall Gear Ratio, Transaxle Production Number 4670234
	4797 595	1	Z				DD5		Base, With 2.0L Engine, SOHC, 3.55 Overall Gear Ratio, Transaxle Production Number 4670300, Right Hand Drive
	4773 388	1	D, P				DD5		Base,With 2.0L Engine, SOHC, 3.55 Overall Gear Ratio, Transaxle Production Number 4670235
	4798 294	1	D, P			ECC	DD4		Sport, With 2.0L Engine, DOHC, Rear Exhaust, 3.94 Overall Gear Ratio, Transaxle Production Number 4670664
2									COVER, Transaxle Converter Case, Upper
	4567 147	1					DD4, DD5		
	4670 197	1	Z				DD5		
	4670 196	1	D, P				DD4, DD5		
3									SCREW, Hex Head, M12x1.75x50
	6501 164	3	D			ECC	DD4, DD5		
		3	Z			ECB	DD5		
4	4670 019	1	D, P				DD4, DD5		BOOT, Clutch Release Lever
5	4608 404	1							CLIP, Transaxle
6	6503 244	1				ECB	DD4, DD5		STUD
-7	4761 085	1	Z				DD5		STUD, M12x1.75/M10x1.25x94.5
8	4567 138	1							BRACE, Transmission
9	6101 503	2	D, P						SCREW AND WASHER, Hex Head, M10x1.5x25
-10									BRACKET, Engine Roll Dampener
	4668 184	1	Z				DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Transaxle Assemblies, and Mounting A578 (DD4, DD5) Figure T350-110

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

**Case, Transaxle and Related Parts A578 (DD4,DD5)  
Figure T350-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S DD5 = 5 Spd Manual Trans A578 ECC = 2.0L 4 CYL - DOHC									
1	4874 130	1	Z				DD5		HOUSING, Clutch
	4761 088	1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
2	4761 074	1					DD4		CASE, Transmission
		1	D, P				DD5		
		1	Z				DD5		
		1	D, P			ECC	DD4		
3	4761 081	1	Z				DD5		PLATE, Transaxle Case Rear
		1					DD4		
		1	D, P				DD5		
4	4761 107	1	Z				DD5		SEAL, Axle Drive Shaft
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
5	4567 022	1	D				DD5		BEARING CUP, Differential
		1					DD4		
		1	Z				DD5		
		1	D			ECC	DD4		
6	4761 090	1	Z				DD5		BEARING, Input Shaft
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
7	4761 101	1	Z				DD5		SCREW, Drain
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
8	4761 100	1	Z				DD5		WASHER, Drain Plug
		1	D			ECC	DD4		
		1	D				DD5		
		1					DD4		
9		1							PIVOT, Clutch Release Lever


**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transaxle and Related Parts A578 (DD4,DD5)  
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4670 240	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
		1	D, P			ECC	DD4		PIN, Locating
10	4761 099	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
11	4761 093	1	Z				DD5		BEARING PACKAGE, Output Shaft
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
12	4761 096	1	Z				DD5		SNAP RING
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
13	4761 094	1	Z				DD5		DETENT, Valve Body
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
14	4761 095	1	Z				DD5		SPRING, Select Detent
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
15	4761 097	1	Z				DD5		RETAINER, Transmission Output Shaft Bearing
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
16	4761 098	1	Z				DD5		BOLT, Output Shaft Bearing
		1	D, P				DD5		
		1					DD4		
		1	D, P			ECC	DD4		
17	4740 899	1					DD4		BUSHING, Shift Rail
									15 Millimeters I/D, 12 Millimeters Long

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



**Case, Transaxle and Related Parts A578 (DD4,DD5)  
Figure T350-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P				DD5		15 Millimeters I/D, 12 Millimeters Long
		1	Z				DD5		15 Millimeters I/D, 12 Millimeters Long
		1	D, P			ECC	DD4		15 Millimeters I/D, 12 Millimeters Long
4761 076		1	Z				DD5		15 Millimeters I/D, 25 Millimeters Long
		1					DD4		15 Millimeters I/D, 25 Millimeters Long
		1	D, P				DD5		15 Millimeters I/D, 25 Millimeters Long
		1	D, P			ECC	DD4		15 Millimeters I/D, 25 Millimeters Long
4762 605		1	Z				DD5		14 Millimeters I/D, 10 Millimeters Long
		1					DD4		14 Millimeters I/D, 10 Millimeters Long
		1	D, P				DD5		14 Millimeters I/D, 10 Millimeters Long
		1	D, P			ECC	DD4		14 Millimeters I/D, 10 Millimeters Long
18	4761 078	1					DD4		Long MAGNET, Transmission
		1	D, P				DD5		
		1	Z			ECC	DD5		
		1	D, P				DD4		
19	4761 087	1	Z				DD5		TROUGH, Lubrication
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
20									BOLT AND CONED WASHER, Hex Head, M8x45x17
	6100 299	1	D				DD5		
		1					DD4		
		1	Z				DD5		
		1	D			ECC	DD4		
21	2124 715	1	D				DD5		VENT, Cap, Jiggle
		1					DD4		
		1	Z				DD5		

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transaxle and Related Parts A578 (DD4,DD5)  
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	4761 077	1	D			ECC	DD4		SEAL, Shift Lever
		1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
23	4348 325	1	D, P			ECC	DD4		PLUG, Oil Fill
		1	D				DD5		
		1					DD4		
		1	Z				DD5		
24	4761 079	1	D			ECC	DD4		BEARING, Input Shaft
		1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
25	4761 080	1	D, P			ECC	DD4		SNAP RING
		1	D, P				DD5		
		1					DD4		
		1	D, P				DD5		
26	4864 775	1	Z				DD5		SWITCH, Back Up Lamp
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
27	4761 082	1					DD4		BOLT, Case Plate
		1	D, P				DD5		
		1	Z				DD5		
		1	D, P			ECC	DD4		
28	4762 606	1	Z				DD5		RETAINER, Shaft
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
29	4762 602	1	Z				DD5		BUSHING, Crossover Shaft 15 Millimeters I/D, 20 Millimeters Long
		1					DD4		
		1							
		1	D, P				DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transaxle and Related Parts A578 (DD4,DD5)  
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30	4761 076	1	D, P			ECC	DD4		15 Millimeters I/D, 20 Millimeters Long
		1	Z				DD5		BUSHING, Shift Rail 15 Millimeters I/D, 25 Millimeters Long
		1					DD4		15 Millimeters I/D, 25 Millimeters Long
		1	D, P				DD5		15 Millimeters I/D, 25 Millimeters Long
31	4740 899	1	D, P			ECC	DD4		15 Millimeters I.D, 25 Millimeters Long
		1					DD4		BUSHING, Shift Rail 15 Millimeters I/D, 12 Millimeters Long
		1	D, P				DD5		15 Millimeters I/D, 12 Millimeters Long
		1	Z				DD5		15 Millimeters I/D, 12 Millimeters Long
		1	D, P			ECC	DD4		15 Millimeters I/D, 12 Millimeters Long
		1	Z				DD5		14 Millimeters I/D, 10 Millimeters Long
		1					DD4		14 Millimeters I/D, 10 Millimeters Long
		1	D, P				DD5		14 Millimeters I/D, 10 Millimeters Long
	4762 605	1	D, P			ECC	DD4		14 Millimeters I/D, 10 Millimeters Long
		1					DD4		14 Millimeters I/D, 10 Millimeters Long
		1	D, P				DD5		14 Millimeters I/D, 10 Millimeters Long

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Gear Train A578 (DD4, DD5)  
Figure T350-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S									
DD5 - 5 Spd Manual Trans A578									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1									INPUT SHAFT PACKAGE, Transaxle
	4761 174	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
2									NEEDLE BEARING
	4762 612	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
3									GEAR, Third
	4761 132	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
4									STOP RING, Synchronizer
	4874 135	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
5									SYNCHRONIZER, Third and Fourth
	4761 133	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
6									RING, Synchronizer Hub, White
	4761 134	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
-7									RING, Synchronizer Hub, Blue
	4761 135	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
-8									RING, Synchronizer Hub, Yellow
	4761 136	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
9									SYNCHRONIZER, Fifth
	4874 136	1	Z				DD5		
		1	D, P				DD5		
10									GEAR, Fifth
	4761 142	1					DD4		
		1	Z				DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Gear Train A578 (DD4, DD5)  
Figure T350-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 141	1					DD4		With Transmission Stamp # [4670234]
11	4761 139	1					DD4		GEAR, Fourth
		1	Z				DD5		
12	4761 138	1	D, P				DD5		RING, 4th Gear
		1	Z				DD4		
		1	D, P				DD5		
13	4761 140	1					DD4		PIN, Mainshaft
		1	Z				DD5		
		1	D, P				DD5		
14	4761 137	1					DD4		WASHER, Fourth Gear
		1	Z				DD5		
		1	D, P				DD5		
15	4761 119	1	Z				DD5		NEEDLE BEARING
		1					DD4		May Also Need Part # [4761131]
		1					DD4		May Also Need Part # [4761131]
16	4761 120	1	Z				DD5		BEARING CUP, Reverse Brake
		1					DD4		
		1	D, P			ECC	DD4		
17	4761 119	1	Z				DD5		NEEDLE BEARING
		1					DD4		
18	4761 121	1	Z				DD5		BEARING CONE, Reverse Brake
		1					DD4		
19	4761 118	1	Z				DD5		SPACER, Reverse Brake
		1					DD4		
20	4761 108	1	Z				DD5		OUTPUT SHAFT, Transaxle
									Includes First & Second Gears
									With Transmission Stamp # [4670235]
	4761 109	1					DD4		Includes First & Second Gears
									With Transmission Stamp # [4670234AC]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train A578 (DD4, DD5)  
Figure T350-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4762 613	1	D, P			ECC	DD4		Includes First & Second Gears With Transmission Stamp # [4670664] Or [4798294] GEAR, Reverse Idler
21	4761 124	1					DD4		
		1	Z				DD5		
22		1	D, P				DD5		SPACER, Reverse Idler
	4761 127	1					DD4		
		1	Z				DD5		
23		1	D, P				DD5		IDLER SHAFT, Transmission
	4761 126	1					DD4		
		1	Z				DD5		
24		1	D, P				DD5		BOLT AND CONED WASHER, Hex Head, M8x45x17
	6100 299	1	D				DD5		
		1					DD4		
		1	Z				DD5		
25									BALL, Pivot, (NOT SERVICED) (Not Serviced)
26	4863 720	1					DD4		KEY, Synchronizer
		1	Z				DD5		
		1	D, P				DD5		
27	4761 113	1					DD4		SPRING, Synchronizer
		1	Z				DD5		
		1	D, P				DD5		
-28	5003 747AA-	1	D, P			ECB	DD5		RETAINER
-29	4761 117	1	D, P				DD5		SLEEVE, Oil Restrictor

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Figure T350-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans A578									
EBD = 1.8L 4 Cyl - SOHC									
ECB = 2.0L 4 Cyl - SOHC									
1									DIFFERENTIAL, Transaxle
	4856 348	1	Z				DD5		
		1	D, P				DD5		
	4856 349	1					DD4		
2									GEAR, Differential Ring
	4761 103	1					DD4		
	4761 104	1	Z				DD5		
		1	D, P				DD5		
3									CASE, Differential
	4761 102	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
4									PINION, Differential
	4348 679	1	D				DD5		
		1					DD4		
		2	Z				DD5		
5									WASHER, Pinion Thrust
	4137 024	1	Z				DD5		
		1	D				DD5		
		1					DD4		
6									GEAR, Differential Side
	4659 502	2					DD4		
		2	Z				DD5		
		2	D, P				DD5		
7									WASHER PACKAGE, Side Gear Thrust
	4504 568	AR					DD4		
		AR	Z				DD5		
		1	D, P				DD5		
8									SHAFT, Pinion Gear
	4659 142	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
9									PIN, Pinion Shaft
	6503 827	1					DD4		
		1	Z				DD5		
		1	D, P				DD5		
10									BOLT, Differential Ring Gear

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

**Differential A578 (DD4, DD5)  
Figure T350-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 105	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		BEARING CUP, Differential
11	4567 022	1	D				DD5		
		1					DD4		
		1	Z				DD5		BEARING
12	4567 025	1	D				DD5		
		1					DD4		
		1	Z				DD5		
13	4797 316	1	Z				DD5		GEAR, Speedometer Drive
		1					DD4		
		1	D, P				DD5		
14	4883 546AA	AR					DD4		SHIM, Final Drive, .42mm
-15	4883 545AA-	AR					DD4		SHIM, Final Drive, .46mm
-16	5222 345	AR					DD4		SHIM, Final Drive, .50mm
-17	5222 346	AR					DD4		SHIM, Final Drive, .54mm
-18	5222 347	AR					DD4		SHIM, Final Drive, .58mm
-19	5222 348	AR					DD4		SHIM, Final Drive, .62mm
-20	5222 349	AR					DD4		SHIM, Final Drive, .66mm
-21	5222 350	AR					DD4		SHIM, Final Drive, .70mm
-22	5222 352	AR					DD4		SHIM, Final Drive, .78mm
-23	5222 353	AR					DD4		SHIM, Final Drive, .82mm
-24	5222 355	AR					DD4		SHIM, Final Drive, .90mm
-25	5222 356	AR					DD4		SHIM, Final Drive, .94mm
-26	5222 358	AR					DD4		SHIM, Final Drive, 1.02mm
-27	5222 359	AR					DD4		SHIM, Final Drive, 1.06mm
-28	5222 362	AR					DD4		SHIM, Final Drive, 1.18mm
-29	5222 364	AR					DD4		SHIM, Final Drive, 1.26mm
-30	5222 365	AR					DD4		SHIM, Final Drive, 1.30mm
-31	5222 367	AR					DD4		SHIM, Final Drive, 1.38mm
-32	5222 368	AR					DD4		SHIM, Final Drive, 1.42mm

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Fork and Rail A578 (DD4, DD5) Figure T350-910



NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

ECB = 2.0L 4 Cyl - SOHC

ECC = 2.0L 4 Cyl - DOHC

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LEVER PACKAGE, Gearshift
	4856 841	1					DD4		
		1	D, P				DD5		
		1	Z				DD5		
		1	D, P			ECC	DD4		
2									PIN, Shift Shaft
	4778 249	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
3									SHAFT, Detent
	4773 411	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
4									BLOCKER, Shift
	4761 146	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
5									PIN
	6101 475	1	Z				DD5		
		1	D			ECC	DD4		
		1	D				DD5		
		1					DD4		
6									RAIL, First and Second Shift
	4761 176	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
7									FORK, Transmission
	4761 175	1	Z				DD5		
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
8									RAIL, Third and Fourth Shift
	4761 178	1	Z				DD5		
		1					DD4		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Rail A578 (DD4, DD5)  
Figure T350-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4761 179	1	D, P				DD5		LUG, Third and Fourth Shift
		1	D, P			ECC	DD4		
		1	Z				DD5		
		1					DD4		
10	4761 181	1	D, P				DD5		LUG, Fifth and Reverse
		1	D, P			ECC	DD4		
		1					DD4		
		1					DD5		
11	4761 180	1	D, P				DD5		RAIL, Fifth and Reverse Shift
		1	D, P			ECC	DD4		
		1	Z				DD4		
		1					DD5		
12	4761 182	1	D, P				DD5		ARM, Reverse Lever
		1	D, P			ECC	DD4		
		1	Z				DD4		
		1					DD5		
13	6501 862	1	D, P				DD5		SNAP RING
		1	D, P			ECC	DD4		
		1	D				DD4		
		1					DD5		
14	4761 152	1	Z				DD5		BRACKET, Reverse Shift Rod
		1	D			ECC	DD4		
		1					DD4		
		1					DD5		
15	4761 153	1	D, P				DD5		SCREW, Reverse Bracket
		1	D, P			ECC	DD4		
		1	Z				DD4		
		1					DD5		
16	4761 154	1	D, P				DD5		CAM, Reverse Block
		1	D, P			ECC	DD4		
		1	Z				DD4		
		1					DD5		
17		1	D, P			ECC	DD4		FORK, Transmission

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Fork and Rail A578 (DD4, DD5) Figure T350-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4874 137	1	Z				DD5		FORK, Transmission
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
19	4796 650	1	Z				DD5		LEVER, Crossover
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
20	4761 147	1	Z				DD5		PLATE, Crossover Stop
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
21	4761 148	1	Z				DD5		SPACER, Inner Crossover Lever
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
22	4761 151	1	Z				DD5		SPRING, Crossover Lever
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
23	4761 149	1	Z				DD5		RETAINER, Spring
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
24	4761 150	1	Z				DD5		LEVER, Crossover
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
25	4761 143	1	Z				DD5		CLIP, Detent Shaft
		1					DD4		
		1	D, P				DD5		
		1	D, P			ECC	DD4		
	4761 158	1	Z				DD5		
		1					DD4		

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

**Figure T350-910**

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

# Controls, Gearshift A578 (DD4, DD5) Figure T350-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

1	4670 185	1					DD4, DD5		KNOB, Gearshift With Leather
	4446 987	1					DD4, DD5		Except Leather Wrap
2	4641 138	1					DD4, DD5		BOOT, Gearshift
3	4670 220	1					DD4, DD5		SHIFTER, Transmission
4	6500 284	2					DD4, DD5		NUT, Hex, M6x1.00
5	6501 326	2					DD4, DD5		CLIP, Moulding
6	4641 135	1					DD4, DD5		CABLE, Gearshift Control
7	4269 830	2					DD4, DD5		CLIP, Cable
8	4641 134	1					DD4, DD5		BRACKET, Transmission Control Cable
9	6100 296	3					DD4, DD5		BOLT, Hex Head

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – 21P

## Speedometer Pinions


### GROUP 21P - Speedometer Pinions


Illustration Title

Group-Fig. No.


#### Speedometer Pinions

Pinion, Speedometer, (DD4 - DD5 - DGC) ..... Fig. 21P-101



<div>21P-100</div> <div>Speedometer Pinions</div> <div></div>			
--	--	--	--

Pinion, Speedometer, (DD4 - DD5 - DGC)  
Figure 21P-101



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

DGC = 3 Spd Manual Trans 31TH

1	4707 386	1							SENSOR, Vehicle Speed
2									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	1					DD4, DD5 DGC		
		1							
3	4567 881	1					DGC		PINION, Speedometer Drive, Blue
	4593 107	1					DD4, DD5		
-4	4641 215	1					DD4, DD5		PINION, Speedometer Drive, Natural

DODGE - PLYMOUTH - CHRYSLER NEON (PL)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual




Group – 022  
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.


<b>Wheels and Hardware</b>	
Wheels and Hardware .....	Fig. 022-101
<b>Wheel Covers and Center Caps</b>	
Caps and Covers, Wheel .....	Fig. 022-201
<b>Jack Stowage</b>	
Jack and Spare Tire Stowage .....	Fig. 022-301



<b>022-100</b> Wheels and Hardware	<b>022-200</b> Wheel Covers and Center Caps	<b>022-300</b> Jack Stowage	
			



Wheels and Hardware  
Figure 022-101



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

WH6 - WHEELS - 14 X 6.0 ALUMINUM, WHITE

WHH,WHP - WHEELS - 14 X 6.0 ALUMINUM

WBB - WHEELS - 14 X 5.5 BLACK

TBB - SPARE TIRE - FULL SIZE

WH0 - WHEELS - ALL 14" STYLED

W4Y,W4X,W4E - WHEEL COVERS - 14"

W4C,W4W - WHEEL COVERS - 14"

1									WHEEL, Aluminum
	4370 832	4							Fleet - Gold
	PL54 GW7	4							White, WH6
	PL54 PAK	4							Silver, WHP
2	4684 697	4							WHEEL, Steel, WBB - TBB
3	4684 695	1							WHEEL, Spare
4	6502 738	20							NUT, Wheel Chrome, M12x1.5, WH0
5	6500 526	20							NUT, Wheel, M12x1.5, W4E, W4S, W4G
6	6504 266	20							NUT, Wheel, [W4Y,W4C,W4J,W4W, W4X]
7									STEM, Wheel Valve
	2073 355	5							1 1/4 inch
	3461 079	4							1 inch Extension
-8									LABEL, Tire Pressure
	4472 986	1	D, P						French - CANADA
	4656 077	1	Z			42			Australia
	4472 985	1	D, P						English
	4472 987	1							Competition Pkg., English
	4656 293AA-	1	D, P						Competition Pkg., French
	4656 079	1	D, P						EUROPE
		1	Z			42			


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Caps and Covers, Wheel  
Figure 022-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

WH6 - WHEELS - 14 X 6.0 ALUMINUM, WHITE

W4J - WHEEL COVERS - 14', PREMIUM

W4C,W4W - WHEEL COVERS - 14' WHITE

W4Y,W4X,W4E - WHEEL COVERS - 14'

WHH,WHP - WHEELS - 14 X 6.0 ALUMINUM

1	4684 438	4							COVER, Wheel, 14", Silver (W4S)
2	4472 591	4							COVER, Wheel, 14", Brushed Aluminum (W4G)
3	4656 251	4							COVER, Wheel, 14" Bright White (W4C)
	4656 376	4							Silver (W4Y)
4	4656 381	4							COVER, Wheel, 14", (W4E)
5									COVER, Wheel, 14" White (W4W)
	4656 777	4							(W4J)
	4656 825	4							
6									CAP, Wheel Center, Machine Finish Aluminum
	PH83 GW7	4							White (WH6)
	PH83 PAK	4							Silver (WHP)
7	4370 833	4							CAP, Wheel Center, Fleet - Gold, WH0
8	4882 554	1							CAP, Nut
-9	2073 355	5							STEM, Wheel Valve

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

## Jack and Spare Tire Stowage Figure 022-301

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

### Sales Codes:

TBC = Compact Spare

TBB - Full Size Spare

1	4371 785	1							PLATE, Spare Tire Cover
2									COVER, Spare Tire, with Carpet
	4783 038	1	D, P	H, S					Trunk Dress-Up
	PP26 HSBAB	1							Dark Charcoal, Compact Spare
	QH36 HSBAB	1							Dark Charcoal, Full Size Spare
3	6032 619	1							WINGNUT, Jack and Tire Hold Down
4	4371 785	1							PLATE, Spare Tire Cover
5	6034 821	1							BOLT, Square Neck, .375-16x5.50
6									PAD, Spare Tire, (NOT SERVICED) (Not Serviced)
7	4206 922	1							BRACKET, Spare Tire
8	5256 625	1							JACK
-9	4751 528	1							HANDLE, Jack
-10									LABEL, Tire Pressure
	4472 986	1	D, P						French
	4656 077	1	Z			42			Australia
	4472 985	1							English
	4472 987	1							English, Competition Package
	4656 079	1	D, P						Bi-Lingual
		1	Z			42			
	4472 988	1							French, Competition Package
	4656 280AA-	1	D, P						Competition Package
	4656 293AA-	1	D, P						Competition Package, French
-11	4103 504	1							LABEL, Jack Caution
-12									LABEL, Jack Instructions
	4783 035AB-	1							Compact Spare
	4888 536AB-	1							Conventional Spare
	4888 576	1	Z			42			Usage
	4888 682	1	Z			42			Warning
-13	5256 549	1							BAG, Jack Tool Storage

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005



# Group – 23D

## Wiper/Lock Cylinder and Keys


### GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
<b>Lock Cylinders and Keys</b>	
Lock Cylinder And Keys .....	Fig. 23D-105
<b>Windshield Wiper and Washer Systems</b>	
Windshield Wiper And Washer .....	Fig. 23D-205



<b>23D-100</b> Lock Cylinders and Keys	<b>23D-200</b> Windshield Wiper and Washer Systems		
			


Lock Cylinder And Keys  
Figure 23D-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 5487	1	D, P						KEY, Blank, Double Groove
2	4773 984	1	D, P						KEY, Blank, Neon Glow
3	4696 590	2	Z		42				KEY, Master
		2	D, P						Europe
4	4746 667	1	D, P						CYLINDER LOCK PACKAGE, Ignition, Black Plastic
-5	4746 666	1	Z		42				CYLINDER, Ignition Lock
		1	D, P						Export
6	5257 132	1	Z		42				TUMBLER, Ignition Number 1
		1	D, P						
-7	5257 133	1	Z		42				TUMBLER, Ignition Number 2
		1	D, P						
-8	5257 134	1	D, P		42				TUMBLER, Ignition Number 3
		1	Z		42				
-9	5257 135	1	Z		42				TUMBLER, Ignition Number 4
		1	D, P						
10	4746 873	2	Z		42				SPRING, Lock Cylinder Tumbler
		1	D, P						
11	4778 125	2	Z		42				LOCK CYLINDER Door/Liftgate
		1	D, P						Door/Liftgate
12	4778 117	1	D, P		42				TUMBLER, Door and Deck Number 1, Wide
		2	Z		42				
-13	4778 118	2	Z		42				TUMBLER, Door and Deck Number 2, Wide
		1	D, P						
-14	4778 119	2	Z		42				TUMBLER, Door and Deck Number 3, Wide
		1	D, P						
-15									TUMBLER, Door and Deck Number 4, Wide

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DGO = All Automatics			
				DBB= All 5 Speed Manual			

Lock Cylinder And Keys  
Figure 23D-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4778 120	2	Z		42				SPRING, Door and Deck Tumbler
		1	D, P						
17	4778 121	2	Z		42				CYLINDER, Deck Lid Lock
		1	D, P						
18	4778 148	1	D, P		42				TUMBLER, Door and Deck Number 1, Wide
		1	Z						
-19	4778 117	1	D, P		42				TUMBLER, Door and Deck Number 2, Wide
		2	Z						
-20	4778 118	1	D, P		42				TUMBLER, Door and Deck Number 3, Wide
		1	Z						
-21	4778 119	2	Z		42				TUMBLER, Door and Deck Number 4, Wide
		1	D, P						
22	4778 120	2	Z		42				SPRING, Door and Deck Tumbler
		1	D, P						
23	4778 121	2	Z		42				LINK, Key Cylinder To Latch
		1	D, P						
24	4658 918	1			42				Right
	4658 919	1			42				Left
	4658 924	1	D, P		22				Right
	4658 925	1	D, P		22				Left
-25	56021 903AA	1	D, P						TRANSMITTER, Keyless Entry
26	5600 9113	2							TRANSMITTER, Anti Theft, Export
27	4661 982	1	D, P						RECEIVER, Keyless Entry
28	4480 116	1							RETAINER, Lock Cylinder
29	6026 125	1	Z		42				CAP, Door Lock Cylinder, Bright
		2	D, P						
30	4778 149	1							CAP, Door Lock Cylinder, Bright
31	4746 673	1	D, P						CAP, Deck Lid Lock Cylinder, Black
32									LEVER, Front Door Cylinder

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


Lock Cylinder And Keys  
Figure 23D-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4717 288	2	Z		42				
		2	D, P						
32	4723 494	1	Z		42				LEVER, Deck Lid Lock Cylinder
		1	D, P						
33	4658 444	1							CLIP, Latch Purple
	4658 445	1							Orange
34	5507 4799	1							GASKET, Door Lock Cylinder, Black
35	2583 377	1							RETAINER, Door Lock Cylinder
36	4740 760	1	D, P						KNOB, Ignition Cylinder, Black Plastic
37									SHUTTER, Door, Deck and Liftgate, Bright
	4778 150	1	D, P						
		1	Z		42				
38	4778 151	1	D, P						SHUTTER, Door, Deck Lid, Black
39	5257 245	1	D						SPRING, Deck Lid Return
-40	4378 793	2	D, P						SPRING, Cylinder Return
-41	5293 136AA-	1							MODULE, Security Alarm, Immobilizer, Export

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

# Windshield Wiper And Washer Figure 23D-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4863 705	1							PUMP, Washer, Windshield
2	4882 071	1							RESERVOIR, Washer
3	5003 285AA	1							FILLER NECK AND CAP, Washer Reservoir
4	HWV0 0532	1							HOSE, Washer And Vacuum, 50 Foot Roll 5/32"
5	5288 402	1							NOZZLE, Washer, Windshield Right
	5263 881	2							Left
6	4389 440	2							CAP, Wiper Arm Nut
7	6500 165	2							NUT, Wiper Arm
8	4882 156	1	D, P						ARM, Wiper Right
	4882 093	1	Z		42				Left
	4882 096	1	Z		42				Right
	4882 157	1	D, P						Left
9	4741 483	1	Z		42				BLADE, Wiper 525mm, Left
	4864 983	1	Z		42				Left
	4864 982	1	Z		42				Right
	5288 236	1	D, P						Right
	5288 237	1	D, P						Left
10	4864 912	1	Z		42				FRAME, Wiper Pivot
	4882 158	1	D						
11	4761 321	1	Z		42				LINK, Drive Wiper
12	4761 324	1	Z		42				LINK, Slave
13	4882 617	1	D						MOTOR, Wiper
	4882 659	1	Z		42				
14	4761 325	1	D						GROMMET, WIPER FRAME
		1	Z		42				
-15	4798 779	1							GASKET, Reservoir Sensor
-16	4863 704	1							GROMMET, Washer Reservoir, Neck Grommrt
-17	5288 274	2							CHECK VALVE, Washer Rear
	4805 010	1							
-18	4741 482	1	Z		42				REFILL, Wiper Blade, 450mm, Right
-19	5012 964AA-	1							GROMMET, Windshield Washer Pump

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



### Windshield Wiper And Washer Figure 23D-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20									WIRING, Underhood Lamp, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

**DODGE TYPE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

# Group – 024

## Air Conditioning & Heater

### GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

#### Air Conditioner and Heater Units

Heater Unit Left-Hand Drive .....	Fig. 024-103
Heater Unit Right-Hand Drive .....	Fig. 024-105
Air Conditioning Unit Left-Hand Drive .....	Fig. 024-115
Air Conditioning and Heater Unit Right Hand Drive .....	Fig. 024-120

#### Air Conditioner and Heater Plumbing

Plumbing, Heater .....	Fig. 024-202
Plumbing, Air Conditioning .....	Fig. 024-204

#### Air Conditioner and Heater Controls

Controls, Air Conditioning and Heater .....	Fig. 024-302
---	--------------

#### Air Conditioning Compressor


Compressor .....	Fig. 024-403
------------------	--------------







#### Air Conditioning Compressor Mounting

Compressor Mounting .....	Fig. 024-503
---------------------------	--------------


#### Air Ducts and Outlets

Air Distribution Ducts, Outlets .....	Fig. 024-603
---------------------------------------	--------------



<b>024-100</b> Air Conditioner and Heater Units 	<b>024-200</b> Air Conditioner and Heater Plumbing 	<b>024-300</b> Air Conditioner and Heater Controls 	<b>024-400</b> Air Conditioning Compressor 
<b>024-500</b> Air Conditioning Compressor Mounting 	<b>024-600</b> Air Ducts and Outlets 		

Heater Unit Left-Hand Drive  
Figure 024-103




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 954	1	D, P						HOUSING, Blower Motor
2	4644 388	6	D, P						CLIP, A/C Heater Housing
3	4734 227	14	D, P						SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3	D, P						STUD, A/C Heater Housing
5	6031 087	3	D, P						SEAL, Air Conditioning Unit
6	4644 545	1	D, P						MOTOR PACKAGE, Heater Blower
-7	5264 693	1	D, P						RESISTOR, Blower Motor
-8	5264 714	1	D, P						COVER, Blower Motor
9	6101 308	2	D, P						NUT, U, M6x1
10	4661 316	1	D, P						WIRING, Heater Jumper
11	4661 315AB	1	D, P						WIRING, Heater and A/C Jumper
12	4734 453	1	D, P						CORE, Heater
-13	4734 021	1	D, P						SEAL, Heater Core, Serviced in Heater Core
14	4644 499	4	D, P						CLIP, Air Conditioning Cable
15	4886 379AA	1	D, P						HOUSING, Distribution
16	4644 500	1	D, P						DUCT, Floor Distribution
17	4864 960	1	D, P						SEAL KIT, A/C And Heater Unit

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Heater Unit Right-Hand Drive Figure 024-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 178	1	Z		42				HOUSING, Heater Air Inlet
2	4874 176	1	Z		42				HOUSING, A/C And Heater
3	4874 179	1	Z		42				MOTOR, Blower with Wheel
-4	4462 840	1	Z		42				RESISTOR, Blower Motor
-5	4874 185	1	Z		42				COVER, Blower Motor
6	4874 181	1	Z		42				CORE, Heater
7	4874 182	1	Z		42				COVER, Heater Core Tubes
8	4874 183	1	Z		42				TUBE, Heater Core
9	4644 388	6	Z		42				CLIP, A/C Heater Housing
10	4644 225	3	Z		42				STUD, A/C Heater Housing
11	6031 087	3	Z		42				SEAL, Air Conditioning Unit
12	4874 186	1	Z		42				PLUG, A/C Evaporator Drain Tube
13	4874 187	1	Z		42				SEAL KIT, A/C And Heater Unit
14	4661 940AB	1	Z		42				WIRING, Heater and A/C Jumper
-15	4734 227	25	Z		42				SCREW, Hex Head, M4.8-1.59x19
-16	4874 184	1	Z		42				GROMMET, A/C Probe


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Air Conditioning Unit Left-Hand Drive Figure 024-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 527	1	D, P						HOUSING, Blower Motor
2	4644 388	6	D, P						CLIP, A/C Heater Housing
3	4734 227	32	D, P						SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3	D, P						STUD, A/C Heater Housing
5	6031 087	3	D, P						SEAL, Air Conditioning Unit
6	4864 953	1	D, P						HOUSING, Air Inlet
7	6101 308	1							NUT, U, M6x1
8	4644 918	1	D, P						MOTOR, Blower with Wheel
-9	4462 840	1							RESISTOR, Blower Motor
10	4661 315AB	1	D, P						WIRING, Heater and A/C Jumper
11	4644 536	1	D, P						PROBE, Air Conditioning
12	4864 959	1	D, P						EVAPORATOR, Air Conditioning
13	4734 918	1	D, P						ACTUATOR, Recirculation Door
14	4734 921	1	D, P						HARNESS, A/C And Heater Vacuum
15	4734 453	1	D, P						CORE, Heater
16	4644 499	4	D, P						CLIP, Air Conditioning Cable
17	4886 379AA	1	D, P						HOUSING, Distribution
18	4644 500	1	D, P						DUCT, Floor Distribution
19	4864 960	1	D, P						SEAL KIT, A/C And Heater Unit
-20	5264 774	1							DECAL, A/C System Specification

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Air Conditioning and Heater Unit Right Hand Drive  
Figure 024-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4874 177	1	Z		42				HOUSING, Air Inlet
2	4874 176	1	Z		42				HOUSING, A/C And Heater
3	4874 179	1	Z		42				MOTOR, Blower with Wheel
4	4874 185	1	Z		42				COVER, Blower Motor
5	4644 536	1	Z		42				PROBE, Air Conditioning
6	4874 180	1	Z		42				EVAPORATOR, Air Conditioning
7	4874 181	1	Z		42				CORE, Heater
8	4874 182	1	Z		42				COVER, Heater Core Tubes
9	4874 183	1	Z		42				TUBE, Heater Core
10	4644 388	6	Z		42				CLIP, A/C Heater Housing
11	4644 225	3	Z		42				STUD, A/C Heater Housing
12	6031 087	3	Z		42				SEAL, Air Conditioning Unit
13	4661 940AB	1	Z		42				WIRING, Heater and A/C Jumper
14	4874 187	1	Z		42				SEAL KIT, A/C And Heater Unit
-15	4734 227	25	Z		42				SCREW, Hex Head, M4.8-1.59x19
16	4644 500	1	D, P						DUCT, Floor Distribution

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Plumbing, Heater  
Figure 024-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC


EBD = 1.8L SOHC 16V

1									HOSE, Heater Core To Tube
	5264 658	2	D, P						
	5264 709	2	Z		42				
-2	5264 728	1	Z		42				CLIP
3	6502 017	4	D, P			ECC			CLAMP, Heater Hose
4									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	Z		42				
		4	D, P						
5									TUBE, Heater Hose
	5264 651	1	D, P			ECB			
		1	Z		42	ECB			
6	4777 036	1	D, P			ECC			TUBE, Heater
-7	6505 088AA-	1	D, P			ECC			STUD, Double Ended, M8x1.25x50.00, Heater Tube
-8									BOLT AND CONED WASHER, Hex Head, M6x16x14
	6102 003	1	Z		42	ECB			
		2	D, P			ECC			
		2	D, P			ECB			
9									BRACKET, Heater Tube To Block
	5264 692	1	D, P			ECB			
		1	Z		42	ECB			
10	5264 689	1				ECB			HOSE, Heater
11	4667 564	1	D, P			ECC			HOSE, Heater Supply
12									HOSE, Heater, Tube to Pump (Served in Item #6), (NOT SERVICED) (Not Serviced)
13	4667 854	1	D, P			ECC			HOSE, Heater Return
14									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	4	Z		42	ECB			
		4	D, P			ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Plumbing, Air Conditioning  
 Figure 024-204



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
ECB = 2.0L SOHC									
1									DRIER, Air Conditioning Filter
	4883 278	1	Z		42				
	4883 282	1	D, P						
2									LINE, A/C Liquid
	4883 277	1	Z		42				
	4883 281	1	D, P						
3									LINE, A/C Suction And Liquid
	4883 280	1	Z		42				
	4883 283	1	D, P						
4									O RING, A/C Line
	4796 564	1	Z		42				
		1	D, P						
5									VALVE CORE, Service Port
	4762 788	2	Z		42				
		2	D						
6	5264 642	1							CAP, A/C Check Valve
-7	6101 770	1							SCREW AND WASHER, Hex Head, .19-16x1.00, Liquid Line to
									Condenser
-8	6101 660	1							SCREW AND WASHER, Hex Head, M8x1.25x35, Lines to Expansion Valve
9	5264 643	1							GROMMET, A/C Drier Mounting
10	5264 744	1							VALVE, A/C Expansion, w/Cut-Off Switch
11									GASKET, A/C Expansion Valve
	5264 633	1	Z		42				
		1	D, P						
12	6032 572	2							SCREW, Cap, .25-20x2.00
13	5264 578	1							LINE, A/C Discharge
-14	6503 605	1							CLIP, Discharge Line
-15	6101 769	1							SCREW, Hex Head, M6x1x35, Discharge Line to Condenser
-16	4677 204	1	D, P						VALVE, Vacuum Check
17	4796 565	2							O RING, A/C Line
18									O RING, A/C Line
	4882 139	2	Z		42				
		1	D, P						
19	4677 045	1							GASKET, Valve To Evaporator
20									CONDENSER, Air Conditioning


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005



## Plumbing, Air Conditioning Figure 024-204



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4740 109	1				ECB			(Stamped 4495936-4495937-
		1				ECC			4495936AB) (Belvedere Built)
	4798 950	1							(Stamped 4495936-4495937-
									4495936AB) (Belvedere Built)
									(Stamped 4546986-4546900)
	4740 109	1				ECB			(Mexico Built)
									[Stamped 4495936-4495937-
									4495936AB) (Belvedere Built)
									[ECB] [DBB]
-21	5264 774	1							DECAL, A/C System Specification

SERIES LINE BO

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

# Controls, Air Conditioning and Heater

## Figure 024-302



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater, w/o Faceplate
	4897 294AA	1	Z		42				
	4886 204AA	1	D, P						
2									CONTROL, Heater, w/o Faceplate
	4897 293AA	1	Z		42				
	4886 205AA	1	D, P						
3	MK01 TX9	3							KNOB, A/C Control
4	MK02 TX9	1							KNOB, Blower Switch
5	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
6									CABLE, Mode
	4644 495	1	Z		42				
		1	D, P						
7									CABLE, Temperature Control
	4644 496	1	Z		42				
		1	D, P						
8	4644 494	1	Z		42				CABLE, Recirculation Door
9	4734 921	1	D, P						HARNESS, A/C And Heater Vacuum
10									CLIP, Air Conditioning Cable
	4644 499	4	D, P						
		4	Z		42				
-11									BULB, Heater and A/C Control
	5003 281AA-	2	Z		42				
		2	D, P						

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


Compressor  
Figure 024-403



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5264 745	1							COMPRESSOR, Air Conditioning
2	4773 100	1							MANIFOLD KIT, A/C Compressor
3	4728 854	1							SEAL, Manifold To Compressor
-4	4773 102	1							BOLT, A/C Compressor, Plumbing Attaching
5									VALVE, High Pressure Relief, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
6	5264 457	1							BOLT KIT, A/C Compressor Manifold
7	5264 454	1							SNAP RING KIT, A/C Clutch
8	5264 452	1							CLUTCH OVERHAUL KIT, A/C Compressor
9	4864 715	1							COIL, Stator, A/C Compressor Clutch
10	4723 014	1							PULLEY HUB KIT, A/C Compressor, Pulley and Hub
11	4773 101	1							SWITCH, A/C High Pressure Cut Off

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Compressor Mounting  
Figure 024-503



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V


1									SCREW AND WASHER, Hex Head, M10x1.5x45
	6101 512	3	D, P			ECB			
		3	D, P			ECC			
		3	Z		42	ECB			
2	4612 130	1							BRACKET, A/C Compressor
3	5264 745	1							COMPRESSOR, Air Conditioning
4	6503 219	3							SCREW AND WASHER, Hex Head, M8x1.25x100

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Air Distribution Ducts, Outlets Figure 024-603



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DUCT, Defroster
	5264 791AA	1							Black
	LC87 LAZ	1							Agate
	LC87 SKB	1							Camel Tan
-2	5264 656	1							SEAL, Defroster Duct
3									DUCT, Defroster
	5264 569	1	D, P						
	5264 703	1	Z		42				
-4									SEAL, Defroster Duct
	5264 604	1	Z		42				
		1	D, P						
5	5264 541	1	D, P						DUCT, Air Outlet
6	5264 702	1	Z		42				DUCT, Air Outlet Distribution
-7	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
8									ADAPTER, Demister
	5264 575	1	D, P						
	5264 705	1	Z		42				
-9	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
10									HOSE, Demister
	5264 574	1	Z		42				
		1	D, P						
11	5264 610	1	D, P						DUCT, Air Outlet
12	5264 706	1	Z		42				DUCT, Air Outlet, Left
13	5264 540	1	D, P						DUCT, Air Outlet
14	5264 701	1	Z		42				DUCT, Air Outlet
15									DUCT, Air Outlet
	5264 609	1	D, P						
	5264 707	1	Z		42				
16	LF74 TX9	1	D						OUTLET, Air Side, Black
17									GRILLE, Instrument Panel Demister
	MF98 LAZ	1	D						Agate, Right
	MF99 LAZ	1	D						Agate, Left
	MF98 SKB	1	D						Dark Camel, Right
	MF99 SKB	1	D						Dark Camel, Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Group – 025

## Emission Systems

### GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

**Emission Labels**

Emission Labels PL ..... Fig. 025-101

**EGR System**

EGR System PL ..... Fig. 025-201

**Vacuum Canister**


Vapor Canister PL ..... Fig. 025-301

**Emission Harness**


Emission Control Vacuum Harness PL ..... Fig. 025-401

Leak Detection Pump PL ..... Fig. 025-491

025-100



025-400



025-300

<b>025-100</b> Emission Labels	<b>025-200</b> EGR System	<b>025-300</b> Vacuum Canister	<b>025-400</b> Emission Harness

Emission Labels PL  
Figure 025-101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[ABJ]=Japan

[ABT]=Tiawan

[DD4]=Manual Perf. Trans.

[DD5]=Manual Trans.

[DGC]=Automatic Trans

[EBD]=1.8L Engine.

[ECB]=2.0L SOHC Engine.

[ECC]=2.0L DOHC Engine

[NAA]=Federal Emissions

[NAE]=California Emissions


					LABEL, Emission	
1	4669 991	1		ECB	DD4,	Domestic/International [NAA]
					DD5	Federal
	4669 992	1		ECB	DGC	Domestic [NAA] Federal
	4669 997	1		ECC		Domestic/International [NAA]
						Federal
	4669 995	1		ECB	DD4,	All [NAE] California
					DD5	
	4669 996	1		ECB	DGC	All [NAE] California
	4669 999	1		ECC		All [NAE] California
	4669 993	1		ECB	DD4,	Canada [NAA] Federal
					DD5	
	4669 994	1		ECB	DGC	Canada [NAA] Federal
	4669 998	1		ECC		Canada [NAA] Federal.

DODGE - PLYMOUTH - CHRYSLER NEON (PL)						TRANSMISSION
SERIES	LINE	BODY	ENGINE			DD5 = 5 Speed Manua
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI			DGC = 3 Speed Automatic
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC			DGL = 4 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI			DG0 = All Automatics
	P=Plymouth					DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

1



# EGR System PL Figure 025-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4287 602	1	D			ECC	DD4, DD5		VALVE, EGR
		1	Z		42	ECB	DGC		
		1				ECB	DD4, DD5		
		1	D, P			ECB	DGC		
	4287 603	1	D, P			ECC	DGC		
2		1	D			ECB	DGC		TUBE, EGR
	4669 228	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
	4669 244	1	D, P			ECC	DGC		
-3		1	D			ECB	DGC		SEAL, EGR Tube
	4667 431	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
		1				ECB	DGC		
		1	D, P			ECB	DGC		
4									GASKET, EGR Valve
	4663 247	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
		1				ECB	DGC		
		1	D			ECC	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECB	DD4, DD5		
5									GASKET, EGR Tube Flange
	5277 928	1	D			ECB	DGC		
		1	Z		42	ECB	DD5		
		1				ECB	DGC		
		1	D			ECC	DD4, DD5		
		1	Z		42	ECB	DGC		
		1				ECB	DD4, DD5		
		1	D, P			ECC	DGC		
6	4669 920	1	D, P						HARNESS, Emission Control

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual



Vapor Canister PL  
Figure 025-301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans.  
DD5=Manual Trans.

1	4669 597	1							BRACKET, Vapor Canister
2	4669 358	1	D, P			ECB	DGC		BRACKET, Leak Detection Pump
3	6033 813	2							SCREW, Hex Head, .25-14x.875
4	4669 596	1							CANISTER, Vapor
	4669 456	1	D, P			ECB	DGC		Federal
	4669 596	1				ECC	DGC		California
		1	D, P				DD4, DD5		Dual Overhead, California
5									CONNECTOR, Vapor Canister Vent
	4179 981	1				ECB	DGC		Hose
		1				ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Emission Control Vacuum Harness PL

## Figure 025-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									BRACKET, Duty Cycle Purge Solenoid
	4741 758	1				ECC	DGC		
		1					DD4, DD5		
		1				ECB	DGC		
2									HARNESS, Emission Control Vacuum
	4669 564	1					DD4, DD5		
		1				ECB	DGC		
		1				ECC	DGC		
3									SOLENOID, Duty Cycle Purge
	4669 475	1					DD4, DD5		
		1				ECC	DGC		
		1				ECB	DGC		
4									HARNESS, Vapor Purge
	4669 391	1	D, P			ECB	DGC		
	4669 879	1				ECB	DGC		
		1				ECB	DD4, DD5		
5									HARNESS, Vacuum Vapor Purge
	4669 882	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
-6	4669 447	1	Z		42				HARNESS, EGR And Speed Control
-7	4546 944	1							TUBE, Vapor, .25x.25
-8									BRACKET, Vacuum Harness
	4669 427	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
	4669 557	1				ECB	DGC		
		1				ECB	DD4, DD5		
-9									ORIFICE, Emission Harness
	4669 292	1				ECC	DGC		
		1					DD4, DD5		
		1				ECB	DGC		
-10									CONNECTOR, Manifold Vacuum

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

## Emission Control Vacuum Harness PL Figure 025-401

[illegible]

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

Leak Detection Pump PL  
Figure 025-491


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4612 901	1	D, P			ECB	DGC		FILTER, Leak Detection Pump
2	4669 359	1	D, P			ECB	DGC		HOSE, Leak Detection Pump
3	4669 306	1	D, P			ECB	DGC		PUMP, Leak Detection
4	4669 360	1	D, P			ECB	DGC		HOSE, Leak Detection Pump
5	4669 358	1	D, P			ECB	DGC		BRACKET, Leak Detection Pump



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


# Group – DPL

## Doors and Related Parts




### GROUP DPL - Doors and Related Parts

Illustration Title	Group-Fig. No.
<b>Front Door</b>	
Door, Front, PL42 Shell, Glass and Hinge .....	Fig. DPL-105
Door, Front, PL22 Shell, Glass and Hinge .....	Fig. DPL-106
Door, Front, PL42 Regulator, Handle and Locking .....	Fig. DPL-107
Door, Front, PL22 Regulator, Handle and Locking .....	Fig. DPL-108
<b>Rear Door</b>	
Door, Rear Shell, Glass and Hinge .....	Fig. DPL-205
Door, Rear Regulator, Handle and Locking .....	Fig. DPL-207
<b>Exterior Mirror</b>	
Mirror, Exterior .....	Fig. DPL-505
<b>Weatherstrips and Seals</b>	
Door, Front and Rear Weatherstrips and Seals .....	Fig. DPL-605
Door, Front, PL22 Weatherstrips and Seals .....	Fig. DPL-606



# Door, Front, PL42 Shell, Glass and Hinge Figure DPL-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4888 570	1			42				Right
	4888 571	1			42				Left
2									PANEL, Door Outer
	4615 660	1			42				Right
	4615 661	1			42				Left
-3	2895 126	4							PLUG, Body, 1.25x.50
-4									SPACER, Door Impact Blocker, Hard Foam
	4658 718	1			42				Right
	4658 719	1			42				Left
-5	0154 619	6			42				SCREW, Tap Hex Flange Head, .190-16x1.0, Blocker
6									GLASS, Front Door
	4783 498	1			42				Right
	4783 499	1			42				Left
7	4658 332	4			42				STABILIZER, Door Glass Belt
8									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
9									BRACKET, Inside Handle
	4658 352	1							Right
	4658 353	1							Left
10	6501 773	4							NUT, Plastic Snap-in
11	6035 372	2			42				SCREW, Pan Head Tapping, M6. 3x1.8x22.23
12	4620 799	2			42				BRACKET PACKAGE, Door Trim Panel
13									HINGE, Door
	4783 484	1			42				Lower Right, Upper Left
	4783 485	1			42				Lower Left, Upper Right
-14	6502 975	8							SCREW AND WASHER, Hex Head, M8x1.25x33, Hinge Attaching
15	4783 500	1			42				PIN, Door Hinge
-16	6035 926AA-	4							NUT, .312 Diameter, Hinge Pin
17	4661 215	2	D, P						PLUG, Body
18	4520 289	AR							SPACER, Door Latch Striker
19	4658 446	2			42				STRIKER AND BUMPER, Door Latch
20	6503 120	4			42				SCREW AND WASHER, Button Head Torx
21	4658 282	4			42				RETAINER, Glass to Liftplate, Front
22	4658 592	2			42				RETAINER, Glass to Liftplate, Rear
23	4793 758	2							SPEAKER, Front Door

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	0154 640	6							SCREW, Piercing, .164-15x1.25
-25	4615 952	2			42				BUMPER, Door Ajar Switch
-26	5256 594	1							LABEL, Lift Point
-27									LABEL, Child Protection Lock, English
	4615 722	2			42				
	4615 723	2			42				French



September 15, 2005

# Door, Front, PL22 Shell, Glass and Hinge Figure DPL-106



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4741 335	1			22				Left
	4741 334	1			22				Right
2									PANEL, Front Door Outer Repair
	4658 055	1	D, P		22				Left
	4658 054	1	D, P		22				Right
-3	4658 826	2	D, P		22				BRACE, Door Inner Panel Belt
-4	2895 126	4							PLUG, Body, 1.25x.50
5									GLASS, Front Door
	4658 360	1	D, P		22				Right
	4658 361	1	D, P		22				Left
6	4658 332	4	D, P		22				STABILIZER, Door Glass Belt
7									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
8									BRACKET, Inside Handle
	4658 352	1							Right
	4658 353	1							Left
9	6501 773	4							NUT, Plastic Snap-in
10	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
11	4665 530	2	D, P		22				BRACKET, Door Trim Panel
12									HINGE, Door
	4783 484	1	D, P		22				Upper Left, Lower Right
	4783 485	1	D, P		22				Upper Right, Lower Left
13	4783 500	1	D, P		22				PIN, Door Hinge
-14	6035 926AA-	4							NUT, .312 Diameter, Hinge Pin
-15	6502 975	8							SCREW AND WASHER, Hex Head, M8x1.25x33
16	4661 215	2	D, P						PLUG, Body
17	4520 289	AR							SPACER, Door Latch Striker
18	4658 446	2							STRIKER AND BUMPER, Door Latch
19	6503 120	4							SCREW AND WASHER, Button Head Torx
20	4658 282	6	D, P		22				RETAINER, Glass to Liftplate, Front
21									RETAINER, Glass to Liftplate
	4658 282	4			42				
		6	D, P		22				
22	4793 758	2							SPEAKER, Front Door
-23	4775 117	1	D, P		22				SEAL, Speaker
24	0154 640	6							SCREW, Piercing, .164-15x1.25

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Door, Front, PL42 Regulator, Handle and Locking  
Figure DPL-107



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Front Door Window
	4658 978	1			42				Manual, Right
	4658 979	1			42				Manual, Left
	4798 620	1			42				Power, Right
	4798 621	1			42				Power, Left
-2									REINFORCEMENT, Front Door
									Inner, Electric Window
	4783 150	1			42				Right
	4783 151	1			42				Left
-3	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
4									HANDLE, Window Regulator
	FW80 SK5	2	D, P						Camel Tan
	JC09 SK5	2	D, P		42				Camel Tan, EUROPE
		2	Z		42				Camel Tan, EUROPE
	FW80 TAZ	2	D, P						Agate
	JC09 TAZ	2	D, P		42				Agate, EUROPE
		2	Z		42				Agate, EUROPE
5									SPACER, Window Regulator
	GY80 SK5	2			42				Camel Tan
	GY80 TAZ	2			42				Agate
6	4615 678	2			42				STABILIZER, Door Glass Belt
7	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
8									KNOB, Front Door Latch Locking
	FX30 TAZ	1		H	42				Agate, Right
	FX31 TAZ	1		H	42				Agate, Left
	FX30 TKB	1		H	42				Camel Tan, Right
	FX31 TKB	1		H	42				Camel Tan, Left
	FX30 TX9	1		H	42				Black, Right
	FX31 TX9	1		H	42				Black, Left
	FX30 TX9	1		S	42				Black, Right
	FX31 TX9	1		S	42				Black, Left
	FX30 TX9	1	D, P	L	42				Black, Right
	FX31 TX9	1	D, P	L	42				Black, Left
9									LEVER
	4624 630	1			42				Right
	4624 631	1			42				Left
10									CHECK, Front Door
	4615 440	1			42				Right
	4615 441	1			42				Left
11									NUT, M6 x 1.00, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Door, Front, PL42 Regulator, Handle and Locking  
Figure DPL-107

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12									LINK, Door Latch
	4658 920	1			42				Right
	4658 921	1			42				Left
13									HANDLE, Front Door Exterior
	4783 218	1		H, L					Flat Black, Right
	4783 219	1		H, L					Flat Black, Left
	PF74 RC5	1		S					Twilight Blue, Right
	PF75 RC5	1		S					Twilight Blue, Left
	PF74 RCH	1		S					Light Montego Blue, Right
	PF75 RCH	1		S					Light Montego Blue, Left
	PF74 RGS	1		S					Emerald Green, Right
	PF75 RGS	1		S					Emerald Green, Left
	PF74 RR4	1		S					Bright Red, Right
	PF75 RR4	1		S					Bright Red, Left
	PF74 RRE	1		S					Red, Right
	PF75 RRE	1		S					Red, Left
	PF74 RW7	1		S					White, Right
	PF75 RW7	1		S					White, Left
	PF74 RX8	1		S					Black, Right
	PF75 RX8	1		S					Black, Left
	PF74 SH1	1		S					Magenta, Right
	PF75 SH1	1		S					Magenta, Left
	PF75 SQM	1		S					Bright Jade, Left
	PF74 SQM	1		S					Bright Jade, Right
	PF74 TCN	1		S					Deep Amethyst Pearl, Right
	PF75 TCN	1		S					Deep Amethyst Pearl, Left
-14	6101 967	2							SCREW, Hex Head, M6x1.00x10.00
15	6033 876	6			42				SCREW, Tapping, M6.3x1.8x38.1
16									LATCH, Front Door
	4783 814	1							w/o Power Locks, Right
	4783 815	1							w/o Power Locks, Left
	4783 816	1							w/Power Locks, Right
	4783 817	1							w/Power Locks, Left
-17									CLIP, Latch Link
	4658 674	3			42				Right
	4658 675	3			42				Left
-18	4658 448	4			42				CLIP, Latch
19									LINK, Front Door Inside Remote Control to Latch
	4658 188	1			42				Right
	4658 189	1			42				Left
-20	3882 620	2	D, P		22				CLIP, Door Latch Anti-Rattle

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL42 Regulator, Handle and Locking  
Figure DPL-107


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
22									HANDLE, Interior Door, Serviced in Door Trim Panel
	FX36 TX9	1	D, P		42				Right
	FX37 TX9	1	D, P		42				Left
	FX36 TX9	1	Z		42				Right
	FX37 TX9	1	Z		42				Left
23									BRACKET, Outside Door Handle
	4658 212	1							Right
	4658 213	1							Left
24	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
25									LINK, Key Cylinder To Latch
	4658 918	1			42				Right
	4658 919	1			42				Left
-26									CLIP, Latch Link
	4658 676	2			42				Right
	4658 677	1			42				Left
27									LINK, Latch Actuating
	4658 086	1	D, P		22				Right
	4658 087	1	D, P		22				Left
28									MOTOR, Window Regulator
	4783 212	1			42				Right
	4783 213	1			42				Left
-29									DECAL, Theft Protection
	4814 399	2	Z		42				
		2	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Regulator, Handle and Locking  
Figure DPL-108




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 720	1	D, P		22				CHANNEL, Front Door Glass Front, Right
	4783 721	1	D, P		22				Front, Left
2	4658 436	1	D, P		22				LIFT PLATE, Door Glass, Front Right
	4658 437	1	D, P		22				Left
3	4783 722	1	D		22				CHANNEL, Front Door Glass, Includes Lift Plate Right
	4783 723	1	D		22				Left
4	FW80 SK5	2	D, P						HANDLE, Window Regulator Camel Tan
	FW80 TAZ	2	D, P						Agate
5	GY80 SK5	2	D, P						SPACER, Window Regulator Camel Tan
	GY80 TAZ	2	D, P						Agate
6	4615 678	2							STABILIZER, Door Glass Belt
7	6500 284	2							NUT, Hex, M6x1.00
8	FP28 TX9	1	D		22				KNOB AND PUSH ROD, Door Latch Right
	FP29 TX9	1	D		22				Left
9	4624 630	1	D, P		22				LEVER Right
	4624 631	1	D, P		22				Left
10	4658 064	1	D, P		22				CHECK, Front Door Right
	4658 065	1	D, P		22				Left
11									NUT, m6 X 1.00, (NOT SERVICED) (Not Serviced)
12	4658 078	1	D, P		22				LINK, Exterior Door Handle Right
	4658 079	1	D, P		22				Left
13	4783 218	1		H, L					HANDLE, Front Door Exterior Right
	4783 219	1		H, L					Left
	PF74 RC5	1		S					Twilight Blue, Right
	PF75 RC5	1		S					Twilight Blue, Left
	PF74 RCH	1		S					Light Montego Blue, Right
	PF75 RCH	1		S					Light Montego, Left
	PF74 RGS	1		S					Emerald Green, Right
	PF75 RGS	1		S					Emerald Green, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Door, Front, PL22 Regulator, Handle and Locking  
Figure DPL-108




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PF74 RR4	1		S					Bright Red, Right
	PF75 RR4	1		S					Bright Red, Left
	PF74 RW7	1		S					White, Right
	PF75 RW7	1		S					White, Left
	PF74 RX8	1		S					Black, Right
	PF75 RX8	1		S					Black, Left
	PF74 SH1	1		S					Magenta, Right
	PF75 SH1	1		S					Magenta, Left
	PF74 SQM	1		S					Bright Jade, Right
	PF75 SQM	1		S					Bright Jade, Left
	PF74 TCN	1		S					Amethyst Pearl, Right
	PF75 TCN	1		S					Amethyst Pearl, Left
-14	4480 116	1							RETAINER, Lock Cylinder
15	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
16									LATCH, Front Door
	4783 814	1							w/o Power Locks, Right
	4783 815	1							w/o Power Locks, Left
	4783 816	1							w/Power Locks, Right
	4783 817	1							w/Power Locks, Left
-17									CLIP, Latch Link
	4658 674	1							w/o Power Locks, Right
	4658 675	1							w/o Power Locks, Left
	4658 676	1	D, P			22			Right
	4658 677	1	D, P			22			Left
-18	4658 448	4				42			CLIP, Latch
19									LINK AND SLEEVE, Inside Remote -
									Right
	4783 194	1	D, P			22			Right
	4783 195	1	D, P			22			Left
-20	6035 372	2							SCREW, Pan Head Tapping, M6.3x1.8x22.23
21									HANDLE, Interior Door, Serviced in Door Trim Panel
	FX36 TX9	1	D, P			22			Right
	FX37 TX9	1	D, P			22			Left
22									BRACKET, Outside Door Handle
	4658 212	1							Right
	4658 213	1							Left
23	6500 284	4	D, P			22			NUT, Hex, M6x1.00
24									LINK, Key Cylinder To Latch
	4658 924	1	D, P			22			Right
	4658 925	1	D, P			22			Left
25									LINK, Latch Actuating

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Regulator, Handle and Locking  
Figure DPL-108



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4658 086	1	D, P		22				Right
	4658 087	1	D, P		22				Left
26	4658 916	1	D, P		22				REGULATOR, Front Door Window
	4658 917	1	D, P		22				Manual, Right
	4882 284	1	D, P		22				Power, Right
	4882 285	1	D, P		22				Power, Left
-27	4883 212	1	D, P		22				SPRING, Window Regulator Assist
-28									MOTOR, Front Door Electric
	4783 276	1	D, P		22				Right
	4783 277	1	D, P		22				Left
29	6500 284	4							NUT, Hex, M6x1.00
-30	4665 945	1	D, P		22				SEAL, Front Window Crank,
									Serviced in Door Trim Panel in 1998

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Door, Rear Shell, Glass and Hinge Figure DPL-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	4888 592	1			42				Right
	4888 593	1			42				Left
2									PANEL, Door Outer Repair
	4615 652	1			42				Right
	4615 653	1			42				Left
-3	2895 126	4			42				PLUG, Body, 1.25x.50
4									GLASS, Door
	4615 936	1			42				Right
	4615 937	1			42				Left
-5	6504 546	4			42				SCREW AND WASHER, Hex Head Lock, M6x1x19
6	4658 282	4			42				RETAINER, Glass to Liftplate
7	4658 332	4			42				STABILIZER, Door Glass Belt
8									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
9	6504 546	6							SCREW AND WASHER, Hex Head Lock, M6x1x19
10									CHECK, Rear Door
	4615 464	1			42				Right
	4615 465	1			42				Left
11									NUT AND WASHER, M6 x 1.00, (NOT SERVICED) (Not Serviced)
12									LABEL, Child Protection Lock, English
	4396 978	2			42				Window
	4615 722	2			42				Door
13	4615 952	2			42				BUMPER, Door Ajar Switch
14	4520 289	AR			42				SPACER, Door Latch Striker
15	4658 446	2			42				STRIKER AND BUMPER, Door Latch
16	6503 120	4			42				SCREW AND WASHER, Button Head Torx
17	4658 906	2			42				STRIKER, Door Interlock
18									HINGE, Door
	4783 485	1			42				Upper, Right
	4783 484	1			42				Upper, Left
		1			42				Lower, Right
	4783 485	1			42				Lower, Left
19	4783 500	1			42				PIN, Door Hinge
20	6035 926AA	4			42				NUT, .312 Diameter, Hinge Pin
-21	6502 975	4			42				SCREW AND WASHER, Hex Head, M8x1.25x33

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Rear Regulator, Handle and Locking  
Figure DPL-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Rear Door Window
	4783 338	1			42				Right
	4783 339	1			42				Left
-2	6500 284	4			42				NUT, Hex, M6x1.00
3	4658 448	4			42				CLIP, Latch, Anti-Rattle
4	4658 448	4			42				CLIP, Latch, Lock Guide
5									HANDLE, Window Regulator
	FW80 SK5	2	D, P						Camel Tan
	JC09 SK5	2	D, P		42				Camel Tan, EUROPE
	FW80 TAZ	2	D, P						Agate
	JC09 SK5	2	Z		42				Camel Tan, EUROPE
	JC09 TAZ	2	D, P		42				Agate, EUROPE
		2	Z		42				Agate, EUROPE
6									SPACER, Window Regulator
	GY80 SK5	2			42				Camel Tan
	GY80 TAZ	2			42				Agate
7									SHIELD, Door Latch
	4658 370	1			42				Right
	4658 371	1			42				Left
8									SCREW, 0164-15 x 0625, (NOT SERVICED) (Not Serviced)
9	6100 591	4			42				BOLT AND CONED WASHER, Hex Head, M8x25x24
10									BRACKET, Interlock
	4658 372	1			42				Right
	4658 373	1			42				Left
11	4661 245	2	D, P		42				PLUG, Body
12									HANDLE, Rear Door Exterior
	4658 818	1		H, L	42				Flat Black, Right
	4658 819	1		H, L					Flat Black, Left
	KR66 PC5	1		S	42				Twilight Blue, Right
	KR67 PC5	1		S	42				Twilight Blue, Left
	KR66 PCH	1		S	42				Light Montego Blue, Right
	KR67 PCH	1		S	42				Light Montego Blue, Left
	KR66 PGS	1		S	42				Emerald Green, Right
	KR67 PGS	1		S	42				Emerald Green, Left
	KR66 PR4	1		S	42				Bright Red, Right
	KR67 PR4	1		S	42				Bright Red, Left
	KR66 PRE	1		S	42				Strawberry, Right
	KR67 PRE	1		S	42				Strawberry, Left
	KR66 PW7	1		S	42				White, Right
	KR67 PW7	1		S	42				White, Left


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Door, Rear Regulator, Handle and Locking  
Figure DPL-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	KR66 PX8	1		S	42				Black, Right
	KR67 PX8	1		S	42				Black, Left
	KR66 SH1	1		S	42				Magenta, Right
	KR67 SH1	1		S	42				Magenta, Left
	KR66 SQM	1		S	42				Bright Jade, Right
	KR67 SQM	1		S	42				Bright Jade, Left
	KR66 TCN	1		S	42				Amethyst Pearl, Right
	KR67 TCN	1		S	42				Amethyst Pearl, Left
13									BRACKET, Outside Door Handle
	4658 212	1			42				Right
	4658 213	1			42				Left
14									KNOB AND PUSH ROD, Door Latch
	FX32 TAZ	2	D	L	42				Agate
		2		H	42				Agate
		2		S	42				Agate
	FX32 TKB	2	D	L	42				Camel Tan
		2		H	42				Camel Tan
		2		S	42				Camel Tan
-15									BRACKET, Lock Knob, Serviced in Door Trim Panel, (NOT SERVICED) (Not Serviced)
16									LEVER
	4624 630	1			42				Right
	4624 631	1			42				Left
17									LATCH, Rear Door
	4783 818	1			42				w/Power Locks, Right
	4783 819	1			42				w/Power Locks, Left
	4783 822	1			42				w/o Power Locks, Right
	4783 823	1			42				w/o Power Locks, Left
-18									CLIP, Latch
	4658 444	1							Right
	4658 445	1							Left
-19									CLIP, Latch Link
	4658 674	3			42				Right
	4658 675	3			42				Left
20									LINK, Remote Handle to Latch
	4658 194	1			42				Right
	4658 195	1			42				Left
21									LINK, Remote Handle to Latch
	4658 196	1			42				Right
	4658 197	1			42				Left
22									LINK, Exterior Door Handle

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Door, Rear Regulator, Handle and Locking  
Figure DPL-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4658 192	1			42				Right
	4658 193	1			42				Left
23	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
24	FX38 TX9	1			42				HANDLE, Interior Door Right
	FX39 TX9	1			42				Left
-25									BRACKET, Inside Handle Right
	4658 354	1			42				Left
	4658 355	1			42				
-26	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
27	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

# Mirror, Exterior Figure DPL-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

## NOTE:

Sales Codes:

GRE = MIRROR - LEFT

GSE = MIRROR - RIGHT

GSK = MIRROR - RIGHT POWER

GRK = MIRROR -LEFT POWER

GSN,GS3 = MIRROR - RIGHT POWER FOLD-AWAY

GR3 = MIRROR - LEFT POWER FOLD-AWAY

GRN = MIRROR - LEFT POWER FOLD-AWAY

GZF = MIRROR - RIGHT MANUAL

1	4658 888	1	D, P						MIRROR, Outside Rearview Remote, Manual-Painted-Areo, Right
	4658 889	1	D, P						Remote, Manual-Painted-Areo, Left
	4783 400	1	D, P						Aero-Electric-Painted, Right
	4783 401	1	D, P						Aero-Electric-Painted, Left
	4783 396	1	D, P						Foldaway, Right
	4783 930	1	D						Right
	4658 878	1	Z			42			Right
	4658 879	1	Z			42			Left
2									MIRROR, Outside Rearview Electric
	4888 820AA	1	D, P						Foldaway, Middle East Right
	4888 821AA	1	D, P						Left
-3									GLASS PACKAGE, Mirror
	4761 070	1	D, P						Right
	4761 071	1	D, P						Left
4	6100 045	6							NUT AND WASHER, Hex, M5x.80
5									BEZEL, Front Door Mirror
	LC02 TAZ	1	D, P						Agate, Remote - Painted - Areo, Right
	LC03 TAZ	1	D, P						Agate, Remote - Painted - Areo, Left
	LC04 TAZ	1	D, P						Agate, Electric - Painted - Areo, Right
	LC05 TAZ	1	D, P						Agate, Electric - Painted - Areo, Left
	LC02 TKB	1	D, P						Camel Tan, Remote - Painted - Areo, Right
	LC03 TKB	1	D, P						Camel Tan, Remote - Painted - Areo, Left
	LC04 TKB	1	D, P						Camel Tan, Electric - Painted - Areo, Right

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Mirror, Exterior  
Figure DPL-505**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LC05 TKB	1	D, P						Camel Tan, Electric - Painted -
									Areo, Left
	LH86 TAZ	1	Z		42				Agate, Right
	LH87 TAZ	1	Z		42				Agate, Left
	LH86 TKB	1	Z		42				Camel Tan, Right
	LH87 TKB	1	Z		42				Camel Tan, Left
6	4615 534	1	D, P						BEZEL, Mirror Opening Cover

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - FLE**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

Door, Front and Rear Weatherstrips and Seals  
Figure DPL-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4658 960	1			42				WEATHERSTRIP, Door Glass
	4658 961	1			42				Right
	4658 961	1			42				Left
-2	4658 993	2			42				PLUG
3									RETAINER, Door Glass Weatherstrip
	4658 234	1			42				Right
	4658 235	1			42				Left
4									SCREW, 8-15 x 5/8, (NOT
									SERVICED) (Not Serviced)
5									TRIM WELT, Door Opening Flange
	KJ62 DX9	1			42				Front, Black, Right
	KJ63 DX9	1			42				Front, Black, Left
	KJ64 DX9	1			42				Rear, Black, Right
	KJ65 DX9	1			42				Rear, Black, Left
6									BRACKET, Weatherstrip Retainer
	4658 308	1			42				Right
	4658 309	1			42				Left
7									RETAINER, B Pillar Weatherstrip
	4615 806	1			42				Right
	4615 807	1			42				Left
-8	4724 467AA-	2			42				LOCK STRIP, B-PLR
9									RETAINER, Door Glass
	4615 808	1			42				Right
	4615 809	1			42				Left
10									SEAL, Hinge Pillar
	4615 812	1							Right
	4615 813	1							Left
11	6504 055	6							SCREW, Hex Head, M6x1x16
12	6500 284	4							NUT, Hex, M6x1.00
13									WEATHERSTRIP, Front Door Belt
	4658 934	1			42				Outer, Right
	4658 935	1			42				Outer, Left
	4658 988	1			42				Inner, Right
	4658 989	1			42				Inner, Left
14									WEATHERSTRIP, Rear Door Belt
	4615 632	1			42				Inner, Right
	4615 633	1			42				Inner, Left
	5261 808	1			42				Outer, Right
	5261 809	1			42				Outer, Left
15									WEATHERSTRIP, Front Door
	4615 562	1			42				Lower, Front, Right
	4615 563	1			42				Lower, Front, Left
16									WEATHERSTRIP, Rear Door

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front and Rear Weatherstrips and Seals  
Figure DPL-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4615 572	1			42				Right
	4615 573	1			42				Left
-17									CLIP, Wrap Around, M15 x 16.40, (NOT REQUIRED)
-18	6035 405	2							CLIP, Front and Rear Drive Flange to Molding, .510x.365x.014 THK
-19	4658 673	6			42				PIN PUSH, .150x.410
-20	4696 129	AR							CLIP, Weatherstrip
-21									LOCK STRIP, B-PLR
	4724 467AA-	2			42				Rear
		2			42				Front

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Weatherstrips and Seals  
Figure DPL-606



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Front Door Glass
	4658 964	1	D, P		22				Run
	4658 965	1	D, P		22				Right
									Left
2									RETAINER, Front Pillar to Glass
	4658 952	1	D, P		22				Right
	4658 953	1	D, P		22				Left
3									RETAINER, Center PillarWeatherstrip
	4658 044	1	D, P		22				Right
	4658 045	1	D, P		22				Left
4									SCREW, 8-15 x 5/8, (NOT SERVICED) (Not Serviced)
5									WELT, Door Opening
	GM66 DX9	1	D, P		22				Black, Right
	GM67 DX9	1	D, P		22				Black, Left
	GM66 TKB	1	D		22				Camel Tan, Right
	GM67 TKB	1	D		22				Camel Tan, Left
6	4696 129	AR							CLIP, Weatherstrip
7									SEAL, Hinge Pillar
	4615 812	1							Right
	4615 813	1							Left
8	6504 055	6							SCREW, Hex Head, M6x1x16
9	6500 284	4							NUT, Hex, M6x1.00
10									WEATHERSTRIP, Front Door Belt
	4658 034	1	D, P		22				Inner, Right
	4658 035	1	D, P		22				Inner, Left
	4658 036	1	D, P		22				Outer, Right
	4658 037	1	D, P		22				Outer, Left
11									WEATHERSTRIP, Front Door, Lower
	4658 032	1	D, P		22				Right
	4658 033	1	D, P		22				Left



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




# Group – EPL

## Exterior Ornamentation





### GROUP EPL - Exterior Ornamentation

Illustration Title	Group-Fig. No.
<b>Nameplates</b>	
Nameplates .....	Fig. EPL-105
<b>Moldings and Ornamentation</b>	
Moldings and Ornamentation PL-22 .....	Fig. EPL-202
Moldings and Ornamentation PL-42 .....	Fig. EPL-205
<b>Decals and Tapestripes</b>	
Decals and Tapestripes .....	Fig. EPL-305
Tapes and Caps Anti-Chip .....	Fig. EPL-310

<div>EPL-100</div> <div>Nameplates</div> <div></div>	<div>EPL-200</div> <div>Moldings and Ornamentation</div> <div></div>	<div>EPL-300</div> <div>Decals and Tapestripes</div> <div></div>	
---	---	--	--



# Nameplates Figure EPL-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NAMEPLATE, Medallion, Ram Head
	KS76 SZ1	1	D						[KSA]
	KS76 PC3	1	D						[KSC]
	KS76 PP1	1	D						[KSP]
	KS76 SW7	1	D						[KSF]
2									NAMEPLATE, Plymouth
	PG20 SC3	1	P						Blue (R4, H1, X8)
	PG20 SP1	1	P						Turquoise (W7, C4)
	PG20 SWA	1	P						White
	PG20 SZ1	1	P						Chrome
3									NAMEPLATE, Chrysler, Deck Lid
	MH28 PC3	1							Blue (RE, C5, R4, X8)
	MH28 PP1	1							Turquoise (GS, CH, W7)
4	4883 989AA	1							NAMEPLATE, Hood, Chrysler (Chrome)
5									NAMEPLATE, DECKLID
	5288 407	1							2.0L DOHC, Chrome
	5288 408	1							2.0L 16V, Chrome
6	5288 409	1							NAMEPLATE, Chrysler, Chrome
7	5288 413	2		L					NAMEPLATE, SE, Chrome
8	5288 414	2		H	42				NAMEPLATE, Rear Door, LE - Chrome
9	5288 415	2		S	42				NAMEPLATE, LX
10									NAMEPLATE, 1.8I 16V, (NOT REQUIRED)
11									EMBLEM, R/T, (NOT REQUIRED)
12	5288 411	1							NAMEPLATE, Neon
13									NAMEPLATE, Dodge, (NOT REQUIRED)
14									EMBLEM, Dodge, (NOT REQUIRED)
15									NAMEPLATE, Sport, (NOT REQUIRED)
16									NAMEPLATE, Espresso, (NOT REQUIRED)
17									NAMEPLATE, Plymouth, (NOT REQUIRED)
18									NAMEPLATE, Ex, (NOT REQUIRED)
19									NAMEPLATE, Chrysler, Gold, (NOT SERVICED) (Not Serviced)

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI




TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Mouldings and Ornamentation PL-22

## Figure EPL-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 535	1							MOLDING, Windshield
2	5288 463	1							MOLDING, Backlite
3									MOLDING, Fender
	FX20 PC5	1							Light Iris (K3J), Right
	FX21 PC5	1							Light Iris (K3J), Left
	FX20 PCH	1							Brilliant Blue (K3N), Right
	FX21 PCH	1							Brilliant Blue (K3N), Left
	FX20 PD7	1							Dark Quartz (K3S), Right
	FX21 PD7	1							Dark Quartz (K3S), Left
	FX20 PGS	1							Emerald Green (K3K), Right
	FX21 PGS	1							Emerald Green (K3K), Left
	FX20 PR4	1							Red (K3R), Right
	FX21 PR4	1							Red (K3R), Left
	FX20 PRE	1							Strawberry Red (K3H), Right
	FX21 PRE	1							Strawberry Red (K3H), Left
	FX20 PX8	1							Black (K3X), Right
	FX21 PX8	1							Black (K3X), Left
	FX20 SH1	1							Magenta (K3G), Right
	FX21 SH1	1							Magenta (K3G), Left
	FX20 SQM	1							Bright Jade (K3L), Right
	FX21 SQM	1							Bright Jade (K3L), Left
	FX20 TCN	1							Amethyst Pearl (K3A), Right
	FX21 TCN	1							Amethyst Pearl (K3A), Left
	KN12 PW7	1							White, Right
	KN13 PW7	1							White, Left
4									MOLDING, Front Door
	FK12 RC5	1	D		22				Light Iris (K3J), Right
	FK13 RC5	1	D		22				Light Iris (K3J), Left
	FK12 RCH	1	D		22				Brilliant Blue (K3N), Right
	FK13 RCH	1	D		22				Brilliant Blue (K3N), Left
	FK12 RD7	1	D		22				Dark Quartz (K3S), Right
	FK13 RD7	1	D		22				Dark Quartz (K3S), Left
	FK12 RGS	1	D		22				Emerald Green (K3K), Right
	FK13 RGS	1	D		22				Emerald Green (K3K), Left
	FK12 RR4	1	D		22				Red (K3R), Right
	FK13 RR4	1	D		22				Red (K3R), Left
	FK12 RRE	1	D		22				Strawberry Red (K3H), Right
	FK13 RRE	1	D		22				Strawberry Red (K3H), Left
	FK12 RX8	1	D		22				Black (K3X), Right
	FK13 RX8	1	D		22				Black (K3X), Left
	FK12 SH1	1	D		22				Magenta (K3G), Right
	FK13 SH1	1	D		22				Magenta (K3G), Left

### DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special




LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

**Mouldings and Ornamentation PL-22**  
**Figure EPL-202**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	FK12 SQM	1	D		22				Bright Jade (K3L), Right
	FK13 SQM	1	D		22				Bright Jade (K3L), Left
	FK12 TCN	1	D		22				Amethyst Pearl (K3A), Right
	FK13 TCN	1	D		22				Amethyst Pearl (K3A), Left
	FK12 RC4	1	D, P		22				[K3B], Right
	FK13 RC4	1	D, P		22				[K3B], Left
	KN30 RW7	1	D, P		22				White, Right
	KN31 RW7	1	D, P		22				White, Left
5									MOLDING, Quarter Panel
	FK14 RC4	1	D, P		22				Warm Silver (K3B), Right
	FK15 RC4	1	D, P		22				Warm Silver (K3B), Left
	FK14 RC5	1	D, P		22				Light Iris (K3J), Right
	FK15 RC5	1	D, P		22				Light Iris (K3J), Left
	FK14 RCH	1	D, P		22				Brilliant Blue (K3N), Right
	FK15 RCH	1	D, P		22				Brilliant Blue (K3N), Left
	FK14 RD7	1	D, P		22				Dark Quartz (K3S), Right
	FK15 RD7	1	D, P		22				Dark Quartz (K3S), Left
	FK14 RGS	1	D, P		22				Emerald Green (K3K), Right
	FK15 RGS	1	D, P		22				Emerald Green (K3K), Left
	FK14 RR4	1	D, P		22				Red (K3R), Right
	FK15 RR4	1	D, P		22				Red (K3R), Left
	FK14 RRE	1	D, P		22				Strawberry Red (K3H), Right
	FK15 RRE	1	D, P		22				Strawberry Red (K3H), Left
	FK14 RX8	1	D, P		22				Black (K3X), Right
	FK15 RX8	1	D, P		22				Black (K3X), Left
	FK14 SH1	1	D, P		22				Magenta (K3G), Right
	FK15 SH1	1	D, P		22				Magenta (K3G), Left
	FK14 TCN	1	D, P		22				Amethyst Pearl (K3A), Right
	FK15 TCN	1	D, P		22				Amethyst Pearl (K3A), Left
	FK14 SQM	1	D, P		22				Bright Jade (K3L), Right
	FK15 SQM	1	D, P		22				Bright Jade (K3L), Left
	KN32 RW7	1	D, P		22				White, Right
	KN33 RW7	1	D, P		22				White, Left
6									APPLIQUE, B Pillar
	5288 470	1	D, P		22				Right
	5288 471	1	D, P		22				Left
-7	5303 162	2	D, P		22				RETAINER, B Pillar Applique
8	5303 360	AR							TAPE, Applique Repair
9									MOLDING, Roof
	5288 432	1							Right
	5288 433	1							Left

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings and Ornamentation PL-42  
Figure EPL-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 535	1							MOLDING, Windshield
2	5288 463	1							MOLDING, Backlite
3									MOLDING, Fender
	FX16 PDL	1							Dark Quartz EXPORT, Right
	FX17 PDL	1							Dark Quartz EXPORT, Left
	FX16 TC4	1							Twilight Blue EXPORT, Right
	FX17 TC4	1							Twilight Blue EXPORT, Left
	FX16 TC5	1							Light Iris EXPORT, Right
	FX17 TC5	1							Light Iris EXPORT, Left
	FX16 TCH	1							Brilliant Blue EXPORT, Right
	FX17 TCH	1							Brilliant Blue EXPORT, Left
	FX16 TCN	1							Amethyst Pearl EXPORT, Right
	FX17 TCN	1							Amethyst Pearl EXPORT, Left
	FX16 TGS	1							Emerald Green EXPORT, Right
	FX17 TGS	1							Emerald Green EXPORT, Left
	FX16 TR4	1							Graphic Red EXPORT, Right
	FX17 TR4	1							Graphic Red EXPORT, Left
	FX16 TRE	1							Red/Silver EXPORT, Right
	FX17 TRE	1							Red/Silver EXPORT, Left
	FX16 TX8	1							Black EXPORT, Right
	FX17 TX8	1							Black EXPORT, Left
	FX20 PC5	1							Light Iris, Right
	FX21 PC5	1							Light Iris, Left
	FX20 PCH	1							Brilliant Blue, Right
	FX21 PCH	1							Brilliant Blue, Left
	FX20 PD7	1							Warm Gray, Right
	FX21 PD7	1							Warm Gray, Left
	FX20 PDL	1							Dark Quartz, Right
	FX21 PDL	1							Dark Quartz, Left
	FX20 PGS	1							Emerald Green, Right
	FX21 PGS	1							Emerald Green, Left
	FX20 PR4	1							Bright Red, Right
	FX21 PR4	1							Bright Red, Left
	FX20 PRE	1							Strawberry Red, Right
	FX21 PRE	1							Strawberry Red, Left
	FX20 PX8	1							Black, Right
	FX21 PX8	1							Black, Left
	FX20 SH1	1							Magenta, Right
	FX21 SH1	1							Magenta, Left
	FX20 SQM	1							Bright Jade, Right
	FX20 TCN	1							Amethyst Pearl, Right
	FX21 TCN	1							Amethyst Pearl, Left
	FX21 SQM	1							Bright Jade, Left


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Mouldings and Ornamentation PL-42**  
**Figure EPL-205**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	KN12 PW7	1							White, Right
	KN13 PW7	1							White, Left
									MOLDING, Front Door
	FX22 PC5	1			42				Light Iris, Right
	FX23 PC5	1			42				Light Iris, Left
	FX22 PCH	1			42				Brilliant Blue, Right
	FX23 PCH	1			42				Brilliant Blue, Left
	FX22 PD7	1			42				Warm Gray, Right
	FX23 PD7	1			42				Warm Gray, Left
	FX22 PDL	1			42				Dark Quartz, Right
	FX23 PDL	1			42				Dark Quartz, Left
	FX22 PGS	1			42				Emerald Green, Right
	FX23 PGS	1			42				Emerald Green, Left
	FX22 PR4	1			42				Bright Red, Right
	FX23 PR4	1			42				Bright red, Left
	FX22 PRE	1			42				Strawberry Red, Right
	FX23 PRE	1			42				Strawberry Red, Left
	FX22 PX8	1			42				Black, Right
	FX23 PX8	1			42				Black, Left
	FX22 SH1	1			42				Magenta, Right
	FX23 SH1	1			42				Magenta, Left
5	FX22 SQM	1			42				Bright Jade, Right
	FX23 SQM	1			42				Bright Jade, Left
	FX22 TCN	1			42				Amethyst Pearl, Right
	FX23 TCN	1			42				Amethyst Pearl, Left
	JH02 PDL	1			42				Dark Quartz EXPORT, Right
	JH03 PDL	1			42				Dark Quartz EXPORT, Left
	KN14 PW7	1			42				White, Right
	KN15 PW7	1			42				White, Left
									MOLDING, Rear Door
	FX18 GW7AB	1			42				White (K40), Right
	FX19 GW7AB	1			42				White (K40), Left
	FX24 PC5	1			42				Light Iris, Right
	FX25 PC5	1			42				Light Iris, Left
	FX24 PCH	1			42				Brilliant Blue, Right
	FX25 PCH	1			42				Brilliant Blue, Left
	FX24 PD7	1			42				Warm Gray, Right
	FX25 PD7	1			42				Warm Gray, Left
	FX24 PDL	1			42				Dark Quartz, Right
	FX25 PDL	1			42				Dark Quartz, Left
	FX24 PGS	1			42				Emerald green, Right
	FX25 PGS	1			42				Emerald Green, Left

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth



BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Mouldings and Ornamentation PL-42  
Figure EPL-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	FX24 PR4	1			42				Bright Red, Right
	FX25 PR4	1			42				Bright red, Left
	FX24 PRE	1			42				Strawberry Red, Right
	FX25 PRE	1			42				Strawberry Red, Left
	FX24 PX8	1			42				Black, Right
	FX25 PX8	1			42				Black, Left
	FX24 SH1	1			42				Magenta, Right
	FX25 SH1	1			42				Magenta, Left
	FX24 SQM	1			42				Bright Jade, Right
	FX25 SQM	1			42				Bright Jade, Left
	FX24 TCN	1			42				Amethyst Pearl, Right
	FX25 TCN	1			42				Amethyst Pearl, Left
	KN18 PW7	1			42				White (K30), Right
	KN19 PW7	1			42				White (K30), Left
6									APPLIQUE, B Pillar
	4546 838	1			42				Right
	4546 839	1			42				Left
-7									RETAINER, B Pillar Applique
	5303 019	1			42				Upper
	5303 162	1			42				Lower
-8	5303 360	AR							TAPE, Applique Repair
9									MOLDING, Roof
	5288 432	1							Right
	5288 433	1							Left





DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Decals and Tapestripes  
Figure EPL-305




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECAL, 16V DOHC, Hood
	MN03 RC3	1	D						[KXC]
	MN03 RP1	1	D						[KXP]
	MN03 RPG	1	D						[KXA]
	MN03 RPH	1	D						[KXB]
	MN03 TA1	1	D						[KXL]
2									DECAL, "NEON", Right
	4370 834	1							Gold, Fleet Pkg.
	4883 995AA	1							Chrome
	QS46 CA1AA	1							[KTA]
	QS46 HC3AA	1							[KTC]
	QS46 LP1AA	1							[KTP]
	QS52 CA1AA	2	D		22				[KCA] - CANADA
3									DECAL, Rear Quarter, Sport, Door
	4370 837	2							Gold, Fleet Pkg.
	QW89 CA1AA	2							[KGA]
4									TAPE KIT, W/O Sunroof, Rear, (NOT REQUIRED)
5	QW90 CA1AA	2	D, P		22				DECAL, Rear Quarter, Neon Export, EXPRESSO - Chrome, [KCA] - CANADA
6									STRIPE, Hood, (NOT REQUIRED)
7									STRIPE, Decklid, (NOT REQUIRED)
8									STRIPE, Grille, (NOT REQUIRED)
9									STRIPE, Sunroof, Rear, (NOT REQUIRED)
10									TAPE KIT, W/Sunroof, Front, (NOT REQUIRED)
11									DECAL, "EXPRESSO"
	4370 838	2	D, P						Gold
	PH20 SA1	2	D, P						[KYA]
	PH20 SWH	2	D, P						[KYW]
12									TAPE STRIPE, Hood, 'Skunk'
									EXPORT, (NOT REQUIRED)
13									DECAL, Plymouth
	QS47 CA1AA	1							[KAA]
	QS47 HC3AA	1							[KAC]
	QS47 LP1AA	1							[KAP]
14									DECAL, Dodge
	QW91 CA1AA	1							[KBA]
	QW91 HC3AA	1							[KBC]
	QW91 LP1AA	1							[KBP]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES LINE BODY ENGINE TRANSMISSION  
L=Low Line Z=Chrysler, RHD 41=4 Door, 104WB ECB=2.0L 4 Cyl., 16V SMPI DD5 = 5 Speed Manua  
H=High Line D=Dodge EJD=1.6L 4 Cyl16V SOHC DGC = 3 Speed Automatic  
S=Special D=Chrysler EBD=1.8L 4 Cyl16V SEFI DGL = 4 Speed Automatic  
P=Plymouth DBB= All 5 Speed Manual

Tapes and Caps Anti-Chip  
Figure EPL-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Splash
	4783 334AC	1							Right
	4783 335AC	1							Left
-2	6504 090	2							RIVET, Plastic Gray
-3	6035 204	4							SCREW, Tapping, .19-16x.75
-4	6032 031	4							NUT, Spring, .19-16
5	4797 292	1							TAPE, Anti Chip



DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					


AR = Use as required - = Non illustrated part # = New this model year









September 15, 2005



# Group – IPL

## Interior Trim



<b>IPL-100</b> Headliner and Visor 	<b>IPL-200</b> Panel, Moldings, Scuff Plates 	<b>IPL-300</b> Carpet 	<b>IPL-400</b> Door Trim Panels 
<b>IPL-500</b> Front Seats and Attaching Parts 	<b>IPL-600</b> Rear Seats-Folding 	<b>IPL-700</b> Seat Belts-Front and Rear 	<b>IPL-800</b> Adjusters, Covers, Shields, and Risers 

## GROUP IPL - Interior Trim

Illustration Title

Group-Fig. No.

### Headliner and Visor

Headliner, Visor and Shelf Panel ..... Fig. IPL-110

### Panel, Moldings, Scuff Plates

Cowl Panels ..... Fig. IPL-210  
A-Pillar ..... Fig. IPL-215  
B-Pillar ..... Fig. IPL-220  
Quarter Trim Panel ..... Fig. IPL-225  
Scuff Plates - Front and Rear ..... Fig. IPL-230

### Carpet

Carpet, Mats and Silencers ..... Fig. IPL-310

### Door Trim Panels

Door Panels - Front - 4-Door ..... Fig. IPL-410  
Door Panels - Front - 2-Door ..... Fig. IPL-415  
Door Panels - Rear ..... Fig. IPL-420

### Front Seats and Attaching Parts

Seat Front Trim Code B5 ..... Fig. IPL-510  
Seat Front Trim Code H7 & T7 (T7 1998 Only) ..... Fig. IPL-515  
Seat Front Trim Code G7 & L7 ( L7 - 1998 Only) ..... Fig. IPL-520  
Seat Front Trim Code F7 & W7 (W7 1998 Only) ..... Fig. IPL-522  
Seat Reclining ..... Fig. IPL-525

### Rear Seats-Folding

Rear Seats Trim Code B5 ..... Fig. IPL-610  
Rear Seat Trim Code H7 & T7 (T7 1998 Only) ..... Fig. IPL-615  
Rear Seat Trim Code G7,L7 ..... Fig. IPL-620  
Rear Seat Trim Code F7 & W7 (W7 1998 Only) ..... Fig. IPL-622  
Rear Seat Attaching Parts ..... Fig. IPL-625


### Seat Belts-Front and Rear

Seat Belts - Front ..... Fig. IPL-710  
Seat Belts - Rear ..... Fig. IPL-720

### Adjusters, Covers, Shields, and Risers

Seat Adjustres, Recliners and Side Shields ..... Fig. IPL-810

# Headliner, Visor and Shelf Panel Figure IPL-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									
									VISOR
	MW12 SC1	1	D		22			O0	Mist Gray 2 Door, Right
		1	D		42			O0	Mist Gray 4 Door, Right
		1	Z		42			O0	Mist Gray, Right
		1	P		22			O0	Mist Gray 2 Door, Right
		1	P		42			O0	Mist Gray 4 Door, Right
	MW12 TK4	1	D		42			O0	Tan 4 Door, Right
		1	D		22			O0	Tan 2 Door, Right
		1	P		42			O0	Tan 4 Door, Right
		1	Z		42			O0	Tan, Right
	MW13 SC1	1	D		22			O0	Mist Gray 2 Door, Left
	MW12 TK4	1	P		22			O0	Tan 2 Door, Right
	MW13 SC1	1	P		22			O0	Mist Gray 2 Door, Left
		1	P		42			O0	Mist Gray 4 Door, Left
	MW13 TK4	1	D		42			O0	Tan 4 Door, Left
	MW13 SC1	1	D		42			O0	Mist Gray 4 Door, Left
		1	Z		42			O0	Mist Gray, Left
	MW13 TK4	1	D		22			O0	Tan 2 Door, Left
		1	P		22			O0	Tan 2 Door, Left
	PF48 SC1	1	D					O0	Mist Gray With Mirror, Right
	MW13 TK4	1	P		42			O0	Tan 4 Door, Left
		1	Z		42			O0	Tan, Left
	PF48 TK4	1	D					O0	Tan With Mirror, Right
	PF49 SC1	1	D					O0	Mist Gray With Mirror, Left
	PF59 SC1	1	D					O0	Mist Gray, Left
	PF49 TK4	1	D					O0	Tan With Mirror, Left
	PF59 TK4	1	D					O0	-Tan, Left
	QY02 RC1AA	1	D, P					O0	Mist Gray, Without Mirror, Right
	QY02 RK4AA	1	D, P					O0	Tan, Without Mirror, Right
2									
									VISOR, Illuminated
	LR53 SC1	1						O0	Mist gray, w/Extenders, Left
	LR53 TK4	1						O0	Tan, w/Extenders, Left
	LR52 SC1	1						O0	Mist Gray, w/Extenders, Right
	LR52 TK4	1						O0	Tan, w/Extenders, Right
3									
	4595 746AA	1	D, P						LABEL, Air Bag Warning
		1	Z		42			O0	
4									
SCREW, .164-18x.75, (NOT SERVICED) (Not Serviced)									
5									
HEADLINER									
	LC36 SC1	1	D, P		42			O0	Mist Gray, Without Assist Handles
	LD40 SC1	1	D		22			O0	Mist Gray, Without Assist Handles

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Headliner, Visor and Shelf Panel Figure IPL-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LD40 TK4	1	D		22			O0	Tan, Without Assist Handles
	LC37 SC1	1	D, P		42			O0	Mist Gray, With Assist Handles
	LG16 SC1	1	D, P		22			O0	Mist Gray, With Assist Handles
	LC36 TK4	1	D, P		42			O0	Tan, Without Assist Handles
	LC37 TK4	1	D, P		42			O0	Tan, With Assist Handles
	LG16 TK4	1	D, P		22			O0	Tan, With Assist Handles
	PB31 TK4	1	D, P		22			O0	Tan, With Assist Handles and Sunroof
	PB35 SC1	1	D		42			O0	Mist Gray, With Sunroof Without Assist Handles
	PB31 SC1	1	D, P		22			O0	Mist Gray, With Assist Handles and Sunroof
	PB38 TK4	1	D		22			O0	Tan, With Sunroof Without Assist Handles
	PB39 TK4	1	D, P		42			O0	Tan, With Sunroof Without Assist Handles
	PD81 SC1	1	Z		42			O0	Mist Gray, With Assist Handles and Sunroof
	PB35 TK4	1	D		42			O0	Tan, With Sunroof Without Assist Handles
	PB38 SC1	1	D		22			O0	Mist Gray, With Sunroof Without Assist Handles
	PB39 SC1	1	D, P		42			O0	Mist Gray, With Sunroof Without Assist Handles
	PD82 TK4	1	Z		42			O0	Tan, With Assist Handles and Sunroof
	PD81 TK4	1	Z		42			O0	Mist Gray, With Assist Handles
6	PD82 SC1	1	Z		42			O0	FASTENER, Headliner
	LR69 SC1	1						O0	Mist Gray
	LR69 SK4	1						O0	Tan
7	LE56 SC1	2	Z		42			O0	HOOK, Coat
	LE56 TK4	2	Z		42			O0	Mist Gray
	LE56 SC1	1	D, P		22			O0	Tan
		2	D, P		42			O0	Mist Gray
	LE56 TK4	1	D, P		22			O0	Mist Gray
		2	D, P		42			O0	Tan
8	EW40 TAZ	1						O0	PANEL, Rear Shelf
	EW40 TK5	1						O0	Agate
	PJ60 TAZ	1	Z		42			O0	Tan
								O0	Agate

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Headliner, Visor and Shelf Panel Figure IPL-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PJ60 TK5	1	Z		42			O0	Tan
9	6030 441	4							PIN, Retainer
10	MH08 RC1	2						O0	CLIP, Visor
	MH08 SK4	2						O0	Mist Gray
								O0	Tan
11	QL75 SC1	2	D, P		22			O0	SUPPORT, Visor
		2	D, P		42			O0	Mist Gray
	QL75 TK4	2	D, P		22			O0	Mist Gray
		2	D, P		42			O0	Tan
12								O0	HANDLE, Door Interior, Assist
	H882 SC1	3			42			O0	Handle
	H882 TK4	3			42			O0	Mist Gray
	JC09 SK5	2	Z		42			O0	Tan
	H882 SC1	1	D, P		22			O0	Mist Gray
	H882 TK4	1	D, P		22			O0	Tan
13	JC09 TAZ	2	Z		42			O0	SCREW, Pan Head, M6x1x20
	6503 973	6			42				
		2	D, P		22				
-14									NUT, Spring Snap In Special, M6 x 1.00
	6503 747	6			42				
		2	D, P		22				
15									PLUG, Assist and Grab Handle
	H526 TK4	6			42			O0	Tan
	H526 SC1	6			42			O0	Mist Gray
		2	D, P		22			O0	Mist Gray
	H526 TK4	2	D, P		22			O0	Tan
16									CLIP, Pinch Top
	4728 574	2	D		42				Coat Hook
		2	D		22				Visor Center
		2	Z		42				Visor Assembly Right & Left Plain
17	4728 575	1	D, P		42			O0	CLIP, Roll Top
18	6035 324	4							SCREW, .164-18x.75

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



## Cowl Panels

### Figure IPL-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	FT18 TAZ	1	D, P					O0	Agate, Right
	FT18 TK5	1	D, P					O0	Tan, Right
	FT19 TAZ	1	D, P					O0	Agate, Left
	FT19 TK5	1	D, P					O0	Tan, Left
	LJ96 TAZ	1	Z		42			O0	Agate, Right
	LJ96 TK5	1	Z		42			O0	Tan, Right
	LJ97 TAZ	1	Z		42			O0	Agate, Left
	LJ97 TK5	1	Z		42			O0	Tan, Left
2									CLIP, Trim Panel
	6503 167	2	D, P						
		2			42				
		2	Z		42				

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - T E**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

A-Pillar  
Figure IPL-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, A Pillar Trim
	ER34 TAZ	1			42			O0	Agate, Right
	ER34 TKB	1			42			O0	Tan, Right
	ER35 TAZ	1			42			O0	Agate, Left
	ER35 TKB	1			42			O0	Tan, Left
2									MOLDING, Windshield Garnish
	GE35 TAZ	1	D, P		22			O0	Agate, Left
	GE34 TAZ	1	D, P		22			O0	Agate, Right
	GE34 TKB	1	D, P		22			O0	Tan, Right
	GE35 TKB	1	D, P		22			O0	Tan, Left
3									CLIP, Pillar Trim
	6503 104	4			42				
		7	D, P		22				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

**B-Pillar**  
**Figure IPL-220**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, Pillar Shoulder Belt
	PH36 TAZ	1			42			O0	Agate, Right
	PH36 TK5	1			42			O0	Tan, Right
	PH37 TAZ	1			42			O0	Agate, Left
	PH37 TK5	1			42			O0	Tan, Left
2	4645 780	2			42				KNOB, Seat Belt Adjuster
3									BEZEL, B Pillar Seat Belt
	GY62 TAZ	2			42			O0	Agate, Right & Left
	GY62 TK5	2			42			O0	Tan, Right & Left
4									CLIP, Pillar Trim
	6503 104	4			42				
		7	D, P		22				

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - T E**  
**SERIES**  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 15, 2005

# Quarter Trim Panel Figure IPL-225

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PANEL, Quarter Trim, Upper								
	EB90 TAZ	1	Z		42			O0	Agate, Upper Right
	EB90 TK5	1	D		42			O0	Tan, Upper Right
	EB91 TAZ	1	D		42			O0	Agate, Upper Left
	EB90 TAZ	1	D		42			O0	Agate, Upper Right
		1	P		42			O0	Agate, Upper Right
	EB90 TK5	1	P		42			O0	Tan, Upper Right
	EB91 TAZ	1	P		42			O0	Agate, Upper Left
		1	Z		42			O0	Agate, Upper Left
	EB91 TK5	1	D		42			O0	Tan, Upper Left
	EB90 TK5	1	Z		42			O0	Tan, Upper Right
	EB91 TK5	1	P		42			O0	Tan, Upper Left
		1	Z		42			O0	Tan, Upper Left
2	PANEL, Quarter Trim, Lower								
	EB92 TAZ	1	D		42			O0	Agate, Lower Right
		1	P		42			O0	Agate, Lower Right
	EB92 TK5	1	P		42			O0	Tan, Lower Right
	EB92 TAZ	1	Z		42			O0	Agate, Lower Right
	EB92 TK5	1	D		42			O0	Tan, Lower Right
	EB93 TAZ	1	D		42			O0	Agate, Lower Left
	EB92 TK5	1	Z		42			O0	Tan, Lower Right
	EB93 TAZ	1	Z		42			O0	Agate, Lower Left
	EB93 TK5	1	D		42			O0	Tan, Lower Left
	EB93 TAZ	1	P		42			O0	Agate, Lower Left
	EB93 TK5	1	P		42			O0	Tan, Lower Left
		1	Z		42			O0	Tan, Lower Left
3	CLIP, Trim Panel								
	6503 167	2			42				
		5	D, P		22				
		2	Z		42				
4	PANEL, Quarter Trim								
	MN96 TAZ	1	D		22			O0	Agate, Right
	MN96 TK5	1	D		22			O0	Tan, Right
	MN97 TAZ	1	D		22			O0	Agate, Left
	MN97 TK5	1	D		22			O0	Tan, Left
-5	CLIP, Pillar Trim								
	6503 104	4			42				Panel Attaching
		4	D, P		22				Panel Attaching

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual



# Scuff Plates - Front and Rear Figure IPL-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	FZ98 TAZ	1	D		22			O0	PLATE, Scuff, Front Agate, Right
	FZ98 TK5	1	D		22			O0	Tan, Right
	FT20 TAZ	2			42			O0	Agate, Right & Left
	FT20 TK5	2			42			O0	Tan, Right & Left
	FZ99 TAZ	1	D		22			O0	Agate, Left
2	FZ99 TK5	1	D		22			O0	Tan, Left
	PLATE, Scuff, Rear								
	EB88 TAZ	2	D		42			O0	Agate, Rear
		2	P		42			O0	Agate, Rear
		2	Z		42			O0	Agate, Rear
	EB88 TK5	2	D		42			O0	Tan, Rear
		2	P		42			O0	Tan, Rear
3	6503 061	4	Z		42			O0	Tan, Rear
									CLIP, Scuff Plate


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Carpet, Mats and Silencers Figure IPL-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Full Floor
	LK51 TAZ	1	Z		42			O0	Agate, With Cable Release Deck Lid
	LK51 RK5AB	1	Z		42			O0	Camel, With Cable Release Deck Lid
	PK54 TAZ	1	D		42			O0	Agate, With Cable Release Deck Lid
	PK54 RK5AB	1	D, P		42			O0	Camel, With Cable Release Deck Lid
	PK55 TAZ	1	D, P		22			O0	Agate, With Cable Release Deck Lid
	PK55 RK5AB	1	D, P		22			O0	Camel, With Cable Release Deck Lid
	PQ16 TAZ	1	D		22			O0	Agate, , Without Cable Release Deck Lid
	PQ16 RK5AB	1	D, P		22			O0	Camel, Without Cable Release Deck Lid
	PQ56 TAZ	1	D, P		42			O0	Agate, , Without Cable Release Deck Lid
	PQ56 RK5AB	1	D, P		42			O0	Camel, , Without Cable Release Deck Lid
2	4740 136	1							SILENCER, Floor Pan
3	MF31 SSB	1						O0	CARPET, Luggage Compartment, Dark Charcoal
-4	PE14 SSB	1						O0	PANEL, Decklid, Dark Charcoal
5	6030 441	4							PIN, Retainer
-6	5601 7549	4							CLIP, .750" ID
7	MF33 SSB	1		H				O0	SILENCER, Rear Seat Back Charcoal
		1		S				O0	Charcoal
8	6030 441	4							PIN, Retainer
9	8220 2810	1							MAT KIT, Floor - Front Agate, Front
	8220 2811	1							Camel, Front
10	8220 2812	1							MAT KIT, Floor - Rear Agate
	8220 2813	1							Camel
	8220 2225	1	D, P					O0	Dark Cirrus
	8220 3901	1							Dull Camel
	8220 3902	1							Dull Agate
11	5264 595	2							EXHAUSTER, Interior Trim Panel
12	4783 206	1	D						SILENCER, Dash Panel

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Carpet, Mats and Silencers Figure IPL-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-13	5016 811AA-	1							LATCH PACKAGE, Decklid, Emergency Kit Trunk Release

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**

Door Panels - Front - 4-Door  
Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: JPB= Power Door Locks

NOTE: JPA= Power Windows

NOTE: GVB=Power Mirrors


1	PJ28 TXK	1	Z		42			G7	PANEL, Front Door Trim (G7K5) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB)Right, With (RHD), Right
	PJ28 TXZ	1	Z		42			G7	(G7AZ) With Power Door Lock, Power Windows & Power Mirrors (+JPB+JPA+GVB) Right, With (RHD), Right
	PJ29 TXK	1	Z		42			G7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Left, With (RHD), Left
	HH50 TXZ	1	D		42			B5	(B5AZ) Without Power WIndows, Door Locks and Mirrors (Low Line) Right, Right
	HH51 TXZ	1	D		42			B5	(B5AZ) Without Power WIndows, Door Locks and Mirrors (Low Line) Left, Left
	PJ29 TXZ	1	Z		42			G7	(G7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Left, With (RHD), Left
	PJ30 TXZ	1	D, P		42			G7	(G7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
	PJ30 TXK	1	D, P		42			G7	(G7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
	PJ31 TXK	1	D, P		42			G7	(G7K5) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left, Left
	PJ31 TXZ	1	D, P		42			G7	(G7AZ) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left, Left
	PJ32 TXZ	1	D, P		42			G7	(G7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION		
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
S=Special	D=Chrysler					DG0 = All Automatics		
	P=Plymouth					DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front - 4-Door  
Figure IPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PJ32 TXK	1	D, P		42			G7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
	PJ33 TXK	1	D, P		42			G7	(G7K5) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left, Left
	PJ33 TXZ	1	D, P		42			G7	(G7AZ) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left, Left
	PT76 TXK	1	D, P		42			H7	(H7K5) Without Power Door Locks (-JPB) Right, Right
	PT77 TXK	1	D		42			H7	(H7K5) Without Power Mirrors & Power Door Locks (-GVB & -JPB) Left, Left
	PT76 TXZ	1	D, P		42			H7	(H7AZ) Without Power Door Locks (-JPB) Right, Right
	PT77 TXZ	1	D		42			H7	(H7AZ) Without Power Mirrors & Power Door Locks (-GVB & -JPB) Left, Left
	PT79 TXZ	1	D, P		42			H7	(H7AZ) With Power Mirrors, Without Power Door Locks & Power Windows (+GVB -JPB -JPA) Left, Left
	PT79 TXK	1	D, P		42			H7	(H7K5) With Power Mirrors, Without Power Door Locks & Power Windows (+GVB -JPB -JPA) Left, Left
	PT80 TXZ	1	D, P		42			H7	(H7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
	PT80 TXK	1	D, P		42			H7	(H7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right, Right
	PT81 TXZ	1	D, P		42			H7	(H7AZ) With Power Door Locks, Power Mirrors & Without Power Windows (+JPB+GVB-JPA) Left, Left
	PT81 TXK	1	D, P		42			H7	(H7K5) With Power Door Locks, Power Mirrors & Without Power Windows (+JPB+GVB-JPA) Left, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front - 4-Door  
Figure IPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PT82 TXK	1	D, P		42			H7	(H7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
	PT82 TXZ	1	D, P		42			H7	(H7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
	PT83 TXZ	1	D, P		42			H7	(H7AZ) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left, Left
	PT83 TXK	1	D, P		42			H7	(H7K5) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left, Left
	PT88 TXS	1	D		42			F7	(F7AZ) With Power Door Locks & Without Power Windows (+JPB & -JPA) Right, Right
	PT89 TXS	1	P		42			F7	(F7K5) With Power Door Lock, Power Mirrors & Without Power Windows (+JPB+GVB-JPA) Left, Left
		1	D		42			F7	(F7AZ) With Power Door Lock, Power Mirrors & Without Power Windows (+JPB+GVB-JPA) Left, Left
	PT88 TXS	1	P		42			F7	(F7K5) With Power Door Locks & Without Power Windows (+JPB & -JPA) Right, Right
	PT90 TXS	1	D, P		42			F7	(F7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right, Right
	PT91 TXK	1	D, P		42			F7	(F7AZ) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left, Left
	QC24 1AZ	1	Z		42			H7	(H7AZ) With Power Door Lock & Power Mirror (+JPB & +GVB) Right, With (RHD), Right
	QC24 2K5	1	Z		42			H7	(H7K5) With Power Door Locks & Power Mirrors (+JPB & +GVB) Right , With (RHD), Right
	QC25 1AZ	1	Z		42			H7	(H7AZ) With Power Door Locks (+JPB) Left, With (RHD), Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front - 4-Door  
Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QC25 2K5	1	Z		42			H7	(H7K5) With Power Door Locks (+JPB) Left, With (RHD), Left
	QU02 1AZAA	1	D		42			G7	(G7AZ) Without Power Door Locks (-JPB) Right, Right
	QU03 1AZAA	1	D		42			G7	(G7AZ) Without Power Mirror & Power Door Lock (-GVB & -JPB) Left, Left
	QU02 1K5AA	1	D		42			G7	(G7K5) Without Power Door Locks (-JPB) Right, Right
	QU03 1K5AA	1	D		42			G7	(G7K5) Without Power Mirror & Power Door Lock (-GVB & -JPB) Left, Left
2									ARMREST, Door
	FC76 TAZ	1	D		42			G7	Agate, Right
		1	P		42			G7	Agate, Right
		1	D		42			H7	Agate, Right
		1	Z		42			F7	Agate, Right
		1	Z		42			G7	Agate, Right
		1	P		42			H7	Agate, Right
	FC76 TKB	1	Z		42			F7	Camel, Right
		1	Z		42			G7	Camel, Right
		1	D		42			G7	Camel, Right
		1	P		42			H7	Camel, Right
		1	P		42			G7	Camel, Right
		1	D		42			H7	Camel, Right
	FC77 TAZ	1	D		42			G7	Agate, Left
		1	Z		42			F7	Agate, Left
		1	Z		42			G7	Agate, Left
		1	P		42			G7	Agate, Left
		1	D		42			H7	Agate, Left
		1	P		42			H7	Agate, Left
		1	Z		42			G7	Camel, Left
		1	D		42			G7	Camel, Left
		1	Z		42			F7	Camel, Left
		1	P		42			G7	Camel, Left
		1	D		42			H7	Camel, Left
		1	P		42			H7	Camel, Left
3									BOLSTER, Front Door
	PF94 TAZ	1	D, P		42			H7	Agate, Right
	PF94 TK5	1	D, P		42			H7	Camel Tan/Agate, Right
	PF95 TAZ	1	D, P		42			H7	Agate, Left
	PF95 TK5	1	D, P		42			H7	Camel Tan/Agate, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB



ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front - 4-Door  
Figure IPL-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PG00 RS6	1	D		42			F7	Quartz, Right
	PF96 RD5	1	D		42			B5	Quartz, Right
	PF97 RD5	1	D		42			B5	Quartz, Left
	PG01 RS6	1	D		42			F7	Quartz, Left
	PJ34 TAZ	1	Z		42			G7	Agate, Right
		1	D, P		42			G7	Agate, Right
	PJ34 TK5	1	Z		42			G7	Camel Tan/Agate, Right
		1	D, P		42			G7	Camel Tan/Agate, Right
	PJ35 TAZ	1	Z		42			G7	Agate, Left
		1	D, P		42			G7	Agate, Left
	PJ35 TK5	1	Z		42			G7	Camel Tan/Agate, Left
		1	D, P		42			G7	Camel Tan/Agate, Left
4	4620 799	2			42				BRACKET PACKAGE, Door Trim
									Panel
-5	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
6	6501 773	4							NUT, Plastic Snap-in
7									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
8									FASTENER, Door Trim Panel
	6504 014	8	Z		42				
		8			42				
9									WATERDAM, Front Door
	4783 506	1			42				Right
	4783 507	1			42				Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			





Door Panels - Front - 2-Door  
Figure IPL-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: JPB = Power Door Locks									
NOTE: JPA = Power Windows									
NOTE: GVB = Power Mirrors									
1	QJ92 1AZ	1	D		22			F7	PANEL, Front Door Trim (F7AZ) Without Power Locks & Power Windows (-JPB & -JPA) Right
	QJ92 1K5	1	D		22			F7	(F7K5) Without Power Locks & Power Windows (-JPB & -JPA) Right
	QJ93 1AZ	1	D		22			F7	(F7AZ) Without Power Windows , Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ93 1K5	1	D		22			F7	(F7K5) Without Power Windows , Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ58 1AZ	1	D, P		22			H7	(H7AZ) Without Power Door Locks & Power Windows ( -JPB & -JPA) Right
	QJ59 1AZ	1	D, P		22			H7	(H7AZ) Without Power Windows, Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ58 2K5	1	D, P		22			H7	(H7K5) Without Power Door Locks & Power Windows ( -JPB & -JPA) Right
	QJ59 2K5	1	D, P		22			H7	(H7K5) Without Power Windows, Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ68 1AZ	1	D, P		22			H7	(H7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ69 1AZ	1	D, P		22			H7	(H7AZ) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ68 2K5	1	D, P		22			H7	(H7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ69 2K5	1	D, P		22			H7	(H7K5) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ82 1AZ	1	D, P		22			H7	(H7AZ) With Power Windows & Power Door Locks (+JPA+JPB) Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual



Door Panels - Front - 2-Door  
Figure IPL-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QJ82 2K5	1	D, P		22			H7	(H7K5) With Power Windows & Power Door Locks (+JPA+JPB) Right
	QJ83 1AZ	1	D, P		22			H7	(H7AZ) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left
	QJ84 1AZ	1	D, P		22			G7	(G7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ83 2K5	1	D, P		22			H7	(H7K5) With Power Windows, Power Door Locks & Power Mirrors (+JPA+JPB+GVB) Left
	QJ84 2K5	1	D, P		22			G7	(G7K5) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ85 1AZ	1	D, P		22			G7	(G7AZ) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ86 1AZ	1	D, P		22			G7	(G7AZ) With Power Windows & Power Door Locks (+JPA & +JPB) Right
	QJ85 2K5	1	D, P		22			G7	(G7K5) With Power Door Locks & Power Mirrors, Without Power Windows (+JPB+GVB-JPA) Left
	QJ86 2K5	1	D, P		22			G7	(G7K5) With Power Windows & Power Door Locks (+JPA & +JPB) Right
	QJ87 2K5	1	D, P		22			G7	(G7K5) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left
	QJ91 2AZ	1	D		22			F7	(F7AZ) With Power Door Locks, Power Windows & Power Door Locks (+JPB+JPA+GVB) Left
	QJ91 2K5	1	D		22			F7	(F7K5) With Power Door Locks, Power Windows & Power Door Locks (+JPB+JPA+GVB) Left
	QJ87 1AZ	1	D, P		22			G7	(G7AZ) With Power Door Locks, Power Windows & Power Mirrors (+JPB+JPA+GVB) Left
	QJ90 2AZ	1	D		22			F7	(F7AZ) With Power Windows & Power Door Locks (+JPA+JPB) Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
SERIES L=Low Line H=High Line S=Special  
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth  
BODY 41=4 Door, 104WB  
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI  
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

# Door Panels - Front - 2-Door Figure IPL-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QJ90 2K5	1	D		22			F7	(F7K5) With Power Windows & Power Door Locks (+JPA+JPB) Right
	QJ92 1AZ	1	D		22			F7	(F7AZ) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QJ92 1K5	1	D		22			F7	(F7K5) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QJ94 1AZ	1	D, P		22			B5	(B5AZ) Base Model, Right
	QU00 1AZAA	1	D, P		22			G7	(G7AZ) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QJ95 1AZ	1	D, P		22			B5	(B5AZ) Base Model, Left
	QU01 1AZAA	1	D, P		22			G7	(G7AZ) Without Power Windows, Power Door Locks & Power Mirrors (-JPA-JPB-GVB) Left
	QU00 1K5AA	1	D, P		22			G7	(G7K5) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QU01 1K5AA	1	D, P		22			G7	(G7K5) Without Power Windows, Power Door Locks & Power Mirrors (-JPA-JPB-GVB) Left
-2	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05
3	6501 773	4							NUT, Plastic Snap-in
4									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
5	6504 014	8	D, P		22			G7	FASTENER, Door Trim Panel
6	PK02 TAZ	1	D, P		22			B5	CUP, Door Pull
	PK02 TK5	1	D, P		22			B5	Agate
7									Tan
	4783 504	1	D, P		22				WATERDAM, Front Door
	4783 505	1	D, P		22				Right
									Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

# Door Panels - Rear Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PANEL, Rear Door Trim								
	EB82 TXK	1			42			H7	(H7K5) Black/Camel Tan, Right
	EB82 TXZ	1			42			H7	(H7AZ) Agate, Right
	HH54 TXD	1	D		42			B5	(B5AZ) Black/Quartz, Right
	EB83 TXK	1			42			H7	(H7K5) Black/Camel Tan, Left
	EB83 TXZ	1			42			H7	(H7AZ) Agate, Left
	LP38 TXZ	1			42			F7	(F7AZ) Agate, Right
	HH55 TXD	1	D		42			B5	(B5AZ) Black/Quartz, Left
	PJ36 TXK	1			42			G7	(G7K5) Black/Camel Tan, Right
	PJ36 TXZ	1			42			G7	(G7AZ) Black, Right
	LP39 TXZ	1			42			F7	(F7AZ) Agate, Left
	PJ37 TXK	1			42			G7	(G7K5) Black/Camel Tan, Left
	PJ37 TXZ	1			42			G7	(G7AZ) Black, Left
2	BOLSTER, Door								
	PG04 RD5	1	D		42			B5	Quartz, Right
	PG05 RD5	1	D		42			B5	Quartz, Left
	PG17 TAZ	1			42			H7	Agate, Left
	PG16 TAZ	1			42			H7	Agate, Right
	PG16 TK5	1			42			H7	Camel, Right
	PG26 RS6	1			42			F7	Quartz, Right
	PG17 TK5	1			42			H7	Camel, Left
	PJ38 TAZ	1			42			G7	Agate, Right
	PJ38 TK5	1			42			G7	Camel, Right
	PG26 TK5	1			42			F7	Camel, Right
	PG27 RS6	1			42			F7	Quartz, Left
	PG27 TK5	1			42			F7	Camel, Left
	PJ39 TAZ	1			42			G7	Agate, Left
	PJ39 TK5	1			42			G7	Camel, Left
3	ARMREST, Door								
	FC82 TAZ	1			42			F7	Agate, Right
	FC82 TKB	1			42			H7	Agate, Right
	FC82 TKB	1			42			H7	Camel, Right
	FC82 TAZ	1			42			G7	Agate, Right
	FC82 TKB	1			42			F7	Camel, Right
	FC83 TAZ	1			42			F7	Agate, Left
	FC82 TKB	1			42			G7	Camel, Right
	FC83 TAZ	1			42			G7	Agate, Left
	FC83 TKB	1			42			F7	Camel, Left
	FC83 TAZ	1			42			H7	Agate, Left
	FC83 TKB	1			42			H7	Camel, Left
	FC83 TKB	1			42			G7	Camel, Left
4	FASTENER, Door Trim Panel								

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

### Door Panels - Rear Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6504 014	8	D		22				
		8			42				
5	4665 430	2			42				BRACKET PACKAGE, Door Trim Panel
6									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
7	6501 773	4							NUT, Plastic Snap-in
8									WATERDAM, Rear Door
	4615 636	1			42				Right
	4615 637	1			42				Left

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

**DODGE - PL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

Seat Front Trim Code B5  
Figure IPL-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	JL76 1AZ	1	D		22			B5	Agate
		1	D		42			B5	Agate
2	JF73 1AZ	1	D		22			B5	COVER, Front Seat Cushion
		1	D		42			B5	Agate
3	QL28 1AZ	1	D		42			B5	SEAT BACK, Front
	QL29 1AZ	1	D		42			B5	Agate, Right
	PV94 1AZ	1	D		22			B5	Agate, Left
	PV95 1AZ	1	D		22			B5	Agate, Right
4	QM45 1AZ	1	D		42			B5	COVER, Front Seat Back
	LC55 1AZ	1	D		22			B5	Agate, Right And Left
	LC56 1AZ	1	D		22			B5	Agate, Left
5	6008 076	1			42			H7	HOG RING, Seat
		1	Z		42			H7	
6	JF76 1AZ	1			42			H7	SHIELD, Seat Cushion
	JF77 1AZ	1			42			H7	Agate, Right
	LD94 1AZ	1	D		22			H7	Agate, Left
	LD95 1AZ	1	D		22			H7	Agate, Right
7									SCREW, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Seat Front Trim Code H7 & T7 (T7 1998 Only) Figure IPL-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	MG05 1AZ	1	D		22			H7	Agate,, Right & Left
		1			42			H7	Agate, Right & Left
	MG05 1K5	1	D		22			H7	Camel, Right & Left
		1			42			H7	Camel, Right & Left
2									COVER, Front Seat Cushion
	MF96 1AZ	1			42			H7	Agate, Right And Left
		1	D, P		22			H7	Agate, Right And Left
	MF96 1K5	1			42			H7	Camel, Right And Left
		1	D, P		22			H7	Camel, Right And Left
3									SEAT BACK, Front
	MH26 1AZ	1	Z		42			H7	Agate, Right
	MH26 1K5	1	Z		42			H7	Camel, Right
	MH27 1AZ	1	Z		42			H7	Agate, Left
	QL46 1AZ	1	D		42			H7	Agate, Right
	QL47 1AZ	1	D		42			H7	Agate, Left
	MH27 1K5	1	Z		42			H7	Camel, Left
	QL46 1K5	1	D		42			H7	Camel, Right
	QL47 1K5	1	D		42			H7	Camel, Left
	MH25 1AZ	1	D, P		22			H7	Agate, Left
	MH25 1K5	1	D, P		22			H7	Camel, Left
	PV53 1AZ	1	D, P		22			H7	Agate, Right
	PV53 1K5	1	D, P		22			H7	Camel, Right
4									COVER, Front Seat Back
	MG00 1AZ	1	Z		42			H7	Agate, Right And Left
	MH23 1AZ	1	D		22			H7	Agate, Left
	MG00 1K5	1	Z		42			H7	Carmel, Right And Left
	MH23 1K5	1	D		22			H7	Camel, Left
	PV47 1AZ	1	D, P		22			H7	Agate, Right
	PV47 1K5	1	D, P		22			H7	Camel., Right
	QL45 1AZ	1	D, P		42			H7	Agate, Right And Left
	QL45 1K5	1	D, P		42			H7	Camel, Right And Left
5									HEADREST, Front
	LE03 1AZ	1	Z		42			H7	Agate, Right & Left
	LE03 1K5	1	Z		42			H7	Camel, Right & Left
	JF75 1AZ	1	D, P		22			H7	Agate, Right & Left
		1	D, P		42			H7	Agate, Right & Left
	JF75 1K5	1	D, P		22			H7	Camel, Right & Left
		1	D, P		42			H7	Camel, Right & Left
6									COVER, Seat Headrest
	LE02 1AZ	1	Z		42			H7	Agate, Right & Left
	JY09 1AZ	1	D, P		42			H7	Agate, Right & Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

### Figure IPL-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		22			H7	Agate, Right & Left
	JY09 1K5	1	D, P		22			H7	Camel, Right & Left
		1	D, P		42			H7	Camel, Right & Left
7									SLEEVE, Headrest
	PS75 1K5	1	D		42			H7	Tan
	PS75 1AZ	1	D		42			H7	Agate
8									HOG RING, Seat
	6008 076	1			42			H7	
		1	Z		42			H7	
9									SHIELD, Seat Cushion
	JF76 1AZ	1			42			H7	Agate, Right
	JF77 1AZ	1			42			H7	Agate, Left
	JF76 1K5	1			42			H7	Camel, Right
	JF77 1K5	1			42			H7	Camel, Left
10									SCREW, Side Shield, (10-24x1.030 T-20 Toax), (NOT SERVICED) (Not Serviced)

DODGE - FLYMOUTH - CHRYSLER NEON (FL)-  
SERIES LINE BO

**DODGE - FL**  
**SERIES**  
 L=Low Line  
 H=High Line  
 S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005



**Seat Front Trim Code G7 & L7 ( L7 - 1998 Only)**  
**Figure IPL-520**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	QK85 1AZ	1	Z		42			G7	Agate, Right & Left
		1	D		22			G7	Agate, Right & Left
		1	D, P		42			G7	Agate, Right & Left
	QK85 1K5	1	Z		42			G7	Camel, Right & Left
		1	D		22			G7	Camel, Right & Left
		1	D, P		42			G7	Camel, Right & Left
2									COVER, Front Seat Cushion
	QK97 1AZ	1	D		42			G7	Agate, Right & Left
		1	Z		42			G7	Agate, Right & Left
		1	D		22			G7	Agate, Right & Left
	QK97 1K5	1	D		42			G7	Carmel, Right & Left
		1	Z		42			G7	Carmel, Right & Left
		1	D		22			G7	Carmel, Right & Left
		1	D, P		42			G7	Camel, Right & Left
3									SEAT BACK, Front
	QK88 1AZ	1	D, P		42			G7	Agate, Right
	QK88 1K5	1	D, P		42			G7	Camel, Right
	QK89 1AZ	1	D, P		42			G7	Agate, Left
	QK89 1K5	1	D, P		42			G7	Camel, Left
	QK90 1AZ	1	Z		42			G7	Agate, With Map Pocket, Right
	QK90 1K5	1	Z		42			G7	Carmel, With Map Pocket, Right
	QK91 1AZ	1	Z		42			G7	Agate, Left
	QK91 1K5	1	Z		42			G7	Carmel, Left
	QK92 1AZ	1	D, P		22			G7	Agate, Right
	QK92 1K5	1	D, P		22			G7	Camel, Right
	QK93 1AZ	1	D, P		22			G7	Agate, Left
	QK93 1K5	1	D, P		22			G7	Camel, Left
4									COVER, Front Seat Back
	QK98 1AZ	1	D		42			G7	Agate, Right And Left
	QK98 1K5	1	D		42			G7	Carmel, Right And Left
	QL00 1AZ	1	Z		42			G7	Agate, Right And Left
	QL00 1K5	1	Z		42			G7	Carmel, Right And Left
	QL04 1AZ	1	D		22			G7	Agate, Right
	QL04 1K5	1	D		22			G7	Carmel, Right
	QL05 1AZ	1	D		22			G7	Agate, Left
	QL05 1K5	1	D		22			G7	Carmel, Left
5									HEADREST, Front
	QK87 1AZ	1	D		22			G7	Agate, Right & Left
		1	D, P		42			G7	Agate, Right & Left
	QK87 1K5	1	D		22			G7	Camel, Right & Left
		1	D, P		42			G7	Camel, Right & Left

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth


BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Seat Front Trim Code G7 & L7 ( L7 - 1998 Only)  
 Figure IPL-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	QK94 1AZ	1	Z		42			G7	Agate, Right & Left
	QK94 1K5	1	Z		42			G7	Camel, Right & Left
	QK95 1AZ	1	D		42			G7	COVER, Seat Headrest
		1	D		22			G7	Agate, Right & Left
	QK95 1K5	1	D		42			G7	Agate, Right & Left
		1	D		22			G7	Camel, Right & Left
	QK96 1AZ	1	Z		42			G7	Camel, Right & Left
7	QK96 1K5	1	Z		42			G7	Agate, Right & Left
									SLEEVE, Headrest, (NOT REQUIRED)
8									HOG RING, Seat, (NOT REQUIRED)
9									SHIELD, Seat Cushion
10	LD94 1AZ	1	D		22			G7	Agate, Right
	LD94 1K5	1	D		22			G7	Camel, Right
	LD95 1AZ	1	D, P		22			G7	Agate, Left
	LD95 1K5	1	D, P		22			G7	Camel, Left
									SCREW, Side Shield (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005

Seat Front Trim Code F7 & W7 (W7 1998 Only)  
Figure IPL-522


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	PA43 1AZ	1	Z		42			F7	Agate, Right & Left
		1	D, P		22			F7	Agate, Right & Left
		1	D, P		42			F7	Agate, Right & Left
2									COVER, Front Seat Cushion
	PA69 1AZ	1	D, P		42			F7	Agate, Right & Left
		1	Z		42			F7	Agate, Right & Left
		1	D, P		22			F7	Agate, Right & Left
3	PA52 1AZ	1	D		42			F7	SEAT BACK, Front, Right
4									COVER, Front Seat Back
	PA71 1AZ	1	D		42			F7	Agate, Right And Left
		1	Z		42			F7	Agate, Right And Left
5	PA49 1AZ	1	Z		42			F7	HEADREST, Front, Agate, Right & Left
6	PA76 1AZ	1	Z		42			F7	COVER, Seat Headrest, Agate, Right & Left
7	PS75 1AZ	1	D		42			H7	SLEEVE, Headrest, Agate, Right & Left
8									HOG RING, Seat
	6008 076	1			42			H7	
		1	Z		42			H7	
9	JF76 1AZ	1	Z		42			H7	SHIELD, Seat Cushion, Agate
10									SCREW, Side Shield Attaching (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Seat Reclining Figure IPL-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Side Shield Attaching (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)
2									SHIELD, Seat Cushion
	JF76 1AZ	1			42			H7	Agate, Right
	JF76 1K5	1			42			H7	Camel, Right
	JF77 1AZ	1			42			H7	Agate, Left
	JF77 1K5	1			42			H7	Camel, Left
	LD94 1AZ	1	D, P		22			H7	Agate, Right
		1	D, P		22			G7	Agate, Right
	LD94 1K5	1	D, P		22			H7	Camel, Right
		1	D, P		22			G7	Camel, Right
	LD95 1AZ	1	D, P		22			H7	Agate, Left
	LD95 1K5	1	D, P		22			H7	Camel, Left
3	4746 997	1			42			H7	BOLT, Recliner
4									RECLINER, Seat Back
	4797 318	1			42			H7	Right
	4797 319	1			42			H7	Left
	4798 468	1	D, P		22			B5	Right
		1	D, P		22			G7	Right
	4798 469	1	D		22			B5	Left
		1	D, P		22			B5	Left
		1	D, P		22			G7	Left
5									HANDLE, Recliner
	4740 986	1			42			H7	Right
	4740 987	1			42			H7	Left
6									SCREW, Recliner Handle (M6x10-T30 Torx), (NOT SERVICED) (Not Serviced)
7	4874 140	1			42			H7	BOLT, Adjuster Shoulder
8									LEVER, Seat Latch Release
	4773 524	1	D, P		22			B5	
		1	D, P		22			H7	
9									FRAME, Front Seat Back, Serviced In Seat Back Assembly, (NOT SERVICED) (Not Serviced)
10									FRAME, Front Seat Cushion, Serviced In Seat Cushion Assembly, (NOT SERVICED) (Not Serviced)


## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seats Trim Code B5  
Figure IPL-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	DN51 1AZ	1	D		22			B5	Agate, Rear Seat
		1	D		42			B5	Agate
2									COVER, Rear
	JK70 1AZ	1	D		22			B5	Agate
		1	D		42			B5	Agate
3									CUSHION, Rear Seat
	LB59 1AZ	1	D		22			B5	Agate
		1	D		42			B5	Agate
4									COVER, Rear Seat Cushion
	KH00 1AZ	1	D		22			B5	Agate
		1	D		42			B5	Agate
5									HOG RING, Seat
	6008 076	1			42			H7	
		1	Z		42			H7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Rear Seat Trim Code H7 & T7 (T7 1998 Only)**  
**Figure IPL-615**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	PS90 1AZ	1			42			H7	Agate
	PS90 1K5	1			42			H7	Camel
2									SEAT BACK, Rear, 40%
	PS91 1AZ	1			42			H7	Agate, Right
	PS91 1K5	1			42			H7	Camel, Right
3									COVER, Rear Seat Back, 40 % Side
	PS86 1AZ	1			42			H7	Agate, 40%, Right
	PS86 1K5	1			42			H7	Camel, 40%, Right
4									SEAT BACK, Rear, 60%
	PS92 1AZ	1			42			H7	Agate, 60% Side, Left
	PS92 1K5	1			42			H7	Camel, 60% Side, Left
5									COVER, Rear Seat Back, 60 % Side
	PS85 1AZ	1			42			H7	Agate, 60% Side, Left
	PS85 1K5	1			42			H7	Camel, 60% Side, Left
6									COLLAR, Rear Seat Back
	JK58 1AZ	1			42			H7	Agate
	JK58 1K5	1			42			H7	Camel
7									COVER, Seat Back Collar
	JK62 1AZ	1			42			H7	Agate, Collar
	JK62 1K5	1			42			H7	Camel, Collar
8									CUSHION, Rear Seat
	MH21 1AZ	1			42			H7	Agate
	MH21 1K5	1			42			H7	Camel
9									COVER, Rear Seat Cushion
	MH20 1AZ	1	D		22			H7	Agate
		1	D		42			H7	Agate
	MH20 1K5	1	D		22			H7	Camel
		1	D		42			H7	Camel
10									HOG RING, Seat
	6008 076	1			42			H7	
		1	Z		42			H7	
11									PULL STRAP, Flat Black, Serviced
									In Latch Assembly Only, (NOT SERVICED) (Not Serviced)
12									SEAT BACK, Rear, w/Child Seat
	LE60 1AZ	1	D, P		42			H7	Agate
	LE60 1K5	1	D, P		42			H7	Camel
13									COVER, Rear, With Child Seat
	LE16 1AZ	1	D, P		22			H7	Agate
		1	D, P		42			H7	Agate
	LE16 1K5	1	D, P		22			H7	Camel

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat Trim Code H7 & T7 (T7 1998 Only)  
Figure IPL-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14		1	D, P		42			H7	Camel
									COVER, Child Seat Cushion
	LH67 1AZ	1	D, P		22			H7	Agate, Pad And Cover Child Seat Upper
		1	D, P		42			H7	Agate, Pad And Cover Child Seat Upper
	LH67 1K5	1	D, P		22			H7	Camel, Pad And Cover Child Seat Upper
15		1	D, P		42			H7	Camel, Pad And Cover Child Seat Upper
									PAD, Child Seat Cushion And Ba
	LR00 1AZ	1	D, P		22			H7	Agate
		1	D, P		42			H7	Agate
	LR00 1K5	1	D, P		42			H7	Camel
16		1	D, P		22			H7	Camel
									MODULE, Child Seat Complete
	LE63 1AZ	1	D, P		22			H7	Agate
		1	D, P		42			H7	Agate
	LE63 1K5	1	D, P		22			H7	Camel
17		1	D, P		42			H7	Camel
									SEAT BACK, Rear, w/Child Seat
	LE60 1K5	1	D		22			H7	Tan
	LE60 1AZ	1	D		22			H7	Agate
		1	D, P		42			H7	Agate
	LE60 1K5	1	D, P		42			H7	Tan

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Rear Seat Trim Code G7,L7**  
**Figure IPL-620**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Full Rear Seat
									Back
	QK74 1AZ	1	Z		42			G7	Agate
		1	D		22			G7	Agate
	QK74 1K5	1	Z		42			G7	Camel
		1	D		22			G7	Camel
	QK74 1AZ	1	D, P		42			G7	Agate
	QK74 1K5	1	D, P		42			G7	Carmel
2									SEAT BACK, Rear, 40 % Side
	QK76 1AZ	1	Z		42			G7	Agate, 40% Side, Right
		1	D, P		22			G7	Agate, 40% Side, Right
		1	D, P		42			G7	Agate, 40% Side, Right
	QK76 1K5	1	Z		42			G7	Camel, 40% Side, Right
		1	D, P		42			G7	Camel, 40% Side, Right
		1	D, P		22			G7	Camel, 40% Side, Right
3									COVER, Rear Seat Back, 40 % Side
	QK81 1AZ	1	Z		42			G7	Agate, 40% Side, Right
		1	D, P		22			G7	Agate, 40% Side, Right
	QK81 1K5	1	D, P		22			G7	Camel, 40 % Side, Right
	QK81 1AZ	1	D, P		42			G7	Agate, 40% Side, Right
	QK81 1K5	1	Z		42			G7	Camel 40% Side, Right
		1	D, P		42			G7	Camel, 40 % Side, Right
4									SEAT BACK, Rear, 60 % Side
	QK80 1AZ	1	Z		42			G7	Agate, 60% Side
		1	D, P		22			G7	Agate, 60% Side, Left
	QK80 1K5	1	Z		42			G7	Camel, 60% Side
	QK80 1AZ	1	D, P		42			G7	Agate, 60% Side, Left
	QK80 1K5	1	D, P		42			G7	Camel, 60% Side, Left
		1	D, P		22			G7	Camel, 60% Side, Left
5									COVER, Rear Seat Back, 60 % Side
	QK83 1AZ	1	Z		42			G7	Agate, 60% Side, Left
		1	D		22			G7	Agate, 60% Side, Left
	QK83 1K5	1	Z		42			G7	Camel, 60% Side, Left
		1	D		22			G7	Camel, 60% Side, Left
	QK83 1AZ	1	D, P		42			G7	Agate, 60% Side, Left
	QK83 1K5	1	D, P		42			G7	Camel, 60% Side, Left
6									COLLAR, Rear Seat Back
	QK73 1AZ	1	Z		42			G7	Agate
	QK73 1K5	1	Z		42			G7	Camel
	QK73 1AZ	1	D, P		22			G7	Agate
		1	D, P		42			G7	Agate
	QK73 1K5	1	D, P		22			G7	Camel

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Rear Seat Trim Code G7,L7  
Figure IPL-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7		1	D, P		42			G7	Camel
									COVER, Rear Seat Back Collar
	QK84 1AZ	1	Z		42			G7	Agate
		1	D, P		22			G7	Agate
	QK84 1K5	1	Z		42			G7	Camel
	QK84 1AZ	1	D, P		42			G7	Agate
	QK84 1K5	1	D, P		42			G7	Camel
8		1	D, P		22			G7	Camel
									CUSHION, Rear Seat
	QK71 1AZ	1	D, P		22			G7	Agate
		1	Z		42			G7	Agate
	QK71 1K5	1	D, P		22			G7	Camel
	QK71 1AZ	1	D, P		42			G7	Agate
	QK71 1K5	1	Z		42			G7	Camel
9		1	D, P		42			G7	Camel
									COVER, Rear Seat Cushion
	QK72 1AZ	1	D		22			G7	Agate
		1	Z		42			G7	Agate
	QK72 1K5	1	D		22			G7	Camel
	QK72 1AZ	1	D, P		42			G7	Agate
	QK72 1K5	1	Z		42			G7	Camel
10		1	D, P		42			G7	Camel
									HOG RING, Seat
	6008 076	1			42			H7	
		1	Z		42			H7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat Trim Code F7 & W7 (W7 1998 Only)  
Figure IPL-622



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Complete
	PS89 1AZ	1	D		42			F7	Agate
		1	Z		42			F7	Agate
2									SEAT BACK, Rear, 40%
	PS87 1AZ	1	D		42			F7	Agate, 40% Side, Right
		1	Z		42			F7	Agate, 40% Side, Right
3									COVER, Rear Seat Back, 40 % Side
	PS81 1AZ	1	D		42			F7	Agate, 60% Side, Left
		1	Z		42			F7	Agate, 60% Side, Left
4									SEAT BACK, Rear, 60%
	PS88 1AZ	1	D		42			F7	Agate, 60% Side, Left
		1	Z		42			F7	Agate, 60% Side, Left
		1	D		22			F7	Agate, 60% Side, Left
5									COVER, Rear Seat Back, 60 % Side
	PS82 1AZ	1	D		42			F7	Agate, 60% Side, Left
		1	Z		42			F7	Agate, 60% Side, Left
6									COLLAR, Rear Seat Back
	PA44 1AZ	1	D		22			F7	Agate
		1	D		42			F7	Agate
		1	Z		42			F7	Agate
7									COVER, Seat Back Collar
	PA78 1AZ	1	D		42			F7	Agate
		1	Z		42			F7	Agate
8									CUSHION, Rear Seat
	PA47 1AZ	1	D		22			F7	Agate
		1	D		42			F7	Agate
		1	Z		42			F7	Agate
9									COVER, Rear Seat Cushion
	PA77 1AZ	1	D		22			F7	Agate
		1	D		42			F7	Agate
		1	Z		42			F7	Agate
10									HOG RING, Seat
	6008 076	1			42			H7	
		1	Z		42			H7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Rear Seat Attaching Parts  
Figure IPL-625

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COLLAR, Rear Seat Back
	JK58 1AZ	1			42			H7	Agate
	JK58 1K5	1			42			H7	Camel
	QK73 1AZ	1	Z		42			G7	Agate
	QK73 1K5	1	Z		42			G7	Camel
	QK73 1AZ	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
	QK73 1K5	1	D, P		42			G7	Camel
		1	D, P		22			G7	Camel
2									COVER, Seat Back Collar
	JK62 1AZ	1			42			H7	Agate
	JK62 1K5	1			42			H7	Camel
3									LATCH, Seat
	JY05 1AZ	1	Z		42			H7	Agate
	JY05 1K5	1			42			H7	Camel
	JY05 1AZ	1			42			H7	Agate
	JY05 1K5	1	Z		42			H7	Camel
	JY05 1AZ	1	D, P		22			H7	Agate
	JY05 1K5	1	D, P		22			H7	Camel
4	4741 252	1			42			H7	BRACKET, Inboard Pivot, 40 % Side, 40% Side
5	4741 253	1			42			H7	BRACKET, Outboard Pivot
6	4741 265	1			42			H7	STRIKER, Seat Back Latch
7	4797 697	1			42			H7	BRACKET, Rear Seat Center
8	4741 261	1			42			H7	BRACKET, Lower Pivot
9	4741 257	1			42			H7	BRACKET, Seat
10	4741 276	1			42			H7	SCREW, Phillips Head, .25x.75
11	4741 274	1			42			H7	SCREW, Torx Head, .25-20x.75
12									COVER, Plastic Collar
	4761 017	1			42			H7	Left
	4761 016	1			42			H7	Right
13	4741 274	1			42			H7	SCREW, Torx Head, .25-20x.75
14	4741 256	1			42			H7	BRACKET, Inboard Pivot, 60% Side
15	4773 124	1			42			H7	BOLT, Shoulder, Outboard Pivot
16	4645 794	2							CLIP, Seat Back, Goes Between Seat And Shelf Panel, So There Is No Rattle (Only Used With Folding Seat)
17	4645 801	2							RETAINER, Seat Cushion
18	6504 118	2							U-NUT, M6 x 1.00, M6x1.00
19	6503 460	2	D, P						SCREW AND WASHER, Hex Head, M6x1x30, Child Seat Attaching


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



### Rear Seat Attaching Parts Figure IPL-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20	4773 694	1							RETAINER PACKAGE, Rear Child
									Seat Tether
21									COVER, Rear Seat Back Collar
	QK84 1AZ	1	Z		42			G7	Agate
		1	D, P		22			G7	Agate
	QK84 1K5	1	Z		42			G7	Camel
	QK84 1AZ	1	D, P		42			G7	Agate
	QK84 1K5	1	D, P		22			G7	Camel
		1	D, P		42			G7	Camel

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 15, 2005**

Seat Belts - Front  
Figure IPL-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4645 807	2			42				ADJUSTER, Seat Belt Turning Loop
2									SEAT BELT, Front Outer
	PM07 SX9	1	Z		42			O0	Black, Left
		1	D, P		42			O0	Black, Left
	PM06 SX9	1	Z		42			O0	Black, Right
		1	D, P		42			O0	Black, Right
3	QL36 SX9	1	Z		42			O0	SEAT BELT, Front, Black
4	6035 808	2			42				SCREW, .437-20x1.50
5	4645 780	2			42				KNOB, Seat Belt Adjuster
6	4664 039	2			42				SCREW, Pan Head, .437-20x1.244
7									SEAT BELT, Front Outer
	PM08 TK5	1	D		42			O0	Camel, Right
		1	P		42			O0	Camel, Right
	PM09 TK5	1	D		42			O0	Camel, Left
	PM08 SAZ	1	D		42			O0	Agate, Right
		1	P		42			O0	Agate, Right
	PM09 SAZ	1	D		42			O0	Agate, Left
	PM09 TK5	1	P		42			O0	Camel, Left
	PM10 TK5	1	D		22			O0	Camel, Right
		1	P		22			O0	Camel, Right
	PM11 TK5	1	D		22			O0	Camel, Left
	PM09 SAZ	1	P		42			O0	Agate, Left
	PM10 SAZ	1	D		22			O0	Agate, Right
		1	P		22			O0	Agate, Right
	PM11 SAZ	1	D		22			O0	Agate, Left
	PM11 TK5	1	P		22			O0	Camel, Left
	PM11 SAZ	1	P		22			O0	Agate, Left
8	6034 449	2							SCREW, Pan Head, .437-20x1.79
9	4680 045	1			42			H7	BUSHING, Seat Belt
10									SEAT BELT, Buckle Half
	PW88 1K5	1			42			H7	Camel
		1	D		22			F7	Camel
		1	Z		42			F7	Camel
	PW88 SAZ	1			42			H7	Agate
		1	D		22			F7	Agate
		1	Z		42			F7	Agate
		1	D		22			B5	Agate
11									SEAT BELT, Front Inner
	4864 880	1			42			H7	
		1	D, P		42			F7	
		1	Z		42			G7	
		1	D, P		42			G7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

Seat Belts - Front  
Figure IPL-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42			F7	
12	4864 865	1			42			H7	BOLT, Seat Belt
13	4797 188	2	D, P					O0	EXTENDER, Seat Belt
14	HX89 RAZ	2	D, P		22			O0	COVER, Seat Belt
	HX89 TK5	2	D, P		22			O0	Agate, Outboard
15	JV77 PX9	2	Z		42			O0	Camel, Outboard
		2	D, P		42			O0	COVER, Adjustable Turning Loop
16									Black
									Black
									PLATE, Silencer Front Seat Belt
									Retainer
	4783 514	1			42				Right
	4783 515	1			42				Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Belts - Rear  
 Figure IPL-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, .437-20x1.50
	6035 808	2	D		22				
		2	P		22				
		2			42				
2									SEAT BELT, Rear Outer
	PL99 LAZ	2	D		22			O0	Agate
		2	D		42			O0	Agate
	PL99 RK5	2	D		22			O0	Camel
	PL99 LAZ	2	P		22			O0	Agate
		2	P		42			O0	Agate
	PL99 RK5	2	P		22			O0	Camel
		2	D		42			O0	Camel
		2	P		42			O0	Camel
	PM00 1AZ	2	Z		42			O0	Agate
	PM00 1K5	2	Z		42			O0	Camel
	PM00 1AZ	2	D, P		42			O0	Agate
	PM00 1K5	2	D, P		42			O0	Camel
3									BEZEL, Seat Belt, Serviced With Seat Belt, (NOT SERVICED) (Not Serviced)
4	4664 040	2							SCREW AND WASHER, Pan Head, .437-20x1.20
5	6034 819	2							SCREW, Seat Belt Attaching, .50-20x1.38
-6	6035 737	3	Z		42				NUT, .312-18, Teather Anchor
7									SEAT BELT, Rear Inner
	PM12 SAZ	1	D		22			O0	Agate, Right
		1	D		42			O0	Agate, Right
		1	P		22			O0	Agte, Right
		1	P		42			O0	Agate, Right
	PM12 TK5	1	D		22			O0	Camel, Right
		1	P		42			O0	Camel, Right
		1	D		42			O0	Camel, Right
		1	P		22			O0	Camel, Right
	PM05 SAZ	1	D		42			O0	Agate, Left
		1	D		22			O0	Agate, Left
		1	P		42			O0	Agate, Left
	PM05 TK5	1	D		22			O0	Camel, Left
		1	P		42			O0	Camel, Left
	PM05 SAZ	1	P		22			O0	Agate, Left
	PM05 TK5	1	D		42			O0	Camel, Left
		1	P		22			O0	Camel, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)  
 SERIES  
 L=Low Line  
 H=High Line  
 S=Special


LINE  
 Z=Chrysler, RHD  
 D=Dodge  
 D=Chrysler  
 P=Plymouth

BODY  
 41=4 Door, 104WB

ENGINE  
 ECB=2.0L 4 Cyl., 16V SMPI  
 EJD=1.6L 4 Cyl16V SOHC  
 EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
 DD5 = 5 Speed Manua  
 DGC = 3 Speed Automatic  
 DGL = 4 Speed Automatic  
 DG0 = All Automatics  
 DBB= All 5 Speed Manual

Seat Belts - Rear  
Figure IPL-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QH34 SX9	1	Z		42			O0	Black, Right
	QH33 SX9	1	D, P		42			O0	Black, Left
		1	Z		42			O0	Black, Left
	QH34 SX9	1	D, P					O0	Black, Right
8	4797 188	2	D, P					O0	EXTENDER, Seat Belt
-9	4773 694	1							RETAINER PACKAGE, Rear Child Seat Tether

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual



# Seat Adjustres, Recliners and Side Shields Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Side Shield Outer, (NOT SERVICED) (Not Serviced)
2									SHIELD, Seat Cushion
	JF76 1AZ	1			42			H7	Agate, Right
	JF76 1K5	1			42			H7	Camel, Right
	JF77 1AZ	1			42			H7	Agate, Left
	JF77 1K5	1			42			H7	Camel, Left
	JF76 1AZ	1	D		42			B5	Agate, Right
	JF77 1AZ	1	D		42			B5	Camel, Left
	LD94 1AZ	1	D, P		22			H7	Agate, Right
		1	D, P		22			G7	Agate, Right
	LD94 1K5	1	D, P		22			H7	Camel, Right
		1	D, P		22			G7	Camel, Right
	LD95 1K5	1	D, P		22			H7	Camel, Left
3	4746 997	1			42			H7	BOLT, Recliner
4									RECLINER, Seat Back
	4797 319	1			42			H7	Left
	4797 318	1			42			H7	Right
	4798 468	1	D, P		22			H7	Right
	4798 469	1	D, P		22			H7	Left
5									HANDLE, Recliner
	4740 987	1			42			H7	Left
	4740 986	1			42			H7	Right
6									SCREW, Recliner Handle Attaching (M6x10-T30 Torx, (NOT SERVICED) (Not Serviced)
7	4761 014	1			42			H7	BOLT, Cushion To Adjuster
-8	6503 675	8							SCREW AND WASHER, Hex Head, M10x1.5x40, Adjuster To Floor
9	4740 979	1			42			H7	TOWEL BAR, Seat Adjuster Handle
10	4874 140	1			42			H7	BOLT, Adjuster Shoulder
11									RIVET, Pop, (NOT SERVICED) (Not Serviced)
12	4680 045	1			42			H7	BUSHING, Seat Belt
13	4864 865	1			42			H7	BOLT, Seat Belt
14									ADJUSTER, Manual Seat
	4886 292AA	1	D		42			B5	Inboard, Right
		1	Z		42			H7	Inboard, Right
		1	D		22			B5	Inboard, Right
		1	Z		42			F7	Inboard, Right
		1	D, P		22			H7	Inboard, Right
		1	D, P		42			F7	Inboard, Right

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Adjustres, Recliners and Side Shields  
 Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			G7	Inboard, Right
		1	D, P		42			H7	Inboard, Right
4886 293AA		1			42			H7	Inboard, Left
		1	Z		42			H7	Inboard, Left
		1	Z		42			F7	Inboard, Left
		1	D, P		42			F7	Inboard, Left
		1	D, P		22			B5	Inboard, Left
		1	D, P		22			H7	Inboard, Left
		1	D, P		42			G7	Inboard, Left
4886 294AA		1	D, P		42			B5	Inboard, Left
		1	Z		42			H7	Outboard, Right
		1			42			H7	Outboard, Right
		1	Z		42			F7	Outboard, Right
		1	D, P		22			B5	Outboard, Right
		1	D, P		42			F7	Outboard, Right
		1	D, P		22			H7	Outboard, Right
		1	D, P		42			B5	Outboard, Right
4886 295AA		1	D, P		42			G7	Outboard, Right
		1			42			H7	Outboard, Left
		1	Z		42			H7	Outboard, Left
		1	Z		42			F7	Outboard, Left
		1	D, P		22			B5	Outboard, Left
		1	D, P		22			H7	Outboard, Left
		1	D, P		42			F7	Outboard, Left
		1	D, P		42			B5	Outboard, Left
		1	D, P		42			G7	Outboard, Left


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 15, 2005





# Group – SPL









## Body Sheet Metal Except Doors



# Group – SPL

## Body Sheet Metal Except Doors

<b>SPL-1100</b> Roof Panels 	<b>SPL-1200</b> Sunroof 	<b>SPL-1300</b> Deck Lid 	<b>SPL-1400</b> Rear Shelf Panel 
--	--	---	---


<b>SPL-200</b> Floor Pans 	<b>SPL-300</b> Plugs 	<b>SPL-400</b> Front Fenders 	<b>SPL-500</b> Hood and Hood Release 
<b>SPL-600</b> Cowl and Dash Panel 	<b>SPL-700</b> Glass and Mirror 	<b>SPL-800</b> Aperture Panel 	<b>SPL-900</b> Quarter Panel 

GROUP SPL - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
<b>Floor Pans</b>	
Floor Pan Front .....	Fig. SPL-201
Floor Pan, Rear .....	Fig. SPL-202
<b>Plugs</b>	
Plugs .....	Fig. SPL-301
<b>Front Fenders</b>	
Front Fender .....	Fig. SPL-401
<b>Hood and Hood Release</b>	
Hood and Hood Release .....	Fig. SPL-501
<b>Cowl and Dash Panel</b>	
Cowl and Dash Panel .....	Fig. SPL-601
<b>Glass and Mirror</b>	
Windshield, Backlite and Mirror .....	Fig. SPL-701
<b>Aperture Panel</b>	
Aperature Panel 2-Door .....	Fig. SPL-801
Aperature Panel 4-Door .....	Fig. SPL-802
<b>Quarter Panel</b>	
Quarter Panel 2-Door .....	Fig. SPL-901
Quarter Panel 4-Door .....	Fig. SPL-902
<b>Roof Panels</b>	
Roof Panel .....	Fig. SPL-1101
<b>Sunroof</b>	
Sunroof .....	Fig. SPL-1210
<b>Deck Lid</b>	
Deck Lid .....	Fig. SPL-1301
<b>Rear Shelf Panel</b>	
Rear Shelf Panel .....	Fig. SPL-1401



# Floor Pan Front Figure SPL-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Floor Console
	4783 157	1	Z		42				
	4783 251	1	D, P						
2									BRACE, Floor Pan To Sill
	4655 508	1							Right
	4655 509	1							Left
3									CROSSMEMBER, Front Floor
	4741 353	1							Track Bar Bracket
	4783 128	1	D, P						
	5256 972	1	Z		42				
4									CROSSMEMBER, Rear Floor
5									PAN, Floor
	4897 793AA	1	Z		42				
	4741 420	1							
6									SILENCER, Floor Pan Front Tunnel
7									PAD, Front Floor Pan
8									PLATE, Front Side Rail to Floor
9									CROSSMEMBER, Front Floor
	5256 972	1	Z		42				
	4783 128	1	D						
10									REINFORCEMENT, Floor Tunnel
11									PLATE, Front Seat
12									TAPPING PLATE, Seat Attaching
13									PANEL, Sill
	4741 228	1							Right
	4741 229	1							Left
14									NUT PLATE, .25-20
15									TAPE, Hole Cover, 50x50x1 mm
16									SILENCER, Floor Pan

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Floor Pan, Rear Figure SPL-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 506	1							PAN, Rear Floor
2									REINFORCEMENT, Rear Seat And Fuel Strap
	4783 248	1							Rear Seat Fuel Tank Strap Mounting, Right
	4783 249	1							Rear Seat Fuel Tank Strap Mounting
3	4783 209	1							SILENCER, Floor Pan
4									CROSSMEMBER, Rear Floor
	4655 361	1							Use With 4864506 Rear Floor Pan
	4783 044	1							Use With 4796046 Rear Floor Pan
5	4655 672	2							CROSSMEMBER, Rear Suspension, Rear Floor Pan Rear Suspension
6									Outer RAIL PACKAGE, Floor Pan Side
	4882 820	1							Right
	4882 821	1							Left
7	4655 016	2							REINFORCEMENT, Bumper, Rear Side Rail Shipping Tie Down and Bumper Support
8									EXTENSION, Body Side Sill
	4655 002	1							Right
	4655 003	1							Left
9	4655 831	1							BRACKET, Exhaust Hanger, Rear Side Rail Exhaust Hanger Mounting
10	4655 829	1							Front, Left
11									BRACKET, Exhaust Hanger
	4278 178	4				42			TAPE, Hole Cover, 50x50x1 mm
		2			D, P	22			
12	5256 621	1							BRACKET, Towing
-13	6502 337	2							NUT, M10x1.5, Tow Bracket Attaching
-14	6101 735	2							SCREW AND WASHER, Hex Head, M10x1.5x30, Tow Bracket Attaching
15	4206 922	1							BRACKET, Spare Tire, Rear Floor Pan Spare Wheel Anchor Bolt
16	4655 004	2							REINFORCEMENT, Floor Pan, Front Crossmember Fuel Tank Strap Mounting
17	4645 801	2							RETAINER, Seat Cushion

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Pan, Rear  
Figure SPL-202




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5256 958	1	D, P		22				BEAM, Body Side Sill

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE						
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI						
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC						
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI						
	P=Plymouth		TRANSMISSION						
			DD5 = 5 Speed Manua						
			DGC = 3 Speed Automatic						
			DGL = 4 Speed Automatic						
			DGO = All Automatics						
			DBB= All 5 Speed Manual						

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Plugs Figure SPL-301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4586 055	3							PLUG, Floor Pan
2	4696 666	5							PLUG, Top Seal
3	4586 055	3							PLUG, Floor Pan
4	4512 495	2							PLUG, Spare Tire Bracket
5	4586 055	3							PLUG, Floor Pan
6	4696 666	3							PLUG, Top Seal
7	6029 057	1							PLUG, Body, 1.655 Diameter, Round Push-In Front Fender Side Shield and Rail Reinforcement Left Engine Mounting
8	5255 216	2							PLUG, Body, .875 Diameter, Front Hinge Pillar
9	4661 106	2	D, P						INSULATOR, Wiring
10	2860 332	1							PLUG, Anti-Rattle, Radio Antenna Cable
11	2811 825	2							PLUG, Splash Shield
12	4661 214	2	D, P			42			PLUG, Body, B Pillar
13	6029 939	2				42			PLUG, Body, .50 Diameter, Deck Lid Inner Panel, Front
14	4646 527	2							PLUG, Deck Lid, Deck Lid Inner Panel, Rear
-15	5264 670	1	D, P						PLUG, Dash Panel

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



# Front Fender Figure SPL-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Wheelhouse
	5256 932	1							Right
	5256 933	1							Left
-2	6030 441	1							PIN, Retainer, Fender Wheelhouse Splash Attaching
3									PLATE, Hinge
	4655 650	1							Right
	4655 651	1							Left
4									BEAM, Front Fender Shield
	5256 930	1							Upper Load Path Front, Right
	5256 931	1							Upper Load Path Front, Left
-5	6501 703	4							U-NUT, M6 x 1.00, M6x1.00, Load Beam To Fender Attaching
6	4783 805	2							SHIM, Fender, Upper Load Beam To Fender
7									SUPPORT, Load Beam
	5256 918	1							Front Upper Load Beam To Front Fender, Right
	5256 919	1							Front Upper Load Beam To Front Fender, Left
8									FENDER
	4741 216	1							Right
	4741 217	1							Left
-9	6100 567	4							SCREW AND WASHER, Hex Head, M6x1x25
10	6504 118	2							U-NUT, M6 x 1.00, M6x1.00, Fender Body Side Aperature Attaching
-11	6035 155	4							SCREW, Hex Head, .25-14x.875, Fender To Hinge Pillar Attaching
12	4655 092	1							SHIELD, Accessory Drive, Front Side Rail A/C Pulley Splash
13	5256 922	1							PANEL, Fender Side Shield, Right
14	5256 923	1							PANEL, Front Fender Shield, Left
15	4863 855	1							PANEL, Front Strut Mounting, Left
16									EXTENSION, Front Fender Side Shield
	4655 104	1							Shield, Right
	4655 105	1							Shield, Left
17									PAD, Wheelhouse
	4783 204	2							
		2			Z				42
					D, P				

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special


LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual


Hood and Hood Release  
Figure SPL-501



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOOD
	4783 286	1							With Bulge
	4783 287	1							Without Bulge
2									HINGE, Hood
	4783 990	1							Right
	4783 991	1							Left
-3	6100 567	4							SCREW AND WASHER, Hex Head, M6x1x25, Hood Hinge To Hood PLATE, Hood Hinge to Cowl
-4									
	4783 064	1	Z		42				Right
	4783 065	1	Z		42				Left
5	4783 224	1	D, P						ROD, Hood Prop
-6	6032 824	2							BOLT, Hex Flange Head, .25-14x. 625, Hood Prop Rod Attaching SCREW, Self Piercing, .25-14x.625 Prop Rod Attaching Prop Rod Attaching
-7									
	0154 554	1	Z		42				
		2	D, P						
8	J400 7456	1							CLIP, Prop Rod
9									SILENCER, Hood
	4783 331	1							With Duel Overhead Cam 16-Valve Engine with Bulge
	4783 330	1							Without Bulge
-10	4341 060	9							FASTENER, Hood Silencer
11	4856 516	2							SEAL, Hood To Fender
12									RELEASE, Hood Latch
	4888 613AA	1	Z		42				Inside Hood Latch
	4658 909	1	D, P						Inside Hood
-13									GROMMET, Hood Latch Release
	5207 294	1	D, P						
		1	Z		42				
14	4783 513	1							ISOLATOR, Hood Prop Rod
15	4615 516	1							LATCH, Hood
16	6503 102	2							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00, Latch To Radiator Support
17	4783 419	1							BUMPER, Crossmember To Hood Stop
18	4103 165	2							BUMPER, Hood
19	5256 554	1							SEAL, Hood Cowl, Hood Inner To Cowl Top
-20	6504 048	7	Z		42				CLIP, Cable Routing, Inside Hood Latch Release Cable Attaching SHIELD, Throttle Body
21	4669 484	1							

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua			
H=High Line	D=Dodge			EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic			
S=Special	D=Chrysler			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

Hood and Hood Release  
Figure SPL-501




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	6030 441	4							PIN, Retainer, Shield Attaching
23									RIVET, Shield Attaching (M5.00x18.50), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Cowl and Dash Panel Figure SPL-601



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4741 450	1							PANEL, Cowl And Plenum
-2	4278 178	4							TAPE, Hole Cover, 50x50x1 mm, Cowl Side Seal
3	5256 788	1							PLUG, Cowl Side Right
	5256 789	1							Left
-4	4674 461	2							SEAL, Body Side To Cowl Side, Cowl Top Seam
5	4655 604	2							SEAL, Cowl, Cowl Top Patch
6	5256 682	1	D, P						SILENCER, Cowl Plenum Panel
	5256 992	1	Z		42				
7	5256 992	1	Z		42				SILENCER, Cowl Plenum Panel
-8	5256 996	1	Z		42				SILENCER, Plenum And Dash Panel
9	4783 062	1	Z		42				REINFORCEMENT, Brake Booster Brake Booster to Dash Panel
	4655 211	1	D, P						Brake Booster to Dash Panel
10	5256 880	1	D, P						SILENCER PACKAGE, Instrument Panel
11	4655 148	1	D, P						PANEL, Dash
	5256 990	1	Z		42				
12	4783 217	1	D						SILENCER, Dash Panel
13	4783 390	1	Z		42				SCREEN, Cowl Includes Item 7
	4888 542	1	D, P						Includes Item 7
-14	4790 753	2							RETAINER, Cowl Screen, Attaching
15	4655 794	3	D, P						CLIP, Cowl Plenum Cowl Screen To Cowl Plenum
		5	Z		42				Cowl Screen To Cowl Plenum
16	4783 464	2	D, P						CLIP, Cowl Screen, To Hinge Pillar Cowl Top
-17	0153 922	6							SCREW AND WASHER, Round Head, .164-15x.625
18									SEAL, Serviced With Screen Cowl Top Item 14, (NOT SERVICED) (Not Serviced)
19	4783 014	1	Z		42				PANEL, Cowl Side Right
	4655 028	AR							Right

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB


ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl and Dash Panel  
Figure SPL-601




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4655 756	1	D						BRACE, Cowl Plenum To Cowl Side, Cowl Plenum To Cowl Reinforcement With Wiper Pivot Mounting Center
21	4655 806	2							SEAL, Cowl Reinforcement
22	4783 253	1	Z		42				BRACKET, Steering Column Support
	5256 908	1	D						Support
23									DAMPER, Cowl Plenum, Left, Dash Footwell (Not Required), (NOT SERVICED) (Not Serviced)
24	5264 670	1	D						PLUG, Dash Panel
25									EXTENSION, Front Fender Side Shield Right Left
	4655 104	1							
	4655 105	1							
26									PANEL, Cowl Side Right Left
	4773 566	1							
	4773 567	1							
27	4655 778	1							TAPPING PLATE, Wiper Motor Attaching
28	4655 796	2							DAMPER, Cowl Plenum
29	4783 100	1							TUBE, Drain
30	5253 960	1							SEAL, Dash Panel To Hood
31	4783 252AB	1	Z		42				BRACKET, Plenum to Brake Pedal Support
32									SCREEN, Cowl
	5264 776	1	Z		42				
	5264 763	1							
33	4783 978	1	D, P						EXTENSION, Cowl Top
-34	4783 060	1	Z		42				BRACKET, Clutch Pedal
35	4783 068	1	Z		42				BRACKET, Cowl Top Wiring Connect

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Windshield, Backlite and Mirror  
Figure SPL-701



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 226AB	1							WINDSHIELD
-2	5288 535	1							MOLDING, Windshield
3									BACKLITE
	5255 576	1							Tinted
	4655 527	1							Tinted, Heated
	5256 525	1	Z		42				Tinted, Heated
4	4520 336	1							MIRROR, Inside Rear View, Primsmatic
5	5507 4915	1							MIRROR, Inside Rear View, Lighted, Lighted
6	6031 094	1							SCREW, Pan Head Tapping, .19-16x.375
7	4054 098	1							BUTTON, Rear View Mirror
-8	4293 039	1							ADHESIVE PACKAGE, Mirror Button
9									GLASS, Quarter Window
	4798 274	1			22				Right
	4798 275	1			22				Left
10	6502 028	10	D, P		22				NUT AND WASHER, Hex Nut-Coned Washer, M4 x 0.70

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

**Aperature Panel 2-Door  
Figure SPL-801**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL PACKAGE, Body Side
	4741 458	1			22				Aperature Front, Right
	4741 459	1			22				Front, Left
2									PANEL PACKAGE, Body Side
	4741 463	1			22				Aperature Rear, Left
	4741 462	1			22				Rear, Right
3									REINFORCEMENT, Quarter Panel
	4655 550	1							Quarter Inner Lower To Body Side Aperature, Right
	4655 551	1							Quarter Inner Lower To Body Side, Left
4									EXTENSION, Body Side Aperature Drain
	4655 716	1							Right
	4655 717	1							Left
5									TROUGH, Body Side Aperature Drain
	5255 526	1							Right
	5255 527	1							Left
6	6503 120	4							SCREW AND WASHER, Button
									Head Torx
7	4512 871	2							RETAINER, Door Lock Striker
8	5525 6000	2			42				PLATE, Front Door Striker
9	4658 446	2							STRIKER AND BUMPER, Door
									Latch, Front and Rear Door
10									FRAME, Windshield
	4655 350	1							Side Opening, Right
	4655 351	1							Side Opening, Left
11	5264 595	2							EXHAUSTER, Interior Trim Panel, Body Side Aperature Panel Air
									FRAME, Windshield Side
12	4655 583	1	D, P		22				Left
	4655 582	1	D, P		22				Right
13	4783 047	1	D, P		22				SUPPORT, Panel To Seal Retainer Left
	4783 046	1	D, P		22				Right
14	0154 725	2	D, P		22				SCREW, Hex Head, .25-14x1.25


**DODGE - PLYMOUTH - CHRYSLER NEON (PL)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

# Aperture Panel 4-Door Figure SPL-802



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture Front
	4897 138AA	1			42				Right
	4897 139AA	1			42				Baffle Wall Screen Attaching
2									PANEL, Body Side Aperture Center
	4897 140AA	1			42				Right
	4897 141AA	1			42				Left
3									PANEL, Body Side Aperture Rear
	4798 610	1			42				Right
	4798 611	1			42				Left
4									PANEL, Body Side Aperture Inner
	K4883 760AA	1			42				Right
	K4883 761AA	1			42				Left
5									EXTENSION, Body Side Sill
	4655 002	1							Right
	4655 003	1							Left
6	5525 6000	2			42				PLATE, Front Door Striker
7	4512 871	2							RETAINER, Door Lock Striker
8	6503 120	4							SCREW AND WASHER, Button Head Torx
9	4658 446	2							STRIKER AND BUMPER, Door Latch, Front and Rear Door
10	4520 289	AR							SPACER, Door Latch Striker
11	4658 906	2			42				STRIKER, Door Interlock, Rear Door
12									FRAME, Windshield
	4655 350	1							Side Inner, Right
	4655 351	1							Side Inner, Left
13	5264 595	2							EXHAUSTER, Interior Trim Panel, Body Side Aperture Panel
14									PANEL, Bodyside Aperture Sill
	4897 142AA	1			42				Right
	4897 143AA	1			42				Left
15									PANEL, Body Side Aperture Rear
	4798 614	1			42				Quarter Upper, Right
	4798 615	1			42				Quarter Upper, Left
16									REINFORCEMENT, Side Impact Center Pillar
	4783 178	1			42				Right
	4783 179	1			42				Left

## DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Quarter Panel 2-Door  
Figure SPL-901**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Quarter Panel Outer Is Part Of the Aperture - See Illustration 801									
1									PANEL, Quarter
	4762 703	1			22				Includes A,B and C, Left
	4762 702	1			22				Includes A,B and C, Right
2	4773 552	1			22				PANEL, Body Side Aperture Inner,
									Includes A,B,C, and D, Right
3	4512 871	2							RETAINER, Door Lock Striker
4	4655 367	1							DOOR, Fuel Fill
5	5256 943	1	D, P						HOUSING, Fuel Filler

**DODGE - PLYMOUTH - CHRYSLER NEON (PL)-**

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

**TRANSMISSION**  
DD5 = 5 Speed Manual  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DG0 = All Automatics  
DBB= All 5 Speed Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 15, 2005**


Quarter Panel 4-Door  
Figure SPL-902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEELHOUSE, Rear Inner
	4655 042	1							Right
	4655 043	1							Left
2									WHEELHOUSE, Rear Inner
	4741 424	1							Right
	4741 425	1							Left
3									PANEL, Quarter Inner
	4655 346	1			42				Upper, Right
	4655 347	1			42				Upper, Left
4									REINFORCEMENT, Quarter Panel
	4655 550	1							Inner Lower To Body Side
									Aperature Panel Drain Though, Right
	4655 551	1							Inner Lower To Body Side
									Aperature Panel Drain Through, Left
5									PANEL, Quarter Inner
	4655 344	1			42				Lower, Right
	4655 345	1			42				Lower, Left
-6	6502 328	3							PIN, Push, M5.80x13.00, Adhesive To Rear Wheel House Outer
7	6033 150	2							NUT PLATE, .25-20, Seatbelt Anchor
8									WHEELHOUSE, Rear Outer
	4655 320	1							Right
	4655 321	1							Left
9									REINFORCEMENT, Jacking
	5255 502	1							Body Side Aperature Jack, Rear, Right
	5255 503	1							Body Side Aperature Jack, Rear, Left
10									EXTENSION, Shelf Panel
	5255 516	1							Outer, Right
	5255 517	1							Outer, Left
11									SUPPORT, Rear Shelf Panel
	5255 518	1							To Wheelhouse Front, Right
	5255 519	1							To Wheelhouse Front, Left
12	4655 367	1							DOOR, Fuel Fill
13	5256 943AB	1		D, P					HOUSING, Fuel Filler
14	4655 684	2							CAP, Wheelhouse Strut, Rear
									Wheelhouse Inner Strut Mounting Reinforcement
-15	4206 059	1							LABEL, Unleaded Fuel Only

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Quarter Panel 4-Door  
Figure SPL-902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	4278 178	6							TAPE, Hole Cover, 50x50x1 mm, Quarter Inner Lower Gage Hole



DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Roof Panel  
Figure SPL-1101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5255 529	1							ROOF, Panel
2	4888 917AB	1							PANEL AND REINFORCEMENT, Sunroof
-3	6504 325	2			42				SCREW, Special Head, M6x1x25, DSI Bracket
4	5255 450	1							FRAME, Windshield, Upper
5	5255 530	1							BOW, Roof
6	5255 531	1							FRAME, Rear Window, Upper
7	4278 178	6							TAPE, Hole Cover, 50x50x1 mm, Roof Rail Inner Side Gage Hole
8	4546 820	1							DEADENER, Roof Panel
9									RAIL, Roof
	5256 914	1	D, P		22				Roof Side Inner, Right
	5256 915	1	D, P		22				Roof Side Inner, Left
10									RAIL, Roof Side
	4783 154	1			42				Roof Side Inner, Right
	4783 155	1			42				Roof Side Inner, Left


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sunroof  
Figure SPL-1210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SUNSHADE, Sunroof
	PK53 SC1	1							Mist Gray
	PK53 TK4	1							Tan
2									WELT, Sunroof Opening
	JJ27 SC1	1							Mist Gray
	JJ27 TK4	1							Tan
3	4783 106	1							CABLE, Sunroof, Drive Assembly
4	4783 107	1							DEFLECTOR, Sunroof Wind
5	4783 108	1							MOTOR, Sunroof
-6	5016 539AA-	1							BRACKET, Sunroof Motor, Used For Repair
7	4783 109	1							GLASS, Sunroof
8									GUIDE, Sunroof Lid, Sunshade
									(Serviced With Item 16 Only), (NOT SERVICED) (Not Serviced)
9									GUIDE, Sunroof Front Track
	4783 110	1							Right
	4783 111	1							Left
10									LOCATOR, Sunroof Drive Cable, (Serviced With Item17), (NOT SERVICED) (Not Serviced)
11	5016 539AA	1							BRACKET, Sunroof Motor
12	5256 666	2							HOSE, Sunroof Drain, Rear
13	5256 667	2				42			HOSE, Sunroof Drain, Rear
14	5256 592	1				42			BRACKET, Sunroof Module to Roof
									Rail Rear
15	5256 588	2	D, P			22			BRACKET, Sunroof Module to Quarter Inner
16	4783 995	1							PANEL AND REINFORCEMENT, Sunroof, Sunroof
17	4886 081AA	1							FRAME, Sunroof, (w/Tubing)
18	6500 284	2							NUT, Hex, M6x1.00

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Deck Lid  
Figure SPL-1301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4741 215	1							DECKLID
2	4655 283	2							SPRING, Deck Lid Hinge
3									HINGE, Deck Lid
	5255 544	1							Right
	5255 545	1							Left
-4	6100 286	4							BOLT AND CONED WASHER, Hex Head, M6x20x20, Hinge To Shelf Panel
-5	6022 149	1							NUT, Push, .312
-6	6101 805	4							SCREW, Hex Head Tapping, M6x1x40
-7	4206 243	1							PIN, Deck Lid Hinge Pivot
8	4741 452	1							PANEL, Decklid Opening
9									EXTENSION, Deck Opening
	5255 474	1							Right
	5255 475	1							Left
10									PANEL, Decklid Opening
	4655 394	1							Right
	4655 395	1							Left
11	6504 118	2							U-NUT, M6 x 1.00, M6x1.00, Lower Deck Outer Reinforcement
12									Attaching REINFORCEMENT, Decklid Opening
	4655 590	1							Right
	4655 591	1							Left
13									EXTENSION, Body Side Aperture Drain
	4655 716	1							Right
	4655 717	1							Left
14									BRACKET, Deck Lid Hinge Spring
	4655 660	1							Spring Attaching, Right
	4655 661	1							Spring Attaching, Left
15									LATCH, Decklid
	4658 814	1							Without Switch
	4888 622AA	1							With Switch
16	6502 925	2							SCREW AND WASHER, Hex Head, M6x1x21
17	4615 513	1							STRIKER, Door Latch, Deck Lid Latch
18	4783 223	2							BUMPER, Deck Lid Overslam
19	4655 286	2							BUMPER, Upstop
20	4888 788AA	1							WEATHERSTRIP, Decklid
21									CABLE, Deck Lid Release

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES  
L=Low Line  
H=High Line  
S=Special

LINE  
Z=Chrysler, RHD  
D=Dodge  
D=Chrysler  
P=Plymouth

BODY  
41=4 Door, 104WB

ENGINE  
ECB=2.0L 4 Cyl., 16V SMPI  
EJD=1.6L 4 Cyl16V SOHC  
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION  
DD5 = 5 Speed Manua  
DGC = 3 Speed Automatic  
DGL = 4 Speed Automatic  
DGO = All Automatics  
DBB= All 5 Speed Manual


Deck Lid  
Figure SPL-1301

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4658 815AB	1	Z		42				
	4658 815	1							
-22	4661 248	2							CLIP, Stud, Deck Lid Release Cable Attaching
23									HANDLE, Deck Lid Release
	MW34 RX9	1	D, P						Black
	LP89 SX9	1	Z		42				Black
24									SCREW, .164-15x.625, (NOT SERVICED) (Not Serviced)
25									TROUGH, Body Side Aperture Drain
	5255 526	1							Drain, Right
	5255 527	1							Drain, Left
26	4783 223	2							BUMPER, Deck Lid Overslam
27	4783 161	2							BUMPER, Deck Lid
28	4773 199	1							SPOILER, Rear Air Dam, Paint As Required
29	6504 260	4							NUT AND WASHER, Hex, M6x1
30	4646 527	2							PLUG, Deck Lid


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

Rear Shelf Panel  
Figure SPL-1401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5255 514	1							PANEL, Shelf
2	5255 518	1							SUPPORT, Rear Shelf Panel To Wheelhouse Front, Right
	5255 519	1							To Wheelhouse Front, Left
3									EXTENSION, Shelf Panel
	5255 516	1							Outer, Right
	5255 517	1							Outer, Left
4	4655 289	1							REINFORCEMENT, Shelf Panel Rear
5									REINFORCEMENT, Shelf Panel Front
	4655 420	1							Right
	4655 421	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					